

---

# **B2\_Python\_SDK**

***Release 1.1.4***

**Backblaze**

**Jan 06, 2021**



# CONTENTS

<b>1 Why use b2sdk?</b>	<b>3</b>
<b>2 Documentation index</b>	<b>5</b>
2.1 Installation Guide . . . . .	5
2.2 Tutorial . . . . .	6
2.3 Quick Start Guide . . . . .	8
2.4 Advanced usage patterns . . . . .	14
2.5 Glossary . . . . .	21
2.6 About API interfaces . . . . .	21
2.7 API Reference . . . . .	24
2.8 Contributors Guide . . . . .	101
<b>3 Indices and tables</b>	<b>103</b>
<b>Python Module Index</b>	<b>105</b>
<b>Index</b>	<b>107</b>



**b2sdk** is a client library for easy access to all of the capabilities of B2 Cloud Storage.

[B2 command-line tool](#) is an example of how it can be used to provide command-line access to the B2 service, but there are many possible applications (including [FUSE filesystems](#), storage backend drivers for backup applications etc).



---

CHAPTER  
ONE

---

## WHY USE B2SDK?

When building an application which uses B2 cloud, it is possible to implement an independent B2 API client, but using **b2sdk** allows for:

- reuse of code that is already written, with hundreds of unit tests
- use **Synchronizer**, a high-performance, parallel rsync-like utility
- developer-friendly library *api version policy* which guards your program against incompatible changes
- **B2 integration checklist** is passed automatically
- **raw\_simulator** makes it easy to mock the B2 cloud for unit testing purposes
- progress of operations will be reported to an object of your choice
- exception hierarchy makes it easy to display informative messages to users
- interrupted transfers are automatically continued
- **b2sdk** has been developed for 3 years before it version 1.0.0 was released. It's stable and mature.



## DOCUMENTATION INDEX

## 2.1 Installation Guide

### 2.1.1 Installing as a dependency

**b2sdk** can simply be added to `requirements.txt` (or equivalent such as `setup.py`, `.pipfile` etc). In order to properly set a dependency, see [versioning chapter](#) for details.

---

**Note:** The stability of your application depends on correct *pinning of versions*.

---

### 2.1.2 Installing a development version

To install **b2sdk**, checkout the repository and run:

```
pip install b2sdk
```

in your python environment.

---

**Note:** If you see a message saying that the `six` library cannot be installed, which happens if you're installing with the system python on OS X El Capitan, try this:

```
pip install --ignore-installed b2sdk
```

---

### 2.1.3 Installing for contributors

You'll need to some Python packages installed. To get all the latest things:

```
pip install --upgrade --upgrade-strategy eager -r requirements.txt -r requirements-test.txt -r requirements-setup.txt
```

There is a `Makefile` with a rule to run the unit tests using the currently active Python:

```
make setup  
make test
```

will install the required packages, then run the unit tests.

## 2.2 Tutorial

### 2.2.1 AccountInfo

AccountInfo object holds information about access keys, tokens, upload urls, as well as a bucket id-name map.

It is the first object that you need to create to use **b2sdk**. Using AccountInfo, we'll be able to create a B2Api object to manage a B2 account.

In the tutorial we will use `b2sdk.v1.InMemoryAccountInfo`:

```
>>> from b2sdk.v1 import InMemoryAccountInfo
>>> info = InMemoryAccountInfo() # store credentials, tokens and cache in memory
```

With the `info` object in hand, we can now proceed to create a B2Api object.

---

**Note:** `AccountInfo` section provides guidance for choosing the correct AccountInfo class for your application.

---

### 2.2.2 Account authorization

```
>>> application_key_id = '4a5b6c7d8e9f'
>>> application_key = '001b8e23c26ff6efb941e237deb182b9599a84bef7'
>>> b2_api.authorize_account("production", application_key_id, application_key)
```

---

**Tip:** Get credentials from B2 website

---

To find out more about account authorization, see `b2sdk.v1.B2Api.authorize_account()`

### 2.2.3 B2Api

`B2Api` allows for account-level operations on a B2 account.

#### Typical B2Api operations

<code>authorize_account</code>	Perform account authorization.
<code>create_bucket</code>	Create a bucket.
<code>delete_bucket</code>	Delete a chosen bucket.
<code>list_buckets</code>	Call <code>b2_list_buckets</code> and return a list of buckets.
<code>get_bucket_by_name</code>	Return the Bucket matching the given <code>bucket_name</code> .
<code>create_key</code>	Create a new <code>application key</code> .
<code>list_keys</code>	List application keys.
<code>delete_key</code>	Delete <code>application key</code> .
<code>download_file_by_id</code>	Download a file with the given ID.
<code>list_parts</code>	Generator that yields a <code>b2sdk.v1.Part</code> for each of the parts that have been uploaded.
<code>cancel_large_file</code>	Cancel a large file upload.

```
>>> b2_api = B2Api(info)
```

to find out more, see [b2sdk.v1.B2Api](#).

The most practical operation on B2Api object is [b2sdk.v1.B2Api.get\\_bucket\\_by\\_name\(\)](#).

*Bucket* allows for operations such as listing a remote bucket or transferring files.

## 2.2.4 Bucket

### Initializing a Bucket

#### Retrieve an existing Bucket

To get a Bucket object for an existing B2 Bucket:

```
>>> b2_api.get_bucket_by_name("example-mybucket-b2-1")
Bucket<346501784642eb3e60980d10,example-mybucket-b2-1,allPublic>
```

### Create a new Bucket

To create a bucket:

```
>>> bucket_name = 'example-mybucket-b2-1'
>>> bucket_type = 'allPublic' # or 'allPrivate'

>>> b2_api.create_bucket(bucket_name, bucket_type)
Bucket<346501784642eb3e60980d10,example-mybucket-b2-1,allPublic>
```

You can optionally store bucket info, CORS rules and lifecycle rules with the bucket. See [b2sdk.v1.B2Api.create\\_bucket\(\)](#) for more details.

---

**Note:** Bucket name must be unique in B2 (across all accounts!). Your application should be able to cope with a bucket name collision with another B2 user.

---

### Typical Bucket operations

<code>download_file_by_name</code>	Download a file by name.
<code>upload_local_file</code>	Upload a file on local disk to a B2 file.
<code>upload_bytes</code>	Upload bytes in memory to a B2 file.
<code>ls</code>	Pretend that folders exist and yields the information about the files in a folder.
<code>hide_file</code>	Hide a file.
<code>delete_file_version</code>	Delete a file version.
<code>get_download_authorization</code>	Return an authorization token that is valid only for downloading files from the given bucket.
<code>get_download_url</code>	Get file download URL.
<code>update</code>	Update various bucket parameters.

continues on next page

Table 2 – continued from previous page

<code>set_type</code>	Update bucket type.
<code>set_info</code>	Update bucket info.

To find out more, see [b2sdk.v1.Bucket](#).

## 2.2.5 Summary

You now know how to use `AccountInfo`, `B2Api` and `Bucket` objects.

To see examples of some of the methods presented above, visit the [quick start guide](#) section.

## 2.3 Quick Start Guide

### 2.3.1 Prepare b2sdk

```
>>> from b2sdk.v1 import *
>>> info = InMemoryAccountInfo()
>>> b2_api = B2Api(info)
>>> application_key_id = '4a5b6c7d8e9f'
>>> application_key = '001b8e23c26ff6efb941e237deb182b9599a84bef7'
>>> b2_api.authorize_account("production", application_key_id, application_key)
```

---

**Tip:** Get credentials from B2 website

---

### 2.3.2 Synchronization

```
>>> from b2sdk.v1 import ScanPoliciesManager
>>> from b2sdk.v1 import parse_sync_folder
>>> from b2sdk.v1 import Synchronizer
>>> import time
>>> import sys

>>> source = '/home/user1/b2_example'
>>> destination = 'b2://example-mybucket-b2'

>>> source = parse_sync_folder(source, b2_api)
>>> destination = parse_sync_folder(destination, b2_api)

>>> policies_manager = ScanPoliciesManager(exclude_all_symlinks=True)

>>> synchronizer = Synchronizer(
    max_workers=10,
    policies_manager=policies_manager,
    dry_run=False,
    allow_empty_source=True,
)

>>> no_progress = False
```

(continues on next page)

(continued from previous page)

```
>>> with SyncReport(sys.stdout, no_progress) as reporter:
    synchronizer.sync_folders(
        source_folder=source,
        dest_folder=destination,
        now_millis=int(round(time.time() * 1000)),
        reporter=reporter,
    )
upload some.pdf
upload som2.pdf
```

**Tip:** Sync is the preferred way of getting data into and out of B2 cloud, because it can achieve *highest performance* due to parallelization of scanning and data transfer operations.

To learn more about sync, see [Synchronizer](#).

### 2.3.3 Bucket actions

#### List buckets

```
>>> b2_api.list_buckets()
[Bucket<346501784642eb3e60980d10,example-mybucket-b2-1,allPublic>]
>>> for b in b2_api.list_buckets():
    print('%s %10s %s' % (b.id_, b.type_, b.name))
346501784642eb3e60980d10 allPublic example-mybucket-b2-1
```

#### Create a bucket

```
>>> bucket_name = 'example-mybucket-b2-1' # must be unique in B2 (across all accounts!)
>>> bucket_type = 'allPublic' # or 'allPrivate'

>>> b2_api.create_bucket(bucket_name, bucket_type)
Bucket<346501784642eb3e60980d10,example-mybucket-b2-1,allPublic>
```

You can optionally store bucket info, CORS rules and lifecycle rules with the bucket. See [b2sdk.v1.B2Api.create\\_bucket\(\)](#).

#### Delete a bucket

```
>>> bucket_name = 'example-mybucket-b2-to-delete'
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> b2_api.delete_bucket(bucket)
```

returns *None* if successful, raises an exception in case of error.

## Update bucket info

```
>>> new_bucket_type = 'allPrivate'
>>> bucket_name = 'example-mybucket-b2'

>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> bucket.update(bucket_type=new_bucket_type)
{'accountId': '451862be08d0',
'bucketId': '5485a1682662eb3e60980d10',
'bucketInfo': {},
'bucketName': 'example-mybucket-b2',
'bucketType': 'allPrivate',
'corsRules': [],
'lifecycleRules': [],
'revision': 3}
```

For more information see [`b2sdk.v1.Bucket.update\(\)`](#).

## 2.3.4 File actions

---

**Tip:** Sync is the preferred way of getting files into and out of B2 cloud, because it can achieve *highest performance* due to parallelization of scanning and data transfer operations.

To learn more about sync, see [Sync](#).

Use the functions described below only if you *really* need to transfer a single file.

---

## Upload file

```
>>> local_file_path = '/home/user1/b2_example/new.pdf'
>>> b2_file_name = 'dummy_new.pdf'
>>> file_info = {'how': 'good-file'}

>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> bucket.upload_local_file(
    local_file=local_file_path,
    file_name=b2_file_name,
    file_infos=file_info,
)
<b2sdk.file_version.FileVersionInfo at 0x7fc8cd560550>
```

This will work regardless of the size of the file - `upload_local_file` automatically uses large file upload API when necessary.

For more information see [`b2sdk.v1.Bucket.upload\_local\_file\(\)`](#).

## Download file

### By id

```
>>> from b2sdk.v1 import DownloadDestLocalFile
>>> from b2sdk.v1 import DoNothingProgressListener

>>> local_file_path = '/home/user1/b2_example/new2.pdf'
>>> file_id = '4_z5485a1682662eb3e60980d10_f1195145f42952533_d20190403_m130258_c002_
->v0001111_t0002'
>>> download_dest = DownloadDestLocalFile(local_file_path)
>>> progress_listener = DoNothingProgressListener()

>>> b2_api.download_file_by_id(file_id, download_dest, progress_listener)
{'fileId': '4_z5485a1682662eb3e60980d10_f1195145f42952533_d20190403_m130258_c002_
->v0001111_t0002',
'fileName': 'som2.pdf',
'contentType': 'application/pdf',
'contentLength': 1870579,
'contentSha1': 'd821849a70922e87c2b0786c0be7266b89d87df0',
'fileInfo': {'src_last_modified_millis': '1550988084299'}}

>>> print('File name: ', download_dest.file_name)
File name: som2.pdf
>>> print('File id: ', download_dest.file_id)
File id: 4_z5485a1682662eb3e60980d10_f1195145f42952533_d20190403_m130258_c002_
->v0001111_t0002
>>> print('File size: ', download_dest.content_length)
File size: 1870579
>>> print('Content type:', download_dest.content_type)
Content type: application/pdf
>>> print('Content sha1:', download_dest.content_sha1)
Content sha1: d821849a70922e87c2b0786c0be7266b89d87df0
```

### By name

```
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> b2_file_name = 'dummy_new.pdf'
>>> local_file_name = '/home/user1/b2_example/new3.pdf'
>>> download_dest = DownloadDestLocalFile(local_file_name)
>>> bucket.download_file_by_name(b2_file_name, download_dest)
{'fileId': '4_z5485a1682662eb3e60980d10_f113f963288e711a6_d20190404_m065910_c002_
->v0001095_t0044',
'fileName': 'dummy_new.pdf',
'contentType': 'application/pdf',
'contentLength': 1870579,
'contentSha1': 'd821849a70922e87c2b0786c0be7266b89d87df0',
'fileInfo': {'how': 'good-file'}}
```

## List files

```
>>> bucket_name = 'example-mybucket-b2'
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> for file_info, folder_name in bucket.ls(show_versions=False):
>>>     print(file_info.file_name, file_info.upload_timestamp, folder_name)
f2.txt 1560927489000 None
som2.pdf 1554296578000 None
some.pdf 1554296579000 None
test-folder/.bzEmpty 1561005295000 test-folder/

# Recursive
>>> bucket_name = 'example-mybucket-b2'
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> for file_info, folder_name in bucket.ls(show_versions=False, recursive=True):
>>>     print(file_info.file_name, file_info.upload_timestamp, folder_name)
f2.txt 1560927489000 None
som2.pdf 1554296578000 None
some.pdf 1554296579000 None
test-folder/.bzEmpty 1561005295000 test-folder/
test-folder/folder_file.txt 1561005349000 None
```

Note: The files are returned recursively and in order so all files in a folder are printed one after another. The folder\_name is returned only for the first file in the folder.

```
# Within folder
>>> bucket_name = 'example-mybucket-b2'
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> for file_info, folder_name in bucket.ls(folder_to_list='test-folder', show_
->versions=False):
>>>     print(file_info.file_name, file_info.upload_timestamp, folder_name)
test-folder/.bzEmpty 1561005295000 None
test-folder/folder_file.txt 1561005349000 None

# list file versions
>>> for file_info, folder_name in bucket.ls(show_versions=True):
>>>     print(file_info.file_name, file_info.upload_timestamp, folder_name)
f2.txt 1560927489000 None
f2.txt 1560849524000 None
som2.pdf 1554296578000 None
some.pdf 1554296579000 None
```

For more information see [b2sdk.v1.Bucket.ls\(\)](#).

## Get file metadata

```
>>> file_id = '4_z5485a1682662eb3e60980d10_f113f963288e711a6_d20190404_m065910_c002_
->v0001095_t0044'
>>> b2_api.get_file_info(file_id)
{'accountId': '451862be08d0',
 'action': 'upload',
 'bucketId': '5485a1682662eb3e60980d10',
 'contentLength': 1870579,
 'contentSha1': 'd821849a70922e87c2b0786c0be7266b89d87df0',
 'contentType': 'application/pdf',
 'fileId': '4_z5485a1682662eb3e60980d10_f113f963288e711a6_d20190404_m065910_c002_
->v0001095_t0044',
```

(continues on next page)

(continued from previous page)

```
'fileInfo': {'how': 'good-file'},
'fileName': 'dummy_new.pdf',
'uploadTimestamp': 1554361150000}
```

## Copy file

Please switch to `b2sdk.v2.Bucket.copy()`.

```
>>> file_id = '4_z5485a1682662eb3e60980d10_f118df9ba2c5131e8_d20190619_m065809_c002_
˓→v0001126_t0040'
>>> bucket.copy(file_id, 'f2_copy.txt')
{'accountId': '451862be08d0',
'action': 'copy',
'bucketId': '5485a1682662eb3e60980d10',
'contentLength': 124,
'contentSha1': '737637702a0e41dda8b7be79c8db1d369c6eef4a',
'contentType': 'text/plain',
'fileId': '4_z5485a1682662eb3e60980d10_f1022e2320daf707f_d20190620_m122848_c002_
˓→v0001123_t0020',
'fileInfo': {'src_last_modified_millis': '1560848707000'},
'fileName': 'f2_copy.txt',
'uploadTimestamp': 1561033728000}
```

If the `content_length` is not provided and the file is larger than 5GB, `copy` would not succeed and error would be raised. If length is provided, then the file may be copied as a large file. Maximum copy part size can be set by `max_copy_part_size` - if not set, it will default to 5GB. If `max_copy_part_size` is lower than `absoluteMinimumPartSize`, file would be copied in single request - this may be used to force copy in single request large file that fits in server small file limit.

If you want to copy just the part of the file, then you can specify the offset and content length:

```
>>> file_id = '4_z5485a1682662eb3e60980d10_f118df9ba2c5131e8_d20190619_m065809_c002_
˓→v0001126_t0040'
>>> bucket.copy(file_id, 'f2_copy.txt', offset=1024, length=2048)
```

Note that content length is required for offset values other than zero.

For more information see `b2sdk.v1.Bucket.copy()`.

## Delete file

```
>>> file_id = '4_z5485a1682662eb3e60980d10_f113f963288e711a6_d20190404_m065910_c002_
˓→v0001095_t0044'
>>> file_info = b2_api.delete_file_version(file_id, 'dummy_new.pdf')
>>> print(file_info)
{'file_id': '4_z5485a1682662eb3e60980d10_f113f963288e711a6_d20190404_m065910_c002_
˓→v0001095_t0044',
'file_name': 'dummy_new.pdf'}
```

## Cancel large file uploads

```
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> for file_version in bucket.list_unfinished_large_files():
    bucket.cancel_large_file(file_version.file_id)
```

## 2.4 Advanced usage patterns

B2 server API allows for creation of an object from existing objects. This allows to avoid transferring data from the source machine if the desired outcome can be (at least partially) constructed from what is already on the server.

The way **b2sdk** exposes this functionality is through a few functions that allow the user to express the desired outcome and then the library takes care of planning and executing the work. Please refer to the table below to compare the support of object creation methods for various usage patterns.

### 2.4.1 Available methods

Method / supported options	Source	Range overlap	Streaming interface	<i>Continuation</i>
<code>b2sdk.v1.Bucket.upload()</code>	local	no	no	automatic
<code>b2sdk.v1.Bucket.copy()</code>	remote	no	no	automatic
<code>b2sdk.v1.Bucket.concatenate()</code>	any	no	no	automatic
<code>b2sdk.v1.Bucket.concatenate_stream()</code>	any	no	yes	manual
<code>b2sdk.v1.Bucket.create_file()</code>	any	yes	no	automatic
<code>b2sdk.v1.Bucket.create_file_stream()</code>	any	yes	yes	manual

### Range overlap

Some methods support overlapping ranges between local and remote files. **b2sdk** tries to use the remote ranges as much as possible, but due to limitations of `b2_copy_part` (specifically the minimum size of a part) that may not be always possible. A possible solution for such case is to download a (small) range and then upload it along with another one, to meet the `b2_copy_part` requirements. This can be improved if the same data is already available locally - in such case **b2sdk** will use the local range rather than downloading it.

### Streaming interface

Some object creation methods start writing data before reading the whole input (iterator). This can be used to write objects that do not have fully known contents without writing them first locally, so that they could be copied. Such usage pattern can be relevant to small devices which stream data to B2 from an external NAS, where caching large files such as media files or virtual machine images is not an option.

Please see [advanced method support table](#) to see where streaming interface is supported.

## Continuation

Please see [here](#)

### 2.4.2 Concatenate files

`b2sdk.v1.Bucket.concatenate()` accepts an iterable of upload sources (either local or remote). It can be used to glue remote files together, back-to-back, into a new file.

`b2sdk.v1.Bucket.concatenate_stream()` does not create and validate a plan before starting the transfer, so it can be used to process a large input iterator, at a cost of limited automated continuation.

#### Concatenate files of known size

```
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> input_sources = [
...     RemoteFileUploadSource('4_z5485a1682662eb3e60980d10_f113f963288e711a6_',
...     ↪d20190404_m065910_c002_v0001095_t0044', offset=100, length=100),
...     LocalUploadSource('my_local_path/to_file.txt'),
...     RemoteFileUploadSource('4_z5485a1682662eb3e60980d10_f1022e2320daf707f_',
...     ↪d20190620_m122848_c002_v0001123_t0020', length=2123456789),
... ]
>>> file_info = {'how': 'good-file'}
>>> bucket.concatenate(input_sources, remote_name, file_info)
<b2sdk.file_version.FileVersionInfo at 0x7fc8cd560551>
```

If one of remote source has length smaller than `absoluteMinimumPartSize` then it cannot be copied into large file part. Such remote source would be downloaded and concatenated locally with local source or with other downloaded remote source.

Please note that this method only allows checksum verification for local upload sources. Checksum verification for remote sources is available only when local copy is available. In such case `b2sdk.v1.Bucket.create_file()` can be used with overlapping ranges in input.

For more information about concatenate please see `b2sdk.v1.Bucket.concatenate()` and `b2sdk.v1.RemoteUploadSource`.

#### Concatenate files of known size (streamed version)

`b2sdk.v1.Bucket.concatenate()` accepts an iterable of upload sources (either local or remote). The operation would not be planned ahead so it supports very large output objects, but continuation is only possible for local only sources and provided unfinished large file id. See more about continuation in `b2sdk.v1.Bucket.create_file()` paragraph about continuation.

```
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> input_sources = [
...     RemoteFileUploadSource('4_z5485a1682662eb3e60980d10_f113f963288e711a6_',
...     ↪d20190404_m065910_c002_v0001095_t0044', offset=100, length=100),
...     LocalUploadSource('my_local_path/to_file.txt'),
...     RemoteFileUploadSource('4_z5485a1682662eb3e60980d10_f1022e2320daf707f_',
...     ↪d20190620_m122848_c002_v0001123_t0020', length=2123456789),
... ]
>>> file_info = {'how': 'good-file'}
>>> bucket.concatenate_stream(input_sources, remote_name, file_info)
<b2sdk.file_version.FileVersionInfo at 0x7fc8cd560551>
```

## Concatenate files of unknown size

While it is supported by B2 server, this pattern is currently not supported by **b2sdk**.

### 2.4.3 Synthesize an object

Using methods described below an object can be created from both local and remote sources while avoiding downloading small ranges when such range is already present on a local drive.

#### Update a file efficiently

`b2sdk.v1.Bucket.create_file()` accepts an iterable which *can contain overlapping destination ranges*.

---

**Note:** Following examples *create* new file - data in bucket is immutable, but **b2sdk** can create a new file version with the same name and updated content

---

#### Append to the end of a file

The assumption here is that the file has been appended to since it was last uploaded to. This assumption is verified by **b2sdk** when possible by recalculating checksums of the overlapping remote and local ranges. If copied remote part sha does not match with locally available source, file creation process would be interrupted and an exception would be raised.

```
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> input_sources = [
...     WriteIntent(
...         data=RemoteFileUploadSource(
...             '4_z5485a1682662eb3e60980d10_f113f963288e711a6_d20190404_m065910_c002_
...v0001095_t0044',
...             offset=0,
...             length=5000000,
...         ),
...         destination_offset=0,
...     ),
...     WriteIntent(
...         data=LocalFileUploadSource('my_local_path/to_file.txt'), # of length_
...             60000000
...         destination_offset=0,
...     ),
... ]
>>> file_info = {'how': 'good-file'}
>>> bucket.create_file(input_sources, remote_name, file_info)
<b2sdk.file_version.FileVersionInfo at 0x7fc8cd560552>
```

`LocalUploadSource` has the size determined automatically in this case. This is more efficient than `b2sdk.v1.Bucket.concatenate()`, as it can use the overlapping ranges when a remote part is smaller than `absoluteMinimumPartSize` to prevent downloading a range (when concatenating, local source would have destination offset at the end of remote source)

For more information see `b2sdk.v1.Bucket.create_file()`.

## Change the middle of the remote file

```
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> input_sources = [
...     WriteIntent(
...         RemoteUploadSource('4_z5485a1682662eb3e60980d10_f113f963288e711a6_'
...             ↵d20190404_m065910_c002_v0001095_t0044', offset=0, length=4000000),
...         destination_offset=0,
...     ),
...     WriteIntent(
...         LocalFileUploadSource('my_local_path/to_file.txt'), # length=1024, here_
...             ↵not passed and just checked from local source using seek
...         destination_offset=4000000,
...     ),
...     WriteIntent(
...         RemoteUploadSource('4_z5485a1682662eb3e60980d10_f113f963288e711a6_'
...             ↵d20190404_m065910_c002_v0001095_t0044', offset=4001024, length=123456789),
...         destination_offset=4001024,
...     ),
... ]
>>> file_info = {'how': 'good-file'}
>>> bucket.create_file(input_sources, remote_name, file_info)
<b2sdk.file_version.FileVersionInfo at 0x7fc8cd560552>
```

*LocalUploadSource* has the size determined automatically in this case. This is more efficient than *b2sdk.v1.Bucket.concatenate()*, as it can use the overlapping ranges when a remote part is smaller than *absoluteMinimumPartSize* to prevent downloading a range.

For more information see *b2sdk.v1.Bucket.create\_file()*.


## Synthesize a file from local and remote parts

This is useful for expert usage patterns such as:

- synthetic backup
- reverse synthetic backup
- mostly-server-side cutting and gluing uncompressed media files such as *wav* and *avi* with rewriting of file headers
- various deduplicated backup scenarios

Please note that *b2sdk.v1.Bucket.create\_file\_stream()* accepts **an ordered iterable** which *can contain overlapping ranges*, so the operation does not need to be planned ahead, but can be streamed, which supports very large output objects.

Scenarios such as below are then possible:



(continues on next page)

(continued from previous page)




```
>>> bucket = b2_api.get_bucket_by_name(bucket_name)
>>> def generate_input():
...     yield WriteIntent(
...         RemoteUploadSource('4_z5485a1682662eb3e60980d10_f113f963288e711a6_
... ↵d20190404_m065910_c002_v0001095_t0044', offset=0, length=lengthC),
...         destination_offset=0,
...     )
...     yield WriteIntent(
...         LocalFileUploadSource('my_local_path/to_file.txt'), # length = offsetF -
... ↵offsetB
...         destination_offset=offsetB,
...     )
...     yield WriteIntent(
...         RemoteUploadSource('4_z5485a1682662eb3e60980d10_f113f963288e711a6_
... ↵d20190404_m065910_c002_v0001095_t0044', offset=0, length=offsetG-offsetD),
...         destination_offset=offsetD,
...     )
...
>>> file_info = {'how': 'good-file'}
>>> bucket.create_file(generate_input(), remote_name, file_info)
<b2sdk.v1.Bucket>
```

In such case, if the sizes allow for it (there would be no parts smaller than *absoluteMinimumPartSize*), the only uploaded part will be C-D. Otherwise, more data will be uploaded, but the data transfer will be reduced in most cases. *b2sdk.v1.Bucket.create\_file()* does not guarantee that outbound transfer usage would be optimal, it uses a simple greedy algorithm with as small look-aheads as possible.

For more information see *b2sdk.v1.Bucket.create\_file()*.

### Prioritize remote or local sources

*b2sdk.v1.Bucket.create\_file()* and *b2sdk.v1.Bucket.create\_file\_stream()* support source/origin prioritization, so that planner would know which sources should be used for overlapping ranges. Supported values are: *local*, *remote* and *local\_verification*.



(continues on next page)

(continued from previous page)

```

| #####      #####
| ^  ^  ^          |
| |  |  |          | |
| | local file BC and DE |
| | |  |  |          |
A   B     C   D           E
A=0, B=50M, C=80M, D=100M, E=200

```

```

>>> bucket.create_file(input_sources, remote_name, file_info, prioritize='local')
# planner parts: cloud[A, B], local[B, C], remote[C, D], local[D, E]

```

Here the planner has only used a remote source where remote range was not available, minimizing downloads.

```

>>> planner.create_file(input_sources, remote_name, file_info, prioritize='remote')
# planner parts: cloud[A, D], local[D, E]

```

Here the planner has only used a local source where remote range was not available, minimizing uploads.

```

>>> bucket.create_file(input_sources, remote_name, file_info)
# or
>>> bucket.create_file(input_sources, remote_name, file_info, prioritize='local_
    ↴verification')
# planner parts: cloud[A, B], cloud[B, C], cloud[C, D], local[D, E]

```

In *local\_verification* mode the remote range was artificially split into three parts to allow for checksum verification against matching local ranges.

---

**Note:** *prioritize* is just a planner setting - remote parts are always verified if matching local parts exists.

---

## 2.4.4 Continuation

### Continuation of upload

In order to continue a simple upload session, **b2sdk** checks for any available sessions with the same `file_name`, `file_info` and `media_type`, verifying the size of an object as much as possible.

To support automatic continuation, some advanced methods create a plan before starting copy/upload operations, saving the hash of that plan in `file_info` for increased reliability.

If that is not available, `large_file_id` can be extracted via callback during the operation start. It can then be passed into the subsequent call to continue the same task, though the responsibility for passing the exact same input is then on the user of the function. Please see [advanced method support table](#) to see where automatic continuation is supported. `large_file_id` can also be passed if automatic continuation is available in order to avoid issues where multiple matching upload sessions are matching the transfer.

## Continuation of create/concatenate

`b2sdk.v1.Bucket.create_file()` supports automatic continuation or manual continuation. `b2sdk.v1.Bucket.create_file_stream()` supports only manual continuation for local-only inputs. The situation looks the same for `b2sdk.v1.Bucket.concatenate()` and `b2sdk.v1.Bucket.concatenate_stream()` (streamed version supports only manual continuation of local sources). Also `b2sdk.v1.Bucket.upload()` and `b2sdk.v2.Bucket.copy()` support both automatic and manual continuation.

### Manual continuation

```
>>> def large_file_callback(large_file):
...     # storage is not part of the interface - here only for demonstration purposes
...     storage.store({'name': remote_name, 'large_file_id': large_file.id})
>>> bucket.create_file(input_sources, remote_name, file_info, large_file_
↪callback=large_file_callback)
# ...
>>> large_file_id = storage.query({'name': remote_name})[0]['large_file_id']
>>> bucket.create_file(input_sources, remote_name, file_info, large_file_id=large_
↪file_id)
```

### Manual continuation (streamed version)

```
>>> def large_file_callback(large_file):
...     # storage is not part of the interface - here only for demonstration purposes
...     storage.store({'name': remote_name, 'large_file_id': large_file.id})
>>> bucket.create_file_stream(input_sources, remote_name, file_info, large_file_
↪callback=large_file_callback)
# ...
>>> large_file_id = storage.query({'name': remote_name})[0]['large_file_id']
>>> bucket.create_file_stream(input_sources, remote_name, file_info, large_file_
↪id=large_file_id)
```

Streams that contains remote sources cannot be continued with `b2sdk.v1.Bucket.create_file()` - internally `b2sdk.v1.Bucket.create_file()` stores plan information in file info for such inputs, and verifies it before any copy/upload and `b2sdk.v1.Bucket.create_file_stream()` cannot store this information. Local source only inputs can be safely continued with `b2sdk.v1.Bucket.create_file()` in auto continue mode or manual continue mode (because plan information is not stored in file info in such case).

### Auto continuation

```
>>> bucket.create_file(input_sources, remote_name, file_info)
```

For local source only input, `b2sdk.v1.Bucket.create_file()` would try to find matching unfinished large file. It will verify uploaded parts checksums with local sources - the most completed, having all uploaded parts matched candidate would be automatically selected as file to continue. If there is no matching candidate (even if there are unfinished files for the same file name) new large file would be started.

In other cases plan information would be generated and `b2sdk.v1.Bucket.create_file()` would try to find unfinished large file with matching plan info in its file info. If there is one or more such unfinished large files, `b2sdk.v1.Bucket.create_file()` would verify checksums for all locally available parts and choose any

matching candidate. If all candidates fails on uploaded parts checksums verification, process is interrupted and error raises. In such case corrupted unfinished large files should be cancelled manually and `b2sdk.v1.Bucket.create_file()` should be retried, or auto continuation should be turned off with `auto_continue=False`

## No continuation

```
>>> bucket.create_file(input_sources, remote_name, file_info, auto_continue=False)
```

Note, that this only forces start of a new large file - it is still possible to continue the process with either auto or manual modes.

## 2.5 Glossary

**absoluteMinimumPartSize** The smallest large file part size, as indicated during authorization process by the server (in 2019 it used to be 5MB, but the server can set it dynamically)

**account ID** An identifier of the B2 account (not login). Looks like this: 4ba5845d7aaf.

**application key ID** Since every `account ID` can have multiple access keys associated with it, the keys need to be distinguished from each other. `application key ID` is an identifier of the access key. There are two types of keys: `master application key` and `non-master application key`.

**application key** The secret associated with an `application key ID`, used to authenticate with the server. Looks like this:  
 N2Zug0evLcHDlh\_L0Z0AJhiGGdY or 0a1bce5ea463a7e4b090ef5bd6bd82b851928ab2c6 or  
 K0014pbwolzxcIVMnqSNTfWHReU/O3s

**b2sdk version** Looks like this: v1.0.0 or 1.0.0 and makes version numbers meaningful. See [Pinning versions](#) for more details.

**b2sdk interface version** Looks like this: v2 or b2sdk.v2 and makes maintaining backward compatibility much easier. See [interface versions](#) for more details.

**master application key** This is the first key you have access to, it is available on the B2 web application. This key has all capabilities, access to all `buckets`, and has no file prefix restrictions or expiration. The `application key ID` of the master application key is equal to `account ID`.

**non-master application key** A key which can have restricted capabilities, can only have access to a certain `bucket` or even to just part of it. See [https://www.backblaze.com/b2/docs/application\\_keys.html](https://www.backblaze.com/b2/docs/application_keys.html) to learn more. Looks like this: 0014aa9865d6f0000000000b0

**bucket** A container that holds files. You can think of buckets as the top-level folders in your B2 Cloud Storage account. There is no limit to the number of files in a bucket, but there is a limit of 100 buckets per account. See <https://www.backblaze.com/b2/docs/buckets.html> to learn more.

## 2.6 About API interfaces

### 2.6.1 Semantic versioning

**b2sdk** follows Semantic Versioning policy, so in essence the version number is MAJOR.MINOR.PATCH (for example 1.2.3) and:

- we increase `MAJOR` version when we make **incompatible API changes**
- we increase `MINOR` version when we add functionality **in a backwards-compatible manner**, and

- we increase *PATCH* version when we make backwards-compatible **bug fixes** (unless someone relies on the undocumented behavior of a fixed bug)

Therefore when setting up **b2sdk** as a dependency, please make sure to match the version appropriately, for example you could put this in your `requirements.txt` to make sure your code is compatible with the **b2sdk** version your user will get from pypi:

```
b2sdk>=1.0.0,<2.0.0
```

### 2.6.2 Interface versions

You might notice that the import structure provided in the documentation looks a little odd: `from b2sdk.v1 import ...`. The `.v1` part is used to keep the interface fluid without risk of breaking applications that use the old signatures. With new versions, **b2sdk** will provide functions with signatures matching the old ones, wrapping the new interface in place of the old one. What this means for a developer using **b2sdk**, is that it will just keep working. We have already deleted some legacy functions when moving from `.v0` to `.v1`, providing equivalent wrappers to reduce the migration effort for applications using pre-1.0 versions of **b2sdk** to fixing imports.

It also means that **b2sdk** developers may change the interface in the future and will not need to maintain many branches and backport fixes to keep compatibility of for users of those old branches.

### 2.6.3 Interface version compatibility

A *numbered interface* will not be exactly identical throughout its lifespan, which should not be a problem for anyone, however just in case, the acceptable differences that the developer must tolerate, are listed below.

#### Exceptions

The exception hierarchy may change in a backwards compatible manner and the developer must anticipate it. For example, if `b2sdk.v1.ExceptionC` inherits directly from `b2sdk.v1.ExceptionA`, it may one day inherit from `b2sdk.v1.ExceptionB`, which in turn inherits from `b2sdk.v1.ExceptionA`. Normally this is not a problem if you use `isinstance()` and `super()` properly, but your code should not call the constructor of a parent class by directly naming it or it might skip the middle class of the hierarchy (`ExceptionB` in this example).

#### Extensions

Even in the same interface version, objects/classes/enums can get additional fields and their representations such as `to_dict()` or `__repr__` (but not `__str__`) may start to contain those fields.

Methods and functions can start accepting new **optional** arguments. New methods can be added to existing classes.

#### Performance

Some effort will be put into keeping the performance of the old interfaces, but in rare situations old interfaces may end up with a slightly degraded performance after a new version of the library is released. If performance target is absolutely critical to your application, you can pin your dependencies to the middle version (using `b2sdk>=X.Y.0, <X.Y+1.0`) as **b2sdk** will increment the middle version when introducing a new interface version if the wrapper for the older interfaces is likely to affect performance.

## 2.6.4 Public interface

Public interface consists of **public** members of modules listed in [Public API](#) section. This should be used in 99% of use cases, it's enough to implement anything from a [console tool](#) to a [FUSE filesystem](#).

Those modules will generally not change in a backwards-incompatible way between non-major versions. Please see [interface version compatibility](#) chapter for notes on what changes must be expected.

---

**Hint:** If the current version of **b2sdk** is 4.5.6 and you only use the *public* interface, put this in your requirements.txt to be safe:

```
b2sdk>=4.5.6,<5.0.0
```

---



---

**Note:** b2sdk.\*.\_something and b2sdk.\*.\*.\_something, while having a name beginning with an underscore, are **NOT** considered public interface.

---

## 2.6.5 Internal interface

Some rarely used features of B2 cloud are not implemented in **b2sdk**. Tracking usage of transactions and transferred data is a good example - if it is required, additional work would need to be put into a specialized internal interface layer to enable accounting and reporting.

**b2sdk** maintainers are *very supportive* in case someone wants to contribute an additional feature. Please consider adding it to the sdk, so that more people can use it. This way it will also receive our updates, unlike a private implementation which would not receive any updates unless you apply them manually (but that's a lot of work and we both know it's not going to happen). In practice, an implementation can be either shared or will quickly become outdated. The license of **b2sdk** is very permissive, but when considering whether to keep your patches private or public, please take into consideration the long-term cost of keeping up with a dynamic open-source project and/or the cost of missing the updates, especially those related to performance and reliability (as those are being actively developed in parallel to documentation).

Internal interface modules are listed in [API Internal](#) section.

---

**Note:** It is OK for you to use our internal interface (better than copying our source files!), however, if you do, please pin your dependencies to **middle** version, as backwards-incompatible changes may be introduced in a non-major version.

Furthermore, it would be greatly appreciated if an issue was filed for such situations, so that **b2sdk** interface can be improved in a future version in order to avoid strict version pinning.

---

**Hint:** If the current version of **b2sdk** is 4.5.6 and you are using the *internal* interface, put this in your requirements.txt:

```
b2sdk>=4.5.6,<4.6.0
```

---



---

**Hint:** Use [Quick Start Guide](#) to quickly jump to examples

---

## 2.7 API Reference

### 2.7.1 Interface types

b2sdk API is divided into two parts, *public* and *internal*. Please pay attention to which interface type you use.

---

**Tip:** *Pinning versions* properly ensures the stability of your application.

---

### 2.7.2 Public API

#### AccountInfo

*AccountInfo* stores basic information about the account, such as *Application Key ID* and *Application Key*, in order to let `b2sdk.v1.B2Api` perform authenticated requests.

There are two usable implementations provided by **b2sdk**:

- `b2sdk.v1.InMemoryAccountInfo` - a basic implementation with no persistence
- `b2sdk.v1.SqliteAccountInfo` - for console and GUI applications

They both provide the full *AccountInfo interface*.

---

**Note:** Backup applications and many server-side applications should *implement their own AccountInfo*, backed by the metadata/configuration database of the application.

---

#### AccountInfo implementations

##### InMemoryAccountInfo

*AccountInfo* with no persistence.

```
class b2sdk.v1.InMemoryAccountInfo
    AccountInfo which keeps all data in memory.

    Implements all methods of AccountInfo interface.
```

---

**Hint:** Usage of this class is appropriate for secure Web applications which do not wish to persist any user data.

---

Using this class for applications such as CLI, GUI or backup is discouraged, as `InMemoryAccountInfo` does not write down the authorization token persistently. That would be slow, as it would force the application to retrieve a new one on every command/click/backup start. Furthermore - an important property of *AccountInfo* is caching the `bucket_name:bucket_id` mapping; in case of `InMemoryAccountInfo` the cache will be flushed between executions of the program.

```
__init__()
    The constructor takes no parameters.
```

## SqliteAccountInfo

```
class b2sdk.v1.SqliteAccountInfo
```


Store account information in an `sqlite3` database which is used to manage concurrent access to the data.

The `update_done` table tracks the schema updates that have been completed.

Implements all methods of [AccountInfo interface](#).

Uses a [SQLite database](#) for persistence and access synchronization between multiple processes. Not suitable for usage over NFS.

Underlying database has the following schema:




---

**Hint:** Usage of this class is appropriate for interactive applications installed on a user's machine (i.e.: CLI and GUI applications).

Usage of this class **might** be appropriate for non-interactive applications installed on the user's machine, such as backup applications. An alternative approach that should be considered is to store the `AccountInfo` data alongside the configuration of the rest of the application.

---

`__init__(file_name=None, last_upgrade_to_run=None)`

If `file_name` argument is empty or `None`, path from `B2_ACCOUNT_INFO` environment variable is used. If that is not available, a default of `~/.b2_account_info` is used.

### Parameters

- `file_name (str)` – The sqlite file to use; overrides the default.
- `last_upgrade_to_run (int)` – For testing only, override the auto-update on the db.

## Implementing your own

When building a server-side application or a web service, you might want to implement your own `AccountInfo` class backed by a database. In such case, you should inherit from `b2sdk.v1.UrlPoolAccountInfo`, which has groundwork for url pool functionality). If you cannot use it, inherit directly from `b2sdk.v1.AbstractAccountInfo`.

```
>>> from b2sdk.v1 import UrlPoolAccountInfo
>>> class MyAccountInfo(UrlPoolAccountInfo):
... 
```

`b2sdk.v1.AbstractAccountInfo` describes the interface, while `b2sdk.v1.UrlPoolAccountInfo` and `b2sdk.v1.UploadUrlPool` implement a part of the interface for in-memory upload token management.

## AccountInfo interface

**class b2sdk.v1.AbstractAccountInfo**

Abstract class for a holder for all account-related information that needs to be kept between API calls and between invocations of the program.

This includes: account ID, application key ID, application key, auth tokens, API URL, download URL, and uploads URLs.

This class must be THREAD SAFE because it may be used by multiple threads running in the same Python process. It also needs to be safe against multiple processes running at the same time.

`REALM_URLS = {'dev': 'http://api.backblazeb2.xyz:8180', 'production': 'https://api.b`

`DEFAULT_ALLOWED = {'bucketId': None, 'bucketName': None, 'capabilities': ['listKeys`

`classmethod all_capabilities()`

Return a list of all possible capabilities.

**Return type** `list`

**abstract clear()**

Remove all stored information.

**abstract refresh\_entire\_bucket\_name\_cache(name\_id\_iterable)**

Remove all previous name-to-id mappings and stores new ones.

**Parameters** `name_id_iterable` (`iterable`) – an iterable of tuples of the form (name, id)

**abstract remove\_bucket\_name(bucket\_name)**

Remove one entry from the bucket name cache.

**Parameters** `bucket_name` (`str`) – a bucket name

**abstract save\_bucket(bucket)**

Remember the ID for the given bucket name.

**Parameters** `bucket` (`b2sdk.v1.Bucket`) – a Bucket object

**abstract get\_bucket\_id\_or\_none\_from\_bucket\_name(bucket\_name)**

Look up the bucket ID for the given bucket name.

**Parameters** `bucket_name` (`str`) – a bucket name

**Return bucket ID or None**

**Return type** `str, None`

**abstract clear\_bucket\_upload\_data(bucket\_id)**

Remove all upload URLs for the given bucket.

**Parameters** `bucket_id` (`str`) – a bucket ID

**abstract get\_account\_id()**

Return account ID or raises MissingAccountData exception.

**Return type** `str`

**abstract get\_application\_key\_id()**

Return the application key ID used to authenticate.

**Return type** str**abstract** `get_account_auth_token()`

Return account\_auth\_token or raises MissingAccountData exception.

**Return type** str**abstract** `get_api_url()`

Return api\_url or raises MissingAccountData exception.

**Return type** str**abstract** `get_application_key()`

Return application\_key or raises MissingAccountData exception.

**Return type** str**abstract** `get_download_url()`

Return download\_url or raises MissingAccountData exception.

**Return type** str**abstract** `get_realm()`

Return realm or raises MissingAccountData exception.

**Return type** str**abstract** `get_minimum_part_size()`

Return the minimum number of bytes in a part of a large file.

**Returns** number of bytes**Return type** int**abstract** `get_allowed()`An ‘allowed’ dict, as returned by b2\_authorize\_account. Never None; for account info that was saved before ‘allowed’ existed, returns `DEFAULT_ALLOWED`.**Return type** dict`set_auth_data(account_id, auth_token, api_url, download_url, minimum_part_size, applica-``tion_key, realm, allowed=None, application_key_id=None)`

Check permission correctness and stores the results of b2\_authorize\_account.

The allowed structure is the one returned by b2\_authorize\_account with an addition of a bucketName field. For keys with bucket restrictions, the name of the bucket is looked up and stored as well. The console\_tool does everything by bucket name, so it’s convenient to have the restricted bucket name handy.

### Parameters

- **account\_id** (str) – user account ID
- **auth\_token** (str) – user authentication token
- **api\_url** (str) – an API URL
- **download\_url** (str) – path download URL
- **minimum\_part\_size** (int) – minimum size of the file part
- **application\_key** (str) – application key
- **realm** (str) – a realm to authorize account in
- **allowed** (dict) – the structure to use for old account info that was saved without ‘allowed’
- **application\_key\_id** (str) – application key ID

Changed in version 0.1.5: *account\_id\_or\_app\_key\_id* renamed to *application\_key\_id*

**classmethod allowed\_is\_valid(allowed)**

Make sure that all of the required fields are present, and that bucketId is set if bucketName is.

If the bucketId is for a bucket that no longer exists, or the capabilities do not allow for listBuckets, then we will not have a bucketName.

**Parameters** `allowed` (*dict*) – the structure to use for old account info that was saved without ‘allowed’

**Return type** `bool`

**abstract \_set\_auth\_data(account\_id, auth\_token, api\_url, download\_url, minimum\_part\_size, application\_key, realm, allowed, application\_key\_id)**

Actually store the auth data. Can assume that ‘allowed’ is present and valid.

All of the information returned by `b2_authorize_account` is saved, because all of it is needed at some point.

**abstract take\_bucket\_upload\_url(bucket\_id)**

Return a pair (upload\_url, upload\_auth\_token) that has been removed from the pool for this bucket, or (None, None) if there are no more left.

**Parameters** `bucket_id` (*str*) – a bucket ID

**Return type** `tuple`

**abstract put\_bucket\_upload\_url(bucket\_id, upload\_url, upload\_auth\_token)**

Add an (upload\_url, upload\_auth\_token) pair to the pool available for the bucket.

**Parameters**

- `bucket_id` (*str*) – a bucket ID
- `upload_url` (*str*) – an upload URL
- `upload_auth_token` (*str*) – an upload authentication token

**Return type** `tuple`

**abstract put\_large\_file\_upload\_url(file\_id, upload\_url, upload\_auth\_token)**

Put a large file upload URL into a pool.

**Parameters**

- `file_id` (*str*) – a file ID
- `upload_url` (*str*) – an upload URL
- `upload_auth_token` (*str*) – an upload authentication token

**abstract take\_large\_file\_upload\_url(file\_id)**

Take the chosen large file upload URL from the pool.

**Parameters** `file_id` (*str*) – a file ID

**abstract clear\_large\_file\_upload\_urls(file\_id)**

Clear the pool of URLs for a given file ID.

**Parameters** `file_id` (*str*) – a file ID

## AccountInfo helper classes

**class** b2sdk.v1.UrlPoolAccountInfo

Implement part of [AbstractAccountInfo](#) for upload URL pool management with a simple, key-value storage, such as b2sdk.v1.UploadUrlPool.

**Caution:** This class is not part of the public interface. To find out how to safely use it, read [this](#).

### BUCKET\_UPLOAD\_POOL\_CLASS

A url pool class to use for small files.

alias of [b2sdk.account\\_info.upload\\_url\\_pool.UploadUrlPool](#)

### LARGE\_FILE\_UPLOAD\_POOL\_CLASS

A url pool class to use for large files.

alias of [b2sdk.account\\_info.upload\\_url\\_pool.UploadUrlPool](#)

**class** b2sdk.account\_info.upload\_url\_pool.UploadUrlPool

For each key (either a bucket id or large file id), hold a pool of (url, auth\_token) pairs.

**Caution:** This class is not part of the public interface. To find out how to safely use it, read [this](#).

**put** (key, url, auth\_token)

Add the url and auth token to the pool for the given key.

#### Parameters

- **key** (*str*) – bucket ID or large file ID
- **url** (*str*) – bucket or file URL
- **auth\_token** (*str*) – authentication token

**take** (key)

Return a (url, auth\_token) if one is available, or (None, None) if not.

**Parameters** **key** (*str*) – bucket ID or large file ID

**Return type** *tuple*

**clear\_for\_key** (key)

Remove an item from the pool by key.

**Parameters** **key** (*str*) – bucket ID or large file ID

## Cache

b2sdk caches the mapping between bucket name and bucket id, so that the user of the library does not need to maintain the mapping to call the api.

**class** b2sdk.v1.AbstractCache

**clear()**

**abstract** **get\_bucket\_id\_or\_none\_from\_bucket\_name** (name)

**abstract** **get\_bucket\_name\_or\_none\_from\_allowed()**

```
abstract save_bucket(bucket)
abstract set_bucket_name_cache(buckets)

class b2sdk.v1.AuthInfoCache
    A cache that stores data persistently in StoredAccountInfo.

    __init__(info)
        Initialize self. See help(type(self)) for accurate signature.

    get_bucket_id_or_none_from_bucket_name(name)
    get_bucket_name_or_none_from_allowed()
    save_bucket(bucket)
    set_bucket_name_cache(buckets)

class b2sdk.v1.DummyCache
    A cache that does nothing.

    get_bucket_id_or_none_from_bucket_name(name)
    get_bucket_name_or_none_from_allowed()
    save_bucket(bucket)
    set_bucket_name_cache(buckets)

class b2sdk.v1.InMemoryCache
    A cache that stores the information in memory.

    __init__()
        Initialize self. See help(type(self)) for accurate signature.

    get_bucket_id_or_none_from_bucket_name(name)
    get_bucket_name_or_none_from_allowed()
    save_bucket(bucket)
    set_bucket_name_cache(buckets)
```

## B2 Api client

```
class b2sdk.v1.B2Api
    Provide file-level access to B2 services.
```

While `b2sdk.v1.B2RawApi` provides direct access to the B2 web APIs, this class handles several things that simplify the task of uploading and downloading files:

- re-acquires authorization tokens when they expire
- retrying uploads when an upload URL is busy
- breaking large files into parts
- emulating a directory structure (B2 buckets are flat)

Adds an object-oriented layer on top of the raw API, so that buckets and files returned are Python objects with accessor methods.

The class also keeps a cache of information needed to access the service, such as auth tokens and upload URLs.

**BUCKET\_FACTORY\_CLASS**

alias of `b2sdk.bucket.BucketFactory`

**BUCKET\_CLASS**

alias of `b2sdk.bucket.Bucket`

**\_\_init\_\_** (`account_info=None`,    `cache=None`,    `raw_api=None`,    `max_upload_workers=10`,  
`max_copy_workers=10`)

Initialize the API using the given account info.

**Parameters**

- **account\_info** – an instance of `UrlPoolAccountInfo`, or any custom class derived from `AbstractAccountInfo` To learn more about Account Info objects, see here `SqliteAccountInfo`
- **cache** – an instance of the one of the following classes: `DummyCache`, `InMemoryCache`, `AuthInfoCache`, or any custom class derived from `AbstractCache` It is used by B2Api to cache the mapping between bucket name and bucket ids. default is `DummyCache`
- **raw\_api** – an instance of one of the following classes: `B2RawApi`, `RawSimulator`, or any custom class derived from `AbstractRawApi` It makes network-less unit testing simple by using `RawSimulator`, in tests and `B2RawApi` in production. default is `B2RawApi`
- **max\_upload\_workers** (`int`) – a number of upload threads, default is 10
- **max\_copy\_workers** (`int`) – a number of copy threads, default is 10

**property account\_info**

**property cache**

**property raw\_api**

**Warning:** `B2RawApi` attribute is deprecated. `B2Session` expose all `B2RawApi` methods now.

**authorize\_automatically()**

Perform automatic account authorization, retrieving all account data from account info object passed during initialization.

**authorize\_account** (`realm, application_key_id, application_key`)

Perform account authorization.

**Parameters**

- **realm** (`str`) – a realm to authorize account in (usually just “production”)
- **application\_key\_id** (`str`) – *application key ID*
- **application\_key** (`str`) – user’s *application key*

**get\_account\_id()**

Return the account ID.

**Return type** `str`

**create\_bucket** (`name, bucket_type, bucket_info=None, cors_rules=None, lifecycle_rules=None`)

Create a bucket.

**Parameters**

- **name** (*str*) – bucket name
- **bucket\_type** (*str*) – a bucket type, could be one of the following values: "allPublic", "allPrivate"
- **bucket\_info** (*dict*) – additional bucket info to store with the bucket
- **cors\_rules** (*dict*) – bucket CORS rules to store with the bucket
- **lifecycle\_rules** (*dict*) – bucket lifecycle rules to store with the bucket

**Returns** a Bucket object

**Return type** *b2sdk.v1.Bucket*

**download\_file\_by\_id** (*file\_id*, *download\_dest*, *progress\_listener=None*, *range\_=None*)

Download a file with the given ID.

#### Parameters

- **file\_id** (*str*) – a file ID
- **download\_dest** – an instance of the one of the following classes: *DownloadDestLocalFile*, *DownloadDestBytes*, *DownloadDestProgressWrapper*, *PreSeekedDownloadDest*, or any sub class of *AbstractDownloadDestination*
- **progress\_listener** – an instance of the one of the following classes: *PartProgressReporter*, *TqdmProgressListener*, *SimpleProgressListener*, *DoNothingProgressListener*, *ProgressListenerForTest*, *SyncFileReporter*, or any sub class of *AbstractProgressListener*
- **range** (*list*) – a list of two integers, the first one is a start position, and the second one is the end position in the file

**Returns** context manager that returns an object that supports *iter\_content()*

**get\_bucket\_by\_id** (*bucket\_id*)

Return a bucket object with a given ID. Unlike *get\_bucket\_by\_name*, this method does not need to make any API calls.

**Parameters** **bucket\_id** (*str*) – a bucket ID

**Returns** a Bucket object

**Return type** *b2sdk.v1.Bucket*

**get\_bucket\_by\_name** (*bucket\_name*)

Return the Bucket matching the given *bucket\_name*.

**Parameters** **bucket\_name** (*str*) – the name of the bucket to return

**Returns** a Bucket object

**Return type** *b2sdk.v1.Bucket*

**Raises** *b2sdk.v1.exception.NonExistentBucket* – if the bucket does not exist in the account

**delete\_bucket** (*bucket*)

Delete a chosen bucket.

**Parameters** **bucket** (*b2sdk.v1.Bucket*) – a *bucket* to delete

**Return type** *None*

**list\_buckets**(*bucket\_name=None*)

Call `b2_list_buckets` and return a list of buckets.

When no bucket name is specified, returns *all* of the buckets in the account. When a bucket name is given, returns just that bucket. When authorized with an *application key* restricted to one *bucket*, you must specify the bucket name, or the request will be unauthorized.

**Parameters** `bucket_name` (*str*) – the name of the one bucket to return

**Return type** `list[b2sdk.v1.Bucket]`

**list\_parts**(*file\_id, start\_part\_number=None, batch\_size=None*)

Generator that yields a `b2sdk.v1.Part` for each of the parts that have been uploaded.

**Parameters**

- `file_id` (*str*) – the ID of the large file that is not finished
- `start_part_number` (*int*) – the first part number to return; defaults to the first part
- `batch_size` (*int*) – the number of parts to fetch at a time from the server

**Return type** generator

**cancel\_large\_file**(*file\_id*)

Cancel a large file upload.

**Parameters** `file_id` (*str*) – a file ID

**Return type** `None`

**delete\_file\_version**(*file\_id, file\_name*)

Permanently and irrevocably delete one version of a file.

**Parameters**

- `file_id` (*str*) – a file ID
- `file_name` (*str*) – a file name

**Return type** `FileIdAndName`

**get\_download\_url\_for\_fileid**(*file\_id*)

Return a URL to download the given file by ID.

**Parameters** `file_id` (*str*) – a file ID

**get\_download\_url\_for\_file\_name**(*bucket\_name, file\_name*)

Return a URL to download the given file by name.

**Parameters**

- `bucket_name` (*str*) – a bucket name
- `file_name` (*str*) – a file name

**create\_key**(*capabilities, key\_name, valid\_duration\_seconds=None, bucket\_id=None, name\_prefix=None*)

Create a new *application key*.

**Parameters**

- `capabilities` (*list*) – a list of capabilities
- `key_name` (*str*) – a name of a key
- `valid_duration_seconds` (*int, None*) – key auto-expire time after it is created, in seconds, or `None` to not expire

- **bucket\_id** (*str, None*) – a bucket ID to restrict the key to, or *None* to not restrict
- **name\_prefix** (*str, None*) – a remote filename prefix to restrict the key to or *None* to not restrict

**delete\_key** (*application\_key\_id*)

Delete *application key*.

Parameters **application\_key\_id** (*str*) – an *application key ID*

**list\_keys** (*start\_application\_key\_id=None*)

List application keys.

Parameters **start\_application\_key\_id** (*str, None*) – an *application key ID* to start from or *None* to start from the beginning

**get\_file\_info** (*file\_id*)

Legacy interface which just returns whatever remote API returns.

**check\_bucket\_restrictions** (*bucket\_name*)

Check to see if the allowed field from authorize-account has a bucket restriction.

If it does, checks if the *bucket\_name* for a given api call matches that. If not, it raises a *b2sdk.v1.exception.RestrictedBucket* error.

Parameters **bucket\_name** (*str*) – a bucket name

Raises *b2sdk.v1.exception.RestrictedBucket* – if the account is not allowed to use this bucket

## Exceptions

**exception b2sdk.v1.exception.AccountInfoError** (\*args, \*\*kwargs)

Base class for all account info errors.

**exception b2sdk.v1.exception.AlreadyFailed** (\*args, \*\*kwargs)

**exception b2sdk.v1.exception.B2ConnectionError** (\*args, \*\*kwargs)

**exception b2sdk.v1.exception.B2Error** (\*args, \*\*kwargs)

**property prefix**

Nice, auto-generated error message prefix.

```
>>> B2SimpleError().prefix
'Simple error'
>>> AlreadyFailed().prefix
'Already failed'
```

**should\_retry\_http()**

Return true if this is an error that can cause an HTTP call to be retried.

**should\_retry\_upload()**

Return true if this is an error that should tell the upload code to get a new upload URL and try the upload again.

**exception b2sdk.v1.exception.B2HttpCallbackException** (\*args, \*\*kwargs)

**exception b2sdk.v1.exception.B2HttpCallbackPostRequestException** (\*args, \*\*kwargs)

```

exception b2sdk.v1.exception.B2HttpCallbackPreRequestException(*args,
                                                               **kwargs)

exception b2sdk.v1.exception.B2RequestTimeout(*args, **kwargs)

exception b2sdk.v1.exception.B2RequestTimeoutDuringUpload(*args, **kwargs)

should_retry_http()
    Return true if this is an error that can cause an HTTP call to be retried.

exception b2sdk.v1.exception.B2SimpleError(*args, **kwargs)
    A B2Error with a message prefix.

exception b2sdk.v1.exception.BadDateFormat(*args, **kwargs)

    prefix = 'Date from server'

exception b2sdk.v1.exception.BadFileInfo(*args, **kwargs)

exception b2sdk.v1.exception.BadJson(*args, **kwargs)

    prefix = 'Bad request'

exception b2sdk.v1.exception.BadUploadUrl(*args, **kwargs)

should_retry_upload()
    Return true if this is an error that should tell the upload code to get a new upload URL and try the upload again.

exception b2sdk.v1.exception.BrokenPipe(*args, **kwargs)

should_retry_upload()
    Return true if this is an error that should tell the upload code to get a new upload URL and try the upload again.

exception b2sdk.v1.exception.BucketNotAllowed(*args, **kwargs)

exception b2sdk.v1.exception.CapabilityNotAllowed(*args, **kwargs)

exception b2sdk.v1.exception.ChecksumMismatch(checksum_type, expected, actual)

exception b2sdk.v1.exception.ClockSkew(clock_skew_seconds)
    The clock on the server differs from the local clock by too much.

exception b2sdk.v1.exception.CommandError(message)
    b2 command error (user caused). Accepts exactly one argument: message.

    We expect users of shell scripts will parse our __str__ output.

exception b2sdk.v1.exception.Conflict(*args, **kwargs)

exception b2sdk.v1.exception.ConnectionReset(*args, **kwargs)

should_retry_upload()
    Return true if this is an error that should tell the upload code to get a new upload URL and try the upload again.

exception b2sdk.v1.exception.CorruptAccountInfo(file_name)
    Raised when an account info file is corrupted.

```

```
exception b2sdk.v1.exception.DestFileNewer(dest_file,      source_file,      dest_prefix,
                                             source_prefix)

should_retry_http()
    Return true if this is an error that can cause an HTTP call to be retried.

exception b2sdk.v1.exception.DuplicateBucketName(*args, **kwargs)

    prefix = 'Bucket name is already in use'

exception b2sdk.v1.exception.EnvironmentEncodingError(filename, encoding)
    Raised when a file name can not be decoded with system encoding.

exception b2sdk.v1.exception.FileAlreadyHidden(*args, **kwargs)

exception b2sdk.v1.exception.FileNameNotAllowed(*args, **kwargs)

exception b2sdk.v1.exception.FileNotPresent(*args, **kwargs)

exception b2sdk.v1.exception.FileSha1Mismatch(*args, **kwargs)

    prefix = 'Upload file SHA1 mismatch'

exception b2sdk.v1.exception.IncompleteSync(*args, **kwargs)

exception b2sdk.v1.exception.InvalidArgument(parameter_name, message)
    Raised when one or more arguments are invalid

exception b2sdk.v1.exception.InvalidAuthToken(message, code)
    Specific type of Unauthorized that means the auth token is invalid. This is not the case where the auth token is valid, but does not allow access.

exception b2sdk.v1.exception.InvalidMetadataDirective(*args, **kwargs)

exception b2sdk.v1.exception.InvalidRange(content_length, range_)

exception b2sdk.v1.exception.InvalidUploadSource(*args, **kwargs)

exception b2sdk.v1.exception.MaxValueExceeded(size, max_allowed_size)

exception b2sdk.v1.exception.MaxRetriesExceeded(limit, exception_info_list)

exception b2sdk.v1.exception.MissingAccountData(key)
    Raised when there is no account info data available.

exception b2sdk.v1.exception.MissingPart(*args, **kwargs)

    prefix = 'Part number has not been uploaded'

exception b2sdk.v1.exception.NonexistentBucket(*args, **kwargs)

    prefix = 'No such bucket'

exception b2sdk.v1.exception.NotAllowedByAppKeyError(*args, **kwargs)
    Base class for errors caused by restrictions on an application key.

exception b2sdk.v1.exception.PartSha1Mismatch(key)

exception b2sdk.v1.exception.RestrictedBucket(bucket_name)

exception b2sdk.v1.exception.ServiceError(*args, **kwargs)
    Used for HTTP status codes 500 through 599.
```

```

exception b2sdk.v1.exception.StorageCapExceeded(*args, **kwargs)
exception b2sdk.v1.exception.TooManyRequests(retry_after_seconds=None)

should_retry_http()
    Return true if this is an error that can cause an HTTP call to be retried.

class b2sdk.v1.exception.TransientErrorMixin

    should_retry_http()
    should_retry_upload()

exception b2sdk.v1.exception.TruncatedOutput(bytes_read, file_size)
exception b2sdk.v1.exception.Unauthorized(message, code)

    should_retry_upload()
    Return true if this is an error that should tell the upload code to get a new upload URL and try the upload again.

exception b2sdk.v1.exception.UnexpectedCloudBehaviour(*args, **kwargs)
exception b2sdk.v1.exception.UnknownError(*args, **kwargs)
exception b2sdk.v1.exception.UnknownHost(*args, **kwargs)
exception b2sdk.v1.exception.UnrecognizedBucketType(*args, **kwargs)
exception b2sdk.v1.exception.UnSyncableFilename(message, filename)
    Raised when a filename is not supported by the sync operation
exception b2sdk.v1.exception.UnsatisfiableRange(*args, **kwargs)
exception b2sdk.v1.exception.UnusableFileName(*args, **kwargs)
    Raise when a filename doesn't meet the rules.

    Could possibly use InvalidUploadSource, but this is intended for the filename on the server, which could differ.
    https://www.backblaze.com/b2/docs/files.html

b2sdk.v1.exception.interpret_b2_error(status, code, message, response_headers,
                                    post_params=None)

```

## B2 Bucket

```

class b2sdk.v1.Bucket
    Provide access to a bucket in B2: listing files, uploading and downloading.

    DEFAULT_CONTENT_TYPE = 'b2/x-auto'

    __init__(api, id_, name=None, type_=None, bucket_info=None, cors_rules=None, lifecycle_rules=None, revision=None, bucket_dict=None, options_set=None)

```

### Parameters

- **api** ([b2sdk.v1.B2Api](#)) – an API object
- **id** ([str](#)) – a bucket id
- **name** ([str](#)) – a bucket name
- **type** ([str](#)) – a bucket type

- **bucket\_info** (*dict*) – an info to store with a bucket
- **cors\_rules** (*dict*) – CORS rules to store with a bucket
- **lifecycle\_rules** (*dict*) – lifecycle rules to store with a bucket
- **revision** (*int*) – a bucket revision number
- **bucket\_dict** (*dict*) – a dictionary which contains bucket parameters
- **options\_set** (*set*) – set of bucket options strings

**get\_id()**

Return bucket ID.

**Return type** *str*

**set\_info** (*new\_bucket\_info*, *if\_revision\_is=None*)

Update bucket info.

**Parameters**

- **new\_bucket\_info** (*dict*) – new bucket info dictionary
- **if\_revision\_is** (*int*) – revision number, update the info **only if** *revision* equals to *if\_revision\_is*

**set\_type** (*bucket\_type*)

Update bucket type.

**Parameters** **bucket\_type** (*str*) – a bucket type (“allPublic” or “allPrivate”)

**update** (*bucket\_type=None*, *bucket\_info=None*, *cors\_rules=None*, *lifecycle\_rules=None*, *if\_revision\_is=None*)

Update various bucket parameters.

**Parameters**

- **bucket\_type** (*str*) – a bucket type
- **bucket\_info** (*dict*) – an info to store with a bucket
- **cors\_rules** (*dict*) – CORS rules to store with a bucket
- **lifecycle\_rules** (*dict*) – lifecycle rules to store with a bucket
- **if\_revision\_is** (*int*) – revision number, update the info **only if** *revision* equals to *if\_revision\_is*

**cancel\_large\_file** (*file\_id*)

Cancel a large file transfer.

**Parameters** **file\_id** (*str*) – a file ID

**download\_file\_by\_id** (*file\_id*, *download\_dest*, *progress\_listener=None*, *range\_=None*)

Download a file by ID.

---

**Note:** `download_file_by_id` actually belongs in `b2sdk.v1.B2Api`, not in `b2sdk.v1.Bucket`; we just provide a convenient redirect here

---

**Parameters**

- **file\_id** (*str*) – a file ID

- **download\_dest** – an instance of the one of the following classes: *DownloadDestLocalFile*, *DownloadDestBytes*, *DownloadDestProgressWrapper*, *PreSeekedDownloadDest*, or any sub class of *AbstractDownloadDestination*
- **None progress\_listener** (`b2sdk.v1.AbstractProgressListener`) – a progress listener object to use, or None to not report progress
- **int] range** (`tuple[int]`) – two integer values, start and end offsets

**download\_file\_by\_name** (`file_name, download_dest, progress_listener=None, range_=None`)  
Download a file by name.

See also:

*Synchronizer*, a high-performance utility that synchronizes a local folder with a Bucket.

#### Parameters

- **file\_id** (`str`) – a file ID
- **download\_dest** – an instance of the one of the following classes: *DownloadDestLocalFile*, *DownloadDestBytes*, *DownloadDestProgressWrapper*, *PreSeekedDownloadDest*, or any sub class of *AbstractDownloadDestination*
- **None progress\_listener** (`b2sdk.v1.AbstractProgressListener`) – a progress listener object to use, or None to not track progress
- **int] range** (`tuple[int]`) – two integer values, start and end offsets

**get\_download\_authorization** (`file_name_prefix, valid_duration_in_seconds`)  
Return an authorization token that is valid only for downloading files from the given bucket.

#### Parameters

- **file\_name\_prefix** (`str`) – a file name prefix, only files that match it could be downloaded
- **valid\_duration\_in\_seconds** (`int`) – a token is valid only during this amount of seconds

**list\_parts** (`file_id, start_part_number=None, batch_size=None`)  
Get a list of all parts that have been uploaded for a given file.

#### Parameters

- **file\_id** (`str`) – a file ID
- **start\_part\_number** (`int`) – the first part number to return. defaults to the first part.
- **batch\_size** (`int`) – the number of parts to fetch at a time from the server

**list\_file\_versions** (`file_name, fetch_count=None`)  
Lists all of the versions for a single file.

#### Parameters

- **file\_name** (`str`) – the name of the file to list.
- **fetch\_count** (`int, None`) – how many entries to list per API call or None to use the default. Acceptable values: 1 - 10000

**Return type** generator[`b2sdk.v1FileVersionInfo`]

**ls** (*folder\_to\_list*=", *show\_versions*=*False*, *recursive*=*False*, *fetch\_count*=*None*)

Pretend that folders exist and yields the information about the files in a folder.

B2 has a flat namespace for the files in a bucket, but there is a convention of using "/" as if there were folders. This method searches through the flat namespace to find the files and "folders" that live within a given folder.

When the *recursive* flag is set, lists all of the files in the given folder, and all of its sub-folders.**Parameters**

- **folder\_to\_list** (*str*) – the name of the folder to list; must not start with "/". Empty string means top-level folder
- **show\_versions** (*bool*) – when *True* returns info about all versions of a file, when *False*, just returns info about the most recent versions
- **recursive** (*bool*) – if *True*, list folders recursively
- **fetch\_count** (*int*, *None*) – how many entries to return or *None* to use the default. Acceptable values: 1 - 1000

**Return type** generator[tuple[b2sdk.v1FileVersionInfo, str]]**Returns** generator of (file\_version\_info, folder\_name) tuples

---

**Note:** In case of *recursive=True*, folder\_name is returned only for first file in the folder.

---

**list\_unfinished\_large\_files** (*start\_file\_id*=*None*, *batch\_size*=*None*, *prefix*=*None*)A generator that yields an *b2sdk.v1.UnfinishedLargeFile* for each unfinished large file in the bucket, starting at the given file, filtering by prefix.**Parameters**

- **start\_file\_id** (*str*, *None*) – a file ID to start from or *None* to start from the beginning
- **batch\_size** (*int*, *None*) – max file count
- **prefix** (*str*, *None*) – file name prefix filter

**Return type** generator[*b2sdk.v1.UnfinishedLargeFile*]**start\_large\_file** (*file\_name*, *content\_type*=*None*, *file\_info*=*None*)

Start a large file transfer.

**Parameters**

- **file\_name** (*str*) – a file name
- **content\_type** (*str*, *None*) – the MIME type, or *None* to accept the default based on file extension of the B2 file name
- **file\_infos** (*dict*, *None*) – a file info to store with the file or *None* to not store anything

**upload\_bytes** (*data\_bytes*, *file\_name*, *content\_type*=*None*, *file\_infos*=*None*,*progress\_listener*=*None*)

Upload bytes in memory to a B2 file.

**Parameters**

- **data\_bytes** (*bytes*) – a byte array to upload
- **file\_name** (*str*) – a file name to upload bytes to

- **content\_type** (*str, None*) – the MIME type, or *None* to accept the default based on file extension of the B2 file name
- **file\_infos** (*dict, None*) – a file info to store with the file or *None* to not store anything
- **progress\_listener** (*b2sdk.v1.AbstractProgressListener, None*) – a progress listener object to use, or *None* to not track progress

**upload\_local\_file** (*local\_file, file\_name, content\_type=None, file\_infos=None, sha1\_sum=None, min\_part\_size=None, progress\_listener=None*)

Upload a file on local disk to a B2 file.

See also:

*Synchronizer*, a *high-performance* utility that synchronizes a local folder with a *bucket*.

#### Parameters

- **local\_file** (*str*) – a path to a file on local disk
- **file\_name** (*str*) – a file name of the new B2 file
- **content\_type** (*str, None*) – the MIME type, or *None* to accept the default based on file extension of the B2 file name
- **file\_infos** (*dict, None*) – a file info to store with the file or *None* to not store anything
- **sha1\_sum** (*str, None*) – file SHA1 hash or *None* to compute it automatically
- **min\_part\_size** (*int*) – a minimum size of a part
- **progress\_listener** (*b2sdk.v1.AbstractProgressListener, None*) – a progress listener object to use, or *None* to not report progress

**upload** (*upload\_source, file\_name, content\_type=None, file\_info=None, min\_part\_size=None, progress\_listener=None*)

Upload a file to B2, retrying as needed.

The source of the upload is an *UploadSource* object that can be used to open (and re-open) the file. The result of opening should be a binary file whose *read()* method returns bytes.

#### Parameters

- **upload\_source** (*b2sdk.v1.UploadSource*) – an object that opens the source of the upload
- **file\_name** (*str*) – the file name of the new B2 file
- **content\_type** (*str, None*) – the MIME type, or *None* to accept the default based on file extension of the B2 file name
- **file\_infos** (*dict, None*) – a file info to store with the file or *None* to not store anything
- **min\_part\_size** (*int, None*) – the smallest part size to use or *None* to determine automatically
- **progress\_listener** (*b2sdk.v1.AbstractProgressListener, None*) – a progress listener object to use, or *None* to not report progress

The function *opener* should return a file-like object, and it must be possible to call it more than once in case the upload is retried.

```
create_file(write_intents, file_name, content_type=None, file_info=None, progress_listener=None,  
            recommended_upload_part_size=None, continue_large_file_id=None)
```

Creates a new file in this bucket using an iterable (list, tuple etc) of remote or local sources.

Source ranges can overlap and remote sources will be prioritized over local sources (when possible). For more information and usage examples please see [Advanced usage patterns](#).

#### Parameters

- **write\_intents** (`list[b2sdk.v1.WriteIntent]`) – list of write intents (remote or local sources)
- **new\_file\_name** (`str`) – file name of the new file
- **content\_type** (`str, None`) – content\_type for the new file, if None content\_type would be automatically determined or it may be copied if it resolves as single part remote source copy
- **file\_info** (`dict, None`) – file\_info for the new file, if None it will be set to empty dict or it may be copied if it resolves as single part remote source copy
- **progress\_listener** (`b2sdk.v1.AbstractProgressListener, None`) – a progress listener object to use, or None to not report progress
- **recommended\_upload\_part\_size** (`int, None`) – the recommended part size to use for uploading local sources or None to determine automatically, but remote sources would be copied with maximum possible part size
- **continue\_large\_file\_id** (`str, None`) – large file id that should be selected to resume file creation for multipart upload/copy, None for automatic search for this id

```
create_file_stream(write_intents_iterator, file_name, content_type=None, file_info=None,  
                    progress_listener=None, recommended_upload_part_size=None, con-  
                    tinue_large_file_id=None)
```

Creates a new file in this bucket using a stream of multiple remote or local sources.

Source ranges can overlap and remote sources will be prioritized over local sources (when possible). For more information and usage examples please see [Advanced usage patterns](#).

#### Parameters

- **write\_intents\_iterator** (`iterator[b2sdk.v1.WriteIntent]`) – iterator of write intents which are sorted ascending by destination\_offset
- **new\_file\_name** (`str`) – file name of the new file
- **content\_type** (`str, None`) – content\_type for the new file, if None content\_type would be automatically determined or it may be copied if it resolves as single part remote source copy
- **file\_info** (`dict, None`) – file\_info for the new file, if None it will be set to empty dict or it may be copied if it resolves as single part remote source copy
- **progress\_listener** (`b2sdk.v1.AbstractProgressListener, None`) – a progress listener object to use, or None to not report progress
- **recommended\_upload\_part\_size** (`int, None`) – the recommended part size to use for uploading local sources or None to determine automatically, but remote sources would be copied with maximum possible part size
- **continue\_large\_file\_id** (`str, None`) – large file id that should be selected to resume file creation for multipart upload/copy, if None in multipart case it would always start a new large file

```
concatenate(outbound_sources, file_name, content_type=None, file_info=None,
progress_listener=None, recommended_upload_part_size=None, con-
tinue_large_file_id=None)
```

Creates a new file in this bucket by concatenating multiple remote or local sources.

#### Parameters

- **outbound\_sources** (`list [b2sdk.v1.OutboundTransferSource]`) – list of outbound sources (remote or local)
- **new\_file\_name** (`str`) – file name of the new file
- **content\_type** (`str, None`) – content\_type for the new file, if None content\_type would be automatically determined from file name or it may be copied if it resolves as single part remote source copy
- **file\_info** (`dict, None`) – file\_info for the new file, if None it will be set to empty dict or it may be copied if it resolves as single part remote source copy
- **progress\_listener** (`b2sdk.v1.AbstractProgressListener, None`) – a progress listener object to use, or None to not report progress
- **recommended\_upload\_part\_size** (`int, None`) – the recommended part size to use for uploading local sources or None to determine automatically, but remote sources would be copied with maximum possible part size
- **continue\_large\_file\_id** (`str, None`) – large file id that should be selected to resume file creation for multipart upload/copy, None for automatic search for this id

```
concatenate_stream(outbound_sources_iterator, file_name, content_type=None, file_info=None,
progress_listener=None, recommended_upload_part_size=None, con-
tinue_large_file_id=None)
```

Creates a new file in this bucket by concatenating stream of multiple remote or local sources.

#### Parameters

- **outbound\_sources\_iterator** (`iterator [b2sdk.v1.
OutboundTransferSource]`) – iterator of outbound sources
- **new\_file\_name** (`str`) – file name of the new file
- **content\_type** (`str, None`) – content\_type for the new file, if None content\_type would be automatically determined or it may be copied if it resolves as single part remote source copy
- **file\_info** (`dict, None`) – file\_info for the new file, if None it will be set to empty dict or it may be copied if it resolves as single part remote source copy
- **progress\_listener** (`b2sdk.v1.AbstractProgressListener, None`) – a progress listener object to use, or None to not report progress
- **recommended\_upload\_part\_size** (`int, None`) – the recommended part size to use for uploading local sources or None to determine automatically, but remote sources would be copied with maximum possible part size
- **continue\_large\_file\_id** (`str, None`) – large file id that should be selected to resume file creation for multipart upload/copy, if None in multipart case it would always start a new large file

```
get_download_url(filename)
```

Get file download URL.

#### Parameters **filename** (`str`) – a file name

**Return type** `str`

`hide_file(file_name)`

Hide a file.

**Parameters** `file_name (str)` – a file name

**Return type** `b2sdk.v1FileVersionInfo`

`copy(file_id, new_file_name, content_type=None, file_info=None, offset=0, length=None, progress_listener=None)`

Creates a new file in this bucket by (server-side) copying from an existing file.

**Parameters**

- `file_id (str)` – file ID of existing file to copy from
- `new_file_name (str)` – file name of the new file
- `content_type (str, None)` – content\_type for the new file, if None and `b2_copy_file` will be used content\_type will be copied from source file - otherwise content\_type would be automatically determined
- `file_info (dict, None)` – file\_info for the new file, if None will and `b2_copy_file` will be used file\_info will be copied from source file - otherwise it will be set to empty dict
- `offset (int)` – offset of existing file that copy should start from
- `length (int, None)` – number of bytes to copy, if None then offset have to be 0 and it will use `b2_copy_file` without range parameter so it may fail if file is too large. For large files length have to be specified to use `b2_copy_part` instead.
- `progress_listener (b2sdk.v1.AbstractProgressListener, None)` – a progress listener object to use for multipart copy, or None to not report progress

`copy_file(file_id, new_file_name, bytes_range=None, metadata_directive=None, content_type=None, file_info=None)`

Creates a new file in this bucket by (server-side) copying from an existing file.

**Parameters**

- `file_id (str)` – file ID of existing file
- `new_file_name (str)` – file name of the new file
- `bytes_range (tuple[int, int], None)` – start and end offsets (**inclusive!**), default is the entire file
- `metadata_directive (b2sdk.v1.MetadataDirectiveMode, None)` – default is `b2sdk.v1.MetadataDirectiveMode.COPY`
- `content_type (str, None)` – content\_type for the new file if metadata\_directive is set to `b2sdk.v1.MetadataDirectiveMode.REPLACE`, default will copy the content\_type of old file
- `file_info (dict, None)` – file\_info for the new file if metadata\_directive is set to `b2sdk.v1.MetadataDirectiveMode.REPLACE`, default will copy the file\_info of old file

`delete_file_version(file_id, file_name)`

Delete a file version.

**Parameters**

- `file_id (str)` – a file ID

- **file\_name** (*str*) – a file name

**as\_dict()**  
Return bucket representation as a dictionary.

**Return type** *dict*

## Data classes

```
class b2sdk.v1.FileVersionInfo (id_, file_name, size, content_type, content_sha1, file_info, upload_timestamp, action, content_md5=None)
```

A structure which represents a version of a file (in B2 cloud).

### Variables

- **id\_** (*str*) – fileId
- **file\_name** (*str*) – full file name (with path)
- **size** (*int* or *None*) – size in bytes, can be None (unknown)
- **content\_type** (*str*) – RFC 822 content type, for example "application/octet-stream"
- **content\_sha1** (*str* or *None*) – sha1 checksum of the entire file, can be None (unknown) if it is a large file uploaded by a client which did not provide it
- **content\_md5** (*str* or *None*) – md5 checksum of the file, can be None (unknown)
- **file\_info** (*dict*) – file info dict
- **upload\_timestamp** (*int* or *None*) – in milliseconds since EPOCH (1970-01-01 00:00:00). Can be None (unknown).
- **action** (*str*) – "upload", "hide" or "delete"

```
LS_ENTRY_TEMPLATE = '%83s %6s %10s %8s %9d %s'
```

**as\_dict()**

represents the object as a dict which looks almost exactly like the raw api output for upload/list

**format\_ls\_entry()**

legacy method, to be removed in v2: formats a ls entry for b2 command line tool

**classmethod format\_folder\_ls\_entry(*name*)**

legacy method, to be removed in v2: formats a ls "folder" consistently with format\_ls\_entry()

```
__dict__ = mappingproxy({ '__module__': 'b2sdk.file_version', '__doc__': '\n A structu' })
```

```
class b2sdk.v1.FileIdAndName (file_id, file_name)
```

A structure which represents a B2 cloud file with just *file\_name* and *fileId* attributes.

Used to return data from calls to *b2sdk.v1.Bucket.delete\_file\_version()*.

### Variables

- **file\_id** (*str*) – fileId
- **file\_name** (*str*) – full file name (with path)

**as\_dict()**

represents the object as a dict which looks almost exactly like the raw api output for delete\_file\_version

```
__dict__ = mappingproxy({ '__module__': 'b2sdk.file_version', '__doc__': '\n A structu' })
```

**class b2sdk.v1.UnfinishedLargeFile**

A structure which represents a version of a file (in B2 cloud).

**Variables**

- **file\_id** (*str*) – fileId
- **file\_name** (*str*) – full file name (with path)
- **account\_id** (*str*) – account ID
- **bucket\_id** (*str*) – bucket ID
- **content\_type** (*str*) – **RFC 822** content type, for example "application/octet-stream"
- **file\_info** (*dict*) – file info dict

**class b2sdk.v1.Part (file\_id, part\_number, content\_length, content\_sha1)**

A structure which represents a *part* of a large file upload.

**Variables**

- **file\_id** (*str*) – fileId
- **part\_number** (*int*) – part number, starting with 1
- **content\_length** (*str*) – content length, in bytes
- **content\_sha1** (*str*) – checksum

**Enums****class b2sdk.v1.MetadataDirectiveMode (value)**

Mode of handling metadata when copying a file

**COPY = 401**

copy metadata from the source file

**REPLACE = 402**

ignore the source file metadata and set it to provided values

**class b2sdk.v1.NewerFileSyncMode (value)**

Mode of handling files newer on destination than on source

**SKIP = 101**

skip syncing such file

**REPLACE = 102**

replace the file on the destination with the (older) file on source

**RAISE\_ERROR = 103**

raise a non-transient error, failing the sync operation

**class b2sdk.v1.CompareVersionMode (value)**

Mode of comparing versions of files to determine what should be synced and what shouldn't

**MODTIME = 201**

use file modification time on source filesystem

**SIZE = 202**

compare using file size

**NONE = 203**

compare using file name only

---

```
class b2sdk.v1.KeepOrDeleteMode (value)
    Mode of dealing with old versions of files on the destination

DELETE = 301
    delete the old version as soon as the new one has been uploaded

KEEP_BEFORE_DELETE = 302
    keep the old versions of the file for a configurable number of days before deleting them, always keeping
    the newest version

NO_DELETE = 303
    keep old versions of the file, do not delete anything
```

## Progress reporters

---

**Note:** Concrete classes described in this chapter implement methods defined in `AbstractProgressListener`

---

```
class b2sdk.v1.AbstractProgressListener
    Interface expected by B2Api upload and download methods to report on progress.

    This interface just accepts the number of bytes transferred so far. Subclasses will need to know the total size if
    they want to report a percent done.

abstract set_total_bytes (total_byte_count)
    Always called before __enter__ to set the expected total number of bytes.

    May be called more than once if an upload is retried.

    Parameters total_byte_count (int) – expected total number of bytes

abstract bytes_completed (byte_count)
    Report the given number of bytes that have been transferred so far. This is not a delta, it is the total number
    of bytes transferred so far.

    Transfer can fail and restart from beginning so byte count can decrease between calls.

    Parameters byte_count (int) – number of bytes have been transferred

close ()
    Must be called when you're done with the listener. In well-structured code, should be called only once.

class b2sdk.v1.TqdmProgressListener (description, *args, **kwargs)
    Progress listener based on tqdm library.

class b2sdk.v1.SimpleProgressListener (description, *args, **kwargs)
    Just a simple progress listener which prints info on a console.

class b2sdk.v1.DoNothingProgressListener
    This listener gives no output whatsoever.

class b2sdk.v1.ProgressListenerForTest (*args, **kwargs)
    Capture all of the calls so they can be checked.

b2sdk.v1.make_progress_listener (description, quiet)
    Return a progress listener object depending on some conditions.
```

### Parameters

- **description** (*str*) – listener description
- **quiet** (*bool*) – if True, do not output anything

**Returns** a listener object

## Synchronizer

Synchronizer is a powerful utility with functionality of a basic backup application. It is able to copy entire folders into the cloud and back to a local drive, providing retention policies and many other options.

The **high performance** of sync is credited to parallelization of:

- listing local directory contents
- listing bucket contents
- uploads
- downloads

Synchronizer spawns threads to perform the operations listed above in parallel to shorten the backup window to a minimum.

## Sync Options

Following are the important optional arguments that can be provided while initializing *Synchronizer* class.

- `compare_version_mode`: When comparing the source and destination files for finding whether to replace them or not, `compare_version_mode` can be passed to specify the mode of comparison. For possible values see `b2sdk.v1.CompareVersionMode`. Default value is `b2sdk.v1.CompareVersionMode.MODTIME`.
- `compare_threshold`: It's the minimum size (in bytes)/modification time (in seconds) difference between source and destination files before we assume that it is new and replace.
- `newer_file_mode`: To identify whether to skip or replace if source is older. For possible values see `b2sdk.v1.NewerFileSyncMode`. If you don't specify this the sync will raise `b2sdk.v1.exception.DestFileNewer` in case any of the source file is older than destination.
- `keep_days_or_delete`: specify policy to keep or delete older files. For possible values see `b2sdk.v1.KeepOrDeleteMode`. Default is `DO_NOTHING`.
- `keep_days`: if `keep_days_or_delete` is `b2sdk.v1.CompareVersionMode.KEEP_BEFORE_DELETE` then this specify for how many days should we keep.

```
>>> from b2sdk.v1 import ScanPoliciesManager
>>> from b2sdk.v1 import parse_sync_folder
>>> from b2sdk.v1 import Synchronizer
>>> from b2sdk.v1 import KeepOrDeleteMode, CompareVersionMode, NewerFileSyncMode
>>> import time
>>> import sys

>>> source = '/home/user1/b2_example'
>>> destination = 'b2://example-mybucket-b2'

>>> source = parse_sync_folder(source, b2_api)
>>> destination = parse_sync_folder(destination, b2_api)

>>> policies_manager = ScanPoliciesManager(exclude_all_symlinks=True)

>>> synchronizer = Synchronizer(
        max_workers=10,
        policies_manager=policies_manager,
```

(continues on next page)

(continued from previous page)

```

dry_run=False,
allow_empty_source=True,
compare_version_mode=CompareVersionMode.SIZE,
compare_threshold=10,
newer_file_mode=NewerFileSyncMode.REPLACE,
keep_days_or_delete=KeepOrDeleteMode.KEEP_BEFORE_DELETE,
keep_days=10,
)

```

We have a file (hello.txt) which is present in destination but not on source (my local), so it will be deleted and since our mode is to keep the delete file, it will be hidden for 10 days in bucket.

```

>>> no_progress = False
>>> with SyncReport(sys.stdout, no_progress) as reporter:
    synchronizer.sync_folders(
        source_folder=source,
        dest_folder=destination,
        now_millis=int(round(time.time() * 1000)),
        reporter=reporter,
    )
upload f1.txt
delete hello.txt (old version)
hide hello.txt

```

We changed f1.txt and added 1 byte. Since our compare\_threshold is 10, it will not do anything.

```

>>> with SyncReport(sys.stdout, no_progress) as reporter:
    synchronizer.sync_folders(
        source_folder=source,
        dest_folder=destination,
        now_millis=int(round(time.time() * 1000)),
        reporter=reporter,
    )

```

We changed f1.txt and added more than 10 bytes. Since our compare\_threshold is 10, it will replace the file at destination folder.

```

>>> with SyncReport(sys.stdout, no_progress) as reporter:
    synchronizer.sync_folders(
        source_folder=source,
        dest_folder=destination,
        now_millis=int(round(time.time() * 1000)),
        reporter=reporter,
    )
upload f1.txt

```

Let's just delete the file and not keep - keep\_days\_or\_delete = DELETE You can avoid passing keep\_days argument in this case because it will be ignored anyways

```

>>> synchronizer = Synchronizer(
    max_workers=10,
    policies_manager=policies_manager,
    dry_run=False,
    allow_empty_source=True,
    compare_version_mode=CompareVersionMode.SIZE,
    compare_threshold=10, # in bytes
)

```

(continues on next page)

(continued from previous page)

```
        newer_file_mode=NewerFileSyncMode.REPLACE,
        keep_days_or_delete=KeepOrDeleteMode.DELETE,
    )

>>> with SyncReport(sys.stdout, no_progress) as reporter:
    synchronizer.sync_folders(
        source_folder=source,
        dest_folder=destination,
        now_millis=int(round(time.time() * 1000)),
        reporter=reporter,
    )
delete f1.txt
delete f1.txt (old version)
delete hello.txt (old version)
upload f2.txt
delete hello.txt (hide marker)
```

As you can see, it deleted f1.txt and it's older versions (no hide this time) and deleted hello.txt also because now we don't want the file anymore. also, we added another file f2.txt which gets uploaded.

Now we changed newer\_file\_mode to SKIP and compare\_version\_mode to MODTIME. also uploaded a new version of f2.txt to bucket using B2 web.

```
>>> synchronizer = Synchronizer(
    max_workers=10,
    policies_manager=policies_manager,
    dry_run=False,
    allow_empty_source=True,
    compare_version_mode=CompareVersionMode.MODTIME,
    compare_threshold=10, # in seconds
    newer_file_mode=NewerFileSyncMode.SKIP,
    keep_days_or_delete=KeepOrDeleteMode.DELETE,
)
>>> with SyncReport(sys.stdout, no_progress) as reporter:
    synchronizer.sync_folders(
        source_folder=source,
        dest_folder=destination,
        now_millis=int(round(time.time() * 1000)),
        reporter=reporter,
    )
```

As expected, nothing happened, it found a file that was older at source but did not do anything because we skipped.

Now we changed newer\_file\_mode again to REPLACE and also uploaded a new version of f2.txt to bucket using B2 web.

```
>>> synchronizer = Synchronizer(
    max_workers=10,
    policies_manager=policies_manager,
    dry_run=False,
    allow_empty_source=True,
    compare_version_mode=CompareVersionMode.MODTIME,
    compare_threshold=10,
    newer_file_mode=NewerFileSyncMode.REPLACE,
    keep_days_or_delete=KeepOrDeleteMode.DELETE,
)
>>> with SyncReport(sys.stdout, no_progress) as reporter:
```

(continues on next page)

(continued from previous page)

```

synchronizer.sync_folders(
    source_folder=source,
    dest_folder=destination,
    now_millis=int(round(time.time() * 1000)),
    reporter=reporter,
)
delete f2.txt (old version)
upload f2.txt

```

**class b2sdk.v1.ScanPoliciesManager**

Policy object used when scanning folders for syncing, used to decide which files to include in the list of files to be synced.

Code that scans through files should at least use `should_exclude_file()` to decide whether each file should be included; it will check include/exclude patterns for file names, as well as patterns for excluding directories.

Code that scans may optionally use `should_exclude_directory()` to test whether it can skip a directory completely and not bother listing the files and sub-directories in it.

```

__init__(exclude_dir_regexes=(),           exclude_file_regexes=(),           include_file_regexes=(),
        exclude_all_symlinks=False,         exclude_modified_before=None,       ex-
        exclude_modified_after=None)

```

**Parameters**

- **exclude\_dir\_regexes** (`tuple`) – a tuple of regexes to exclude directories
- **exclude\_file\_regexes** (`tuple`) – a tuple of regexes to exclude files
- **include\_file\_regexes** (`tuple`) – a tuple of regexes to include files
- **exclude\_all\_symlinks** (`bool`) – if True, exclude all symlinks
- **exclude\_modified\_before** (`int, optional`) – optionally exclude file versions modified before (in millis)
- **exclude\_modified\_after** (`int, optional`) – optionally exclude file versions modified after (in millis)

**should\_exclude\_file(file\_path)**

Given the full path of a file, decide if it should be excluded from the scan.

**Parameters** `file_path` – the path of the file, relative to the root directory being scanned.

**Type** `str`

**Returns** True if excluded.

**Return type** `bool`

**should\_exclude\_file\_version(file\_version)**

Given the modification time of a file version, decide if it should be excluded from the scan.

**Parameters** `file_version` – the file version object

**Type** `b2sdk.v1FileVersion`

**Returns** True if excluded.

**Return type** `bool`

**should\_exclude\_directory(dir\_path)**

Given the full path of a directory, decide if all of the files in it should be excluded from the scan.

**Parameters** `dir_path` (`str`) – the path of the directory, relative to the root directory being scanned. The path will never end in '/'.

**Returns** True if excluded.

```
class b2sdk.v1.Synchronizer
```

```
    __init__(max_workers, policies_manager=<b2sdk.sync.scan_policies.ScanPoliciesManager object>, dry_run=False, allow_empty_source=False, newer_file_mode=<NewerFileSyncMode.RAISE_ERROR: 103>, keep_days_or_delete=<KeepOrDeleteMode.NO_DELETE: 303>, compare_version_mode=<CompareVersionMode.MODTIME: 201>, compare_threshold=None, keep_days=None)
```

Initialize synchronizer class and validate arguments

#### Parameters

- `max_workers` (`int`) – max number of workers
- `policies_manager` – policies manager object
- `dry_run` (`bool`) – test mode, does not actually transfer/delete when enabled
- `allow_empty_source` (`bool`) – if True, do not check whether source folder is empty
- `newer_file_mode` (`b2sdk.v1.NewerFileSyncMode`) – setting which determines handling for destination files newer than on the source
- `keep_days_or_delete` (`b2sdk.v1.KeepOrDeleteMode`) – setting which determines if we should delete or not delete or keep for `keep_days`
- `compare_version_mode` (`b2sdk.v1.CompareVersionMode`) – how to compare the source and destination files to find new ones
- `compare_threshold` (`int`) – should be greater than 0, default is 0
- `keep_days` (`int`) – if `keep_days_or_delete` is `b2sdk.v1.KeepOrDeleteMode.KEEP_BEFORE_DELETE`, then this should be greater than 0

```
sync_folders(source_folder, dest_folder, now_millis, reporter)
```

Syncs two folders. Always ensures that every file in the source is also in the destination. Deletes any file versions in the destination older than `history_days`.

#### Parameters

- `source_folder` (`b2sdk.sync.folder.AbstractFolder`) – source folder object
- `dest_folder` (`b2sdk.sync.folder.AbstractFolder`) – destination folder object
- `now_millis` (`int`) – current time in milliseconds
- `reporter` (`b2sdk.sync.report.SyncReport`, `None`) – progress reporter

```
make_folder_sync_actions(source_folder, dest_folder, now_millis, reporter, policies_manager=<b2sdk.sync.scan_policies.ScanPoliciesManager object>)
```

Yield a sequence of actions that will sync the destination folder to the source folder.

#### Parameters

- `source_folder` (`b2sdk.v1.AbstractFolder`) – source folder object
- `dest_folder` (`b2sdk.v1.AbstractFolder`) – destination folder object

- **now\_millis** (`int`) – current time in milliseconds
- **reporter** (`b2sdk.v1.SyncReport`) – reporter object
- **policies\_manager** – policies manager object

**make\_file\_sync\_actions** (`sync_type`, `source_file`, `dest_file`, `source_folder`, `dest_folder`, `now_millis`)  
Yields the sequence of actions needed to sync the two files

**Parameters**

- **sync\_type** (`str`) – synchronization type
- **source\_file** (`b2sdk.v1.File`) – source file object
- **dest\_file** (`b2sdk.v1.File`) – destination file object
- **source\_folder** (`b2sdk.v1.AbstractFolder`) – a source folder object
- **dest\_folder** (`b2sdk.v1.AbstractFolder`) – a destination folder object
- **now\_millis** (`int`) – current time in milliseconds

**class b2sdk.v1.SyncReport**  
Handle reporting progress for syncing.

Print out each file as it is processed, and puts up a sequence of progress bars.

**The progress bars are:**

- Step 1/1: count local files
- Step 2/2: compare file lists
- Step 3/3: transfer files

This class is THREAD SAFE, so it can be used from parallel sync threads.

**UPDATE\_INTERVAL = 0.1**

**\_\_init\_\_** (`stdout`, `no_progress`)

**Parameters**

- **stdout** – standard output file object
- **no\_progress** (`bool`) – if True, do not show progress

**close()**  
Perform a clean-up.

**error** (`message`)  
Print an error, gracefully interleaving it with a progress bar.

**Parameters** `message` (`str`) – an error message

**print\_completion** (`message`)  
Remove the progress bar, prints a message, and puts the progress bar back.

**Parameters** `message` (`str`) – an error message

**update\_local** (`delta`)  
Report that more local files have been found.

**Parameters** `delta` (`int`) – number of files found since the last check

**end\_local()**  
Local file count is done. Can proceed to step 2.

**update\_compare (delta)**

Report that more files have been compared.

**Parameters** **delta** (*int*) – number of files compared

**end\_compare (total\_transfer\_files, total\_transfer\_bytes)**

Report that the comparison has been finished.

**Parameters**

- **total\_transfer\_files** (*int*) – total number of transferred files
- **total\_transfer\_bytes** (*int*) – total number of transferred bytes

**update\_transfer (file\_delta, byte\_delta)**

Update transfer info.

**Parameters**

- **file\_delta** (*int*) – number of files transferred
- **byte\_delta** (*int*) – number of bytes transferred

**local\_access\_error (path)**

Add a file access error message to the list of warnings.

**Parameters** **path** (*str*) – file path

**local\_permission\_error (path)**

Add a permission error message to the list of warnings.

**Parameters** **path** (*str*) – file path

**symlink\_skipped (path)**

## B2 Utility functions

**b2sdk.v1.b2\_url\_encode (s)**

URL-encode a unicode string to be sent to B2 in an HTTP header.

**Parameters** **s** (*str*) – a unicode string to encode

**Returns** URL-encoded string

**Return type** *str*

**b2sdk.v1.b2\_url\_decode (s)**

Decode a Unicode string returned from B2 in an HTTP header.

**Parameters** **s** (*str*) – a unicode string to decode

**Returns** a Python unicode string.

**Return type** *str*

**b2sdk.v1.choose\_part\_ranges (content\_length, minimum\_part\_size)**

Return a list of (offset, length) for the parts of a large file.

**Parameters**

- **content\_length** (*int*) – content length value
- **minimum\_part\_size** (*int*) – a minimum file part size

**Return type** *list*

**b2sdk.v1.fix\_windows\_path\_limit (path)**

Prefix paths when running on Windows to overcome 260 character path length limit. See [https://msdn.microsoft.com/en-us/library/windows/desktop/aa365247\(v=vs.85\).aspx#maxpath](https://msdn.microsoft.com/en-us/library/windows/desktop/aa365247(v=vs.85).aspx#maxpath)

**Parameters** `path` (`str`) – a path to prefix

**Returns** a prefixed path

**Return type** `str`

**b2sdk.v1.format\_and\_scale\_fraction (numerator, denominator, unit)**

Pick a good scale for representing a fraction, and format it.

**Parameters**

- `numerator` (`int`) – a numerator of a fraction
- `denominator` (`int`) – a denominator of a fraction
- `unit` (`str`) – an arbitrary unit name

**Returns** scaled and formatted fraction

**Return type** `str`

**b2sdk.v1.format\_and\_scale\_number (x, unit)**

Pick a good scale for representing a number and format it.

**Parameters**

- `x` (`int`) – a number
- `unit` (`str`) – an arbitrary unit name

**Returns** scaled and formatted number

**Return type** `str`

**b2sdk.v1.hex\_sha1\_of\_stream (input\_stream, content\_length)**

Return the 40-character hex SHA1 checksum of the first content\_length bytes in the input stream.

**Parameters**

- `input_stream` – stream object, which exposes read() method
- `content_length` (`int`) – expected length of the stream

**Return type** `str`

**b2sdk.v1.hex\_sha1\_of\_bytes (data)**

Return the 40-character hex SHA1 checksum of the data.

**Parameters** `data` (`bytes`) – an array of bytes

**Return type** `str`

**class b2sdk.v1.TempDir**

Context manager that creates and destroys a temporary directory.

**\_\_enter\_\_()**

Return the unicode path to the temp dir.

**\_\_exit\_\_ (exc\_type, exc\_val, exc\_tb)**

## Write intent

```
class b2sdk.v1.WriteIntent
    Wrapper for outbound source that defines destination offset.

    __init__(outbound_source, destination_offset=0)

    Parameters
        • outbound_source (b2sdk.v1.OutboundTransferSource) – data source (remote or local)

        • destination_offset (int) – point of start in destination file

    property length
        Length of the write intent.

        Return type int

    property destination_end_offset
        Offset of source end in destination file.

        Return type int

    is_copy()
        States if outbound source is remote source and requires copying.

        Return type bool

    is_upload()
        States if outbound source is local source and requires uploading.

        Return type bool

    classmethod wrap_sources_iterator(outbound_sources_iterator)
        Helper that wraps outbound sources iterator with write intents.

        Can be used in cases similar to concatenate to automatically compute destination offsets

        Param iterator[b2sdk.v1.OutboundTransferSource] outbound_sources_iterator: iterator of outbound sources

        Return type generator[b2sdk.v1.WriteIntent]
```

## Outbound Transfer Source

```
class b2sdk.v1.OutboundTransferSource
    Abstract class for defining outbound transfer sources.

    Supported outbound transfer sources are:

    • b2sdk.v1.CopySource
    • b2sdk.v1.UploadSourceBytes
    • b2sdk.v1.UploadSourceLocalFile
    • b2sdk.v1.UploadSourceLocalFileRange
    • b2sdk.v1.UploadSourceStream
    • b2sdk.v1.UploadSourceStreamRange

    abstract get_content_length()
        Return the number of bytes of data in the file.
```

---

```
abstract is_upload()
    Return if outbound source is an upload source. :rtype bool:

abstract is_copy()
    Return if outbound source is a copy source. :rtype bool:
```

## Download destination

---

**Note:** Concrete classes described in this chapter implement methods defined in AbstractDownloadDestination

---

```
class b2sdk.v1.AbstractDownloadDestination
    Interface to a destination for a downloaded file.

    abstract make_file_context(file_id, file_name, content_length, content_type, content_shal,
                               file_info, mod_time_millis, range_=None)
        Return a context manager that yields a binary file-like object to use for writing the contents of the file.
```

### Parameters

- **file\_id** (*str*) – the B2 file ID from the headers
- **file\_name** (*str*) – the B2 file name from the headers
- **content\_type** (*str*) – the content type from the headers
- **content\_shal** (*str*) – the content sha1 from the headers (or "none" for large files)
- **file\_info** (*dict*) – the user file info from the headers
- **mod\_time\_millis** (*int*) – the desired file modification date in ms since 1970-01-01
- **range** (*None, tuple[int, int]*) – starting and ending offsets of the received file contents. Usually *None*, which means that the whole file is downloaded.

### Returns

```
class b2sdk.v1.DownloadDestLocalFile
    Store a downloaded file into a local file and sets its modification time.

    __init__(local_file_path)
        Initialize self. See help(type(self)) for accurate signature.
```

```
class b2sdk.v1.DownloadDestBytes
    Store a downloaded file into bytes in memory.

    __init__()
        Initialize self. See help(type(self)) for accurate signature.
```

```
class b2sdk.v1.DownloadDestProgressWrapper
    Wrap a DownloadDestination and report progress to a ProgressListener.

    __init__(download_dest, progress_listener)
        Initialize self. See help(type(self)) for accurate signature.
```

```
class b2sdk.v1.PreSeekedDownloadDest
    Store a downloaded file into a local file and sets its modification time. Does not truncate the target file, seeks to a given offset just after opening a descriptor.

    __init__(local_file_path, seek_target)
        Initialize self. See help(type(self)) for accurate signature.
```

## 2.7.3 Internal API

---

**Note:** See [Internal interface](#) chapter to learn when and how to safely use the Internal API

---

### b2sdk.session – B2 Session

```
class b2sdk.session.TokenType(value)
```

Bases: `enum.Enum`

An enumeration.

```
API = 'api'
```

```
API_TOKEN_ONLY = 'api_token_only'
```

```
UPLOAD_PART = 'upload_part'
```

```
UPLOAD_SMALL = 'upload_small'
```

```
class b2sdk.session.B2Session(account_info=None, cache=None, raw_api=None)
```

Bases: `object`

A facade that supplies the correct api\_url and account\_auth\_token to methods of underlying raw\_api and reauthorizes if necessary.

```
__init__(account_info=None, cache=None, raw_api=None)
```

Initialize Session using given account info.

#### Parameters

- **account\_info** – an instance of `UrlPoolAccountInfo`, or any custom class derived from `AbstractAccountInfo` To learn more about Account Info objects, see here `SqliteAccountInfo`
- **cache** – an instance of the one of the following classes: `DummyCache`, `InMemoryCache`, `AuthInfoCache`, or any custom class derived from `AbstractCache` It is used by B2Api to cache the mapping between bucket name and bucket ids. default is `DummyCache`
- **raw\_api** – an instance of one of the following classes: `B2RawApi`, `RawSimulator`, or any custom class derived from `AbstractRawApi` It makes network-less unit testing simple by using `RawSimulator`, in tests and `B2RawApi` in production. default is `B2RawApi`

```
authorize_automatically()
```

Perform automatic account authorization, retrieving all account data from account info object passed during initialization.

```
authorize_account(realm, application_key_id, application_key)
```

Perform account authorization.

#### Parameters

- **realm** (`str`) – a realm to authorize account in (usually just “production”)
- **application\_key\_id** (`str`) – `application key ID`
- **application\_key** (`str`) – user’s `application key`

```
cancel_large_file(file_id)
```

```
create_bucket (account_id, bucket_name, bucket_type, bucket_info=None, cors_rules=None, lifecycle_rules=None)
create_key (account_id, capabilities, key_name, valid_duration_seconds, bucket_id, name_prefix)
delete_key (application_key_id)
delete_bucket (account_id, bucket_id)
delete_file_version (file_id, file_name)
download_file_from_url (url, range_=None)
finish_large_file (file_id, part_sha1_array)
get_download_authorization (bucket_id, file_name_prefix, valid_duration_in_seconds)
get_file_info (file_id)
get_upload_url (bucket_id)
get_upload_part_url (file_id)
hide_file (bucket_id, file_name)
list_buckets (account_id, bucket_id=None, bucket_name=None)
list_file_names (bucket_id, start_file_name=None, max_file_count=None, prefix=None)
list_file_versions (bucket_id, start_file_name=None, start_file_id=None, max_file_count=None, prefix=None)
list_keys (account_id, max_key_count=None, start_application_key_id=None)
list_parts (file_id, start_part_number, max_part_count)
list_unfinished_large_files (bucket_id, start_file_id=None, max_file_count=None, prefix=None)
start_large_file (bucket_id, file_name, content_type, file_info)
update_bucket (account_id, bucket_id, bucket_type=None, bucket_info=None, cors_rules=None, lifecycle_rules=None, if_revision_is=None)
upload_file (bucket_id, file_name, content_length, content_type, content_sha1, file_infos, data_stream)
upload_part (file_id, part_number, content_length, sha1_sum, input_stream)
get_download_url_by_id (file_id)
get_download_url_by_name (bucket_name, file_name)
copy_file (source_file_id, new_file_name, bytes_range=None, metadata_directive=None, content_type=None, file_info=None, destination_bucket_id=None)
copy_part (source_file_id, large_file_id, part_number, bytes_range=None)
```

**b2sdk.raw\_api – B2 raw api wrapper**

```
class b2sdk.raw_api.MetadataDirectiveMode (value)
Bases: enum.Enum

Mode of handling metadata when copying a file

COPY = 401
    copy metadata from the source file

REPLACE = 402
    ignore the source file metadata and set it to provided values

class b2sdk.raw_api.AbstractRawApi
Bases: object

Direct access to the B2 web apis.

abstract authorize_account (realm_url, application_key_id, application_key)
abstract cancel_large_file (api_url, account_auth_token, file_id)
abstract copy_file (api_url, account_auth_token, source_file_id, new_file_name,
                    bytes_range=None, metadata_directive=None, content_type=None,
                    file_info=None, destination_bucket_id=None)
abstract copy_part (api_url, account_auth_token, source_file_id, large_file_id, part_number,
                     bytes_range=None)
abstract create_bucket (api_url, account_auth_token, account_id, bucket_name, bucket_type,
                        bucket_info=None, cors_rules=None, lifecycle_rules=None)
abstract create_key (api_url, account_auth_token, account_id, capabilities, key_name,
                     valid_duration_seconds, bucket_id, name_prefix)
abstract download_file_from_url (account_auth_token_or_none, url, range_=None)
abstract delete_key (api_url, account_auth_token, application_key_id)
abstract delete_bucket (api_url, account_auth_token, account_id, bucket_id)
abstract delete_file_version (api_url, account_auth_token, file_id, file_name)
abstract finish_large_file (api_url, account_auth_token, file_id, part_sha1_array)
abstract get_download_authorization (api_url, account_auth_token, bucket_id,
                                      file_name_prefix, valid_duration_in_seconds)
abstract get_file_info (api_url, account_auth_token, file_id)
abstract get_upload_url (api_url, account_auth_token, bucket_id)
abstract get_upload_part_url (api_url, account_auth_token, file_id)
abstract hide_file (api_url, account_auth_token, bucket_id, file_name)
abstract list_buckets (api_url, account_auth_token, account_id, bucket_id=None,
                       bucket_name=None)
abstract list_file_names (api_url, account_auth_token, bucket_id, start_file_name=None,
                         max_file_count=None, prefix=None)
abstract list_file_versions (api_url, account_auth_token, bucket_id,
                           start_file_name=None, start_file_id=None,
                           max_file_count=None, prefix=None)
abstract list_keys (api_url, account_auth_token, account_id, max_key_count=None,
                   start_application_key_id=None)
```

```

abstract list_parts (api_url, account_auth_token, file_id, start_part_number, max_part_count)
abstract list_unfinished_large_files (api_url, account_auth_token, bucket_id,
                                         start_file_id=None, max_file_count=None,
                                         prefix=None)
abstract start_large_file (api_url, account_auth_token, bucket_id, file_name, content_type,
                           file_info)
abstract update_bucket (api_url, account_auth_token, account_id, bucket_id,
                           bucket_type=None, bucket_info=None, cors_rules=None, lifecycle_rules=None, if_revision_is=None)
abstract upload_file (upload_url, upload_auth_token, file_name, content_length, content_type,
                       content_sha1, file_infos, data_stream)
abstract upload_part (upload_url, upload_auth_token, part_number, content_length, sha1_sum,
                        input_stream)
get_download_url_by_id (download_url, file_id)
get_download_url_by_name (download_url, bucket_name, file_name)

class b2sdk.raw_api.B2RawApi (b2_http)
    Bases: b2sdk.raw_api.AbstractRawApi

```

Provide access to the B2 web APIs, exactly as they are provided by b2.

Requires that you provide all necessary URLs and auth tokens for each call.

Each API call decodes the returned JSON and returns a dict.

**For details on what each method does, see the B2 docs:** <https://www.backblaze.com/b2/docs/>

This class is intended to be a super-simple, very thin layer on top of the HTTP calls. It can be mocked-out for testing higher layers. And this class can be tested by exercising each call just once, which is relatively quick.

```

__init__ (b2_http)
    Initialize self. See help(type(self)) for accurate signature.

authorize_account (realm_url, application_key_id, application_key)
cancel_large_file (api_url, account_auth_token, file_id)
create_bucket (api_url, account_auth_token, account_id, bucket_name, bucket_type,
                  bucket_info=None, cors_rules=None, lifecycle_rules=None)
create_key (api_url, account_auth_token, account_id, capabilities, key_name,
               valid_duration_seconds, bucket_id, name_prefix)
delete_bucket (api_url, account_auth_token, account_id, bucket_id)
delete_file_version (api_url, account_auth_token, file_id, file_name)
delete_key (api_url, account_auth_token, application_key_id)
download_file_from_url (account_auth_token_or_none, url, range_=None)
    Issue a streaming request for download of a file, potentially authorized.

```

#### Parameters

- **account\_auth\_token\_or\_none** – an optional account auth token to pass in
- **url** – the full URL to download from
- **range** – two-element tuple for http Range header

**Returns** b2\_http response

```
finish_large_file(api_url, account_auth_token, file_id, part_sha1_array)
get_download_authorization(api_url, account_auth_token, bucket_id, file_name_prefix,
                            valid_duration_in_seconds)
get_file_info(api_url, account_auth_token, file_id)
get_upload_url(api_url, account_auth_token, bucket_id)
get_upload_part_url(api_url, account_auth_token, file_id)
hide_file(api_url, account_auth_token, bucket_id, file_name)
list_buckets(api_url, account_auth_token, account_id, bucket_id=None, bucket_name=None)
list_file_names(api_url, account_auth_token, bucket_id, start_file_name=None,
                max_file_count=None, prefix=None)
list_file_versions(api_url, account_auth_token, bucket_id, start_file_name=None,
                   start_file_id=None, max_file_count=None, prefix=None)
list_keys(api_url, account_auth_token, account_id, max_key_count=None,
          start_application_key_id=None)
list_parts(api_url, account_auth_token, file_id, start_part_number, max_part_count)
list_unfinished_large_files(api_url, account_auth_token, bucket_id, start_file_id=None,
                            max_file_count=None, prefix=None)
start_large_file(api_url, account_auth_token, bucket_id, file_name, content_type, file_info)
update_bucket(api_url, account_auth_token, account_id, bucket_id, bucket_type=None,
              bucket_info=None, cors_rules=None, lifecycle_rules=None, if_revision_is=None)
unprintable_to_hex(string)
```

Replace unprintable chars in string with a hex representation.

**Parameters** **string** – an arbitrary string, possibly with unprintable characters.

**Returns** the string, with unprintable characters changed to hex (e.g., "")

```
check_b2_filename(filename)
```

Raise an appropriate exception with details if the filename is unusable.

See <https://www.backblaze.com/b2/docs/files.html> for the rules.

**Parameters** **filename** – a proposed filename in unicode

**Returns** None if the filename is usable

```
upload_file(upload_url, upload_auth_token, file_name, content_length, content_type, content_sha1,
            file_infos, data_stream)
```

Upload one, small file to b2.

**Parameters**

- **upload\_url** – the upload\_url from b2\_authorize\_account
- **upload\_auth\_token** – the auth token from b2\_authorize\_account
- **file\_name** – the name of the B2 file
- **content\_length** – number of bytes in the file
- **content\_type** – MIME type
- **content\_sha1** – hex SHA1 of the contents of the file
- **file\_infos** – extra file info to upload

- **data\_stream** – a file like object from which the contents of the file can be read

#### Returns

```
upload_part (upload_url, upload_auth_token, part_number, content_length, content_shal, data_stream)
copy_file (api_url, account_auth_token, source_file_id, new_file_name, bytes_range=None, metadata_directive=None, content_type=None, file_info=None, destination_bucket_id=None)
copy_part (api_url, account_auth_token, source_file_id, large_file_id, part_number, bytes_range=None)
```

b2sdk.raw\_api.**test\_raw\_api()**

Exercise the code in B2RawApi by making each call once, just to make sure the parameters are passed in, and the result is passed back.

The goal is to be a complete test of B2RawApi, so the tests for the rest of the code can use the simulator.

Prints to stdout if things go wrong.

#### Returns

0 on success, non-zero on failure

b2sdk.raw\_api.**test\_raw\_api\_helper** (raw\_api)

Try each of the calls to the raw api. Raise an exception if anything goes wrong.

This uses a Backblaze account that is just for this test. The account uses the free level of service, which should be enough to run this test a reasonable number of times each day. If somebody abuses the account for other things, this test will break and we'll have to do something about it.

## b2sdk.b2http – thin http client wrapper

**class** b2sdk.b2http.**ResponseContextManager** (response)

A context manager that closes a requests.Response when done.

**class** b2sdk.b2http.**HttpCallback**

A callback object that does nothing. Overrides pre\_request and/or post\_request as desired.

**pre\_request** (method, url, headers)

Called before processing an HTTP request.

Raises an exception if this request should not be processed. The exception raised must inherit from B2HttpCallbackPreRequestException.

#### Parameters

- **method** (*str*) – str, one of: ‘POST’, ‘GET’, etc.
- **url** (*str*) – the URL that will be used
- **headers** (*dict*) – the header sent with the request

**post\_request** (method, url, headers, response)

Called after processing an HTTP request. Should not raise an exception.

Raises an exception if this request should be treated as failing. The exception raised must inherit from B2HttpCallbackPostRequestException.

#### Parameters

- **method** (*str*) – one of: ‘POST’, ‘GET’, etc.
- **url** (*str*) – the URL that will be used
- **headers** (*dict*) – the header sent with the request

- **response** – a response object from the requests library

```
class b2sdk.b2http.ClockSkewHook
```

```
post_request (method, url, headers, response)
```

Raise an exception if the clock in the server is too different from the clock on the local host.

The Date header contains a string that looks like: “Fri, 16 Dec 2016 20:52:30 GMT”.

#### Parameters

- **method** (*str*) – one of: ‘POST’, ‘GET’, etc.
- **url** (*str*) – the URL that will be used
- **headers** (*dict*) – the header sent with the request
- **response** – a response object from the requests library

```
class b2sdk.b2http.B2Http (requests_module=None, install_clock_skew_hook=True)
```

A wrapper for the requests module. Provides the operations needed to access B2, and handles retrying when the returned status is 503 Service Unavailable, 429 Too Many Requests, etc.

The operations supported are:

- post\_json\_return\_json
- post\_content\_return\_json
- get\_content

The methods that return JSON either return a Python dict or raise a subclass of B2Error. They can be used like this:

```
try:  
    response_dict = b2_http.post_json_return_json(url, headers, params)  
    ...  
except B2Error as e:  
    ...
```

```
TIMEOUT = 130
```

```
add_callback (callback)
```

Add a callback that inherits from HttpCallback.

Parameters **callback** (*callable*) – a callback to be added to a chain

```
post_content_return_json (url, headers, data, try_count=5, post_params=None)
```

Use like this:

```
try:  
    response_dict = b2_http.post_content_return_json(url, headers, data)  
    ...  
except B2Error as e:  
    ...
```

#### Parameters

- **url** (*str*) – a URL to call
- **headers** (*dict*) – headers to send.
- **data** – bytes (Python 3) or str (Python 2), or a file-like object, to send

**Returns** a dict that is the decoded JSON

**Return type** `dict`

**post\_json\_return\_json** (`url, headers, params, try_count=5`)

Use like this:

```
try:
    response_dict = b2_http.post_json_return_json(url, headers, params)
    ...
except B2Error as e:
    ...
```

### Parameters

- **url** (`str`) – a URL to call
- **headers** (`dict`) – headers to send.
- **params** (`dict`) – a dict that will be converted to JSON

**Returns** the decoded JSON document

**Return type** `dict`

**get\_content** (`url, headers, try_count=5`)

Fetches content from a URL.

Use like this:

```
try:
    with b2_http.get_content(url, headers) as response:
        for byte_data in response.iter_content(chunk_size=1024):
            ...
except B2Error as e:
    ...
```

**The response object is only guaranteed to have:**

- headers
- iter\_content()

### Parameters

- **url** (`str`) – a URL to call
- **headers** (`dict`) – headers to send
- **try\_count** (`int`) – a number or retries

**Returns** Context manager that returns an object that supports iter\_content()

`b2sdk.b2http.test_http()`

Run a few tests on error diagnosis.

This test takes a while to run and is not used in the automated tests during building. Run the test by hand to exercise the code. Be sure to run in both Python 2 and Python 3.

**b2sdk.utils****b2sdk.utils.interruptible\_get\_result(future)**

Wait for the result of a future in a way that can be interrupted by a KeyboardInterrupt.

This is not necessary in Python 3, but is needed for Python 2.

**Parameters** **future** (*Future*) – a future to get result of**b2sdk.utils.b2\_url\_encode(s)**

URL-encode a unicode string to be sent to B2 in an HTTP header.

**Parameters** **s** (*str*) – a unicode string to encode**Returns** URL-encoded string**Return type** *str***b2sdk.utils.b2\_url\_decode(s)**

Decode a Unicode string returned from B2 in an HTTP header.

**Parameters** **s** (*str*) – a unicode string to decode**Returns** a Python unicode string.**Return type** *str***b2sdk.utils.choose\_part\_ranges(content\_length, minimum\_part\_size)**

Return a list of (offset, length) for the parts of a large file.

**Parameters**

- **content\_length** (*int*) – content length value
- **minimum\_part\_size** (*int*) – a minimum file part size

**Return type** *list***b2sdk.utils.hex\_sha1\_of\_stream(input\_stream, content\_length)**

Return the 40-character hex SHA1 checksum of the first content\_length bytes in the input stream.

**Parameters**

- **input\_stream** – stream object, which exposes read() method
- **content\_length** (*int*) – expected length of the stream

**Return type** *str***b2sdk.utils.hex\_sha1\_of\_unlimited\_stream(input\_stream, limit=None)****b2sdk.utils.hex\_sha1\_of\_bytes(data)**

Return the 40-character hex SHA1 checksum of the data.

**Parameters** **data** (*bytes*) – an array of bytes**Return type** *str***b2sdk.utils.validate\_b2\_file\_name(name)**

Raise a ValueError if the name is not a valid B2 file name.

**Parameters** **name** (*str*) – a string to check**b2sdk.utils.is\_file\_readable(local\_path, reporter=None)**

Check if the local file has read permissions.

**Parameters**

- **local\_path** (*str*) – a file path
- **reporter** – reporter object to put errors on

**Return type** `bool`

`b2sdk.utils.get_file_mtime(local_path, rounded=True)`

Get modification time of a file in milliseconds.

**Parameters**

- **local\_path** (*str*) – a file path
- **rounded** (*bool*) – floating point time should be rounded instead of stripped

**Return type** `int`

`b2sdk.utils.set_file_mtime(local_path, mod_time_millis, rounded=True)`

Set modification time of a file in milliseconds.

**Parameters**

- **local\_path** (*str*) – a file path
- **mod\_time\_millis** (*int*) – time to be set
- **rounded** (*bool*) – if False, the time is updated with small delta

`b2sdk.utils.fix_windows_path_limit(path)`

Prefix paths when running on Windows to overcome 260 character path length limit. See [https://msdn.microsoft.com/en-us/library/windows/desktop/aa365247\(v=vs.85\).aspx#maxpath](https://msdn.microsoft.com/en-us/library/windows/desktop/aa365247(v=vs.85).aspx#maxpath)

**Parameters** `path` (*str*) – a path to prefix

**Returns** a prefixed path

**Return type** `str`

`class b2sdk.utils.TempDir`

Bases: `object`

Context manager that creates and destroys a temporary directory.

`b2sdk.utils.format_and_scale_number(x, unit)`

Pick a good scale for representing a number and format it.

**Parameters**

- **x** (*int*) – a number
- **unit** (*str*) – an arbitrary unit name

**Returns** scaled and formatted number

**Return type** `str`

`b2sdk.utils.format_and_scale_fraction(numerator, denominator, unit)`

Pick a good scale for representing a fraction, and format it.

**Parameters**

- **numerator** (*int*) – a numerator of a fraction
- **denominator** (*int*) – a denominator of a fraction
- **unit** (*str*) – an arbitrary unit name

**Returns** scaled and formatted fraction

**Return type** str

```
b2sdk.utils.camelcase_to_underscore(input_)
```

Convert a camel-cased string to a string with underscores.

**Parameters** input (str) – an input string

**Returns** string with underscores

**Return type** str

```
class b2sdk.utils.B2TraceMeta(name, bases, attrs, **kwargs)
```

Bases: logfury.v0\_1.meta.DefaultTraceMeta

Trace all public method calls, except for ones with names that begin with `get_`.

```
class b2sdk.utils.B2TraceMetaAbstract(name, bases, namespace, **kwargs)
```

Bases: logfury.v0\_1.meta.DefaultTraceAbstractMeta

Default class for tracers, to be set as a metaclass for abstract base classes.

```
class b2sdk.utils.ConcurrentUsedAuthTokenGuard(lock, token)
```

Bases: object

Context manager preventing two tokens being used simultaneously. Throws `UploadTokenUsedConcurrently` when unable to acquire a lock. Sample usage:

```
with ConcurrentUsedAuthTokenGuard(lock_for_token, token): # code that uses the token exclusively
```

```
    __init__(lock, token)
```

Initialize self. See `help(type(self))` for accurate signature.

## b2sdk.cache

```
class b2sdk.cache.AbstractCache
```

Bases: object

```
clear()
```

```
abstract get_bucket_id_or_none_from_bucket_name(name)
```

```
abstract get_bucket_name_or_none_from_allowed()
```

```
abstract save_bucket(bucket)
```

```
abstract set_bucket_name_cache(buckets)
```

```
class b2sdk.cache.DummyCache
```

Bases: `b2sdk.cache.AbstractCache`

A cache that does nothing.

```
get_bucket_id_or_none_from_bucket_name(name)
```

```
get_bucket_name_or_none_from_allowed()
```

```
save_bucket(bucket)
```

```
set_bucket_name_cache(buckets)
```

```
class b2sdk.cache.InMemoryCache
```

Bases: `b2sdk.cache.AbstractCache`

A cache that stores the information in memory.

---

```

__init__()
    Initialize self. See help(type(self)) for accurate signature.

get_bucket_id_or_none_from_bucket_name(name)
get_bucket_name_or_none_from_allowed()
save_bucket(bucket)
set_bucket_name_cache(buckets)

class b2sdk.cache.AuthInfoCache(info)
    Bases: b2sdk.cache.AbstractCache

    A cache that stores data persistently in StoredAccountInfo.

__init__(info)
    Initialize self. See help(type(self)) for accurate signature.

get_bucket_id_or_none_from_bucket_name(name)
get_bucket_name_or_none_from_allowed()
save_bucket(bucket)
set_bucket_name_cache(buckets)

```

## **b2sdk.download\_dest – Download destination**

```

class b2sdk.download_dest.AbstractDownloadDestination
    Bases: object

    Interface to a destination for a downloaded file.

abstract make_file_context(file_id, file_name, content_length, content_type, content_shal,
                           file_info, mod_time_millis, range_=None)
    Return a context manager that yields a binary file-like object to use for writing the contents of the file.

```

### **Parameters**

- **file\_id (str)** – the B2 file ID from the headers
- **file\_name (str)** – the B2 file name from the headers
- **content\_type (str)** – the content type from the headers
- **content\_shal (str)** – the content sha1 from the headers (or "none" for large files)
- **file\_info (dict)** – the user file info from the headers
- **mod\_time\_millis (int)** – the desired file modification date in ms since 1970-01-01
- **range (None, tuple[int, int])** – starting and ending offsets of the received file contents. Usually None, which means that the whole file is downloaded.

### **Returns** None

```

class b2sdk.download_dest.DownloadDestLocalFile(local_file_path)
    Bases: b2sdk.download_dest.AbstractDownloadDestination

```

Store a downloaded file into a local file and sets its modification time.

**MODE = 'wb+'**

**\_\_init\_\_(local\_file\_path)**

Initialize self. See help(type(self)) for accurate signature.

```
make_file_context(file_id, file_name, content_length, content_type, content_sha1, file_info,
                  mod_time_millis, range_=None)
```

Return a context manager that yields a binary file-like object to use for writing the contents of the file.

#### Parameters

- **file\_id** (*str*) – the B2 file ID from the headers
- **file\_name** (*str*) – the B2 file name from the headers
- **content\_type** (*str*) – the content type from the headers
- **content\_sha1** (*str*) – the content sha1 from the headers (or "none" for large files)
- **file\_info** (*dict*) – the user file info from the headers
- **mod\_time\_millis** (*int*) – the desired file modification date in ms since 1970-01-01
- **range** (*None, tuple[int, int]*) – starting and ending offsets of the received file contents. Usually None, which means that the whole file is downloaded.

#### Returns

None

```
write_to_local_file_context(mod_time_millis)
```

```
class b2sdk.download_dest.PreSeekedDownloadDest(local_file_path, seek_target)
```

Bases: *b2sdk.download\_dest.DownloadDestLocalFile*

Store a downloaded file into a local file and sets its modification time. Does not truncate the target file, seeks to a given offset just after opening a descriptor.

```
MODE = 'rb+'
```

```
__init__(local_file_path, seek_target)
```

Initialize self. See help(type(self)) for accurate signature.

```
write_to_local_file_context(*args, **kwargs)
```

```
class b2sdk.download_dest.DownloadDestBytes
```

Bases: *b2sdk.download\_dest.AbstractDownloadDestination*

Store a downloaded file into bytes in memory.

```
__init__()
```

Initialize self. See help(type(self)) for accurate signature.

```
make_file_context(file_id, file_name, content_length, content_type, content_sha1, file_info,
                  mod_time_millis, range_=None)
```

Return a context manager that yields a binary file-like object to use for writing the contents of the file.

#### Parameters

- **file\_id** (*str*) – the B2 file ID from the headers
- **file\_name** (*str*) – the B2 file name from the headers
- **content\_type** (*str*) – the content type from the headers
- **content\_sha1** (*str*) – the content sha1 from the headers (or "none" for large files)
- **file\_info** (*dict*) – the user file info from the headers
- **mod\_time\_millis** (*int*) – the desired file modification date in ms since 1970-01-01
- **range** (*None, tuple[int, int]*) – starting and ending offsets of the received file contents. Usually None, which means that the whole file is downloaded.

#### Returns

None

```
capture_bytes_context()
    Remember the bytes written in self.bytes_written.

get_bytes_written()

class b2sdk.download_dest.DownloadDestProgressWrapper(download_dest,
                                                       progress_listener)
Bases: b2sdk.download_dest.AbstractDownloadDestination

Wrap a DownloadDestination and report progress to a ProgressListener.

__init__(download_dest, progress_listener)
    Initialize self. See help(type(self)) for accurate signature.

make_file_context(file_id, file_name, content_length, content_type, content_sha1, file_info,
mod_time_millis, range_=None)
    Return a context manager that yields a binary file-like object to use for writing the contents of the file.
```

**Parameters**

- **file\_id** (*str*) – the B2 file ID from the headers
- **file\_name** (*str*) – the B2 file name from the headers
- **content\_type** (*str*) – the content type from the headers
- **content\_sha1** (*str*) – the content sha1 from the headers (or "none" for large files)
- **file\_info** (*dict*) – the user file info from the headers
- **mod\_time\_millis** (*int*) – the desired file modification date in ms since 1970-01-01
- **range** (*None, tuple[int, int]*) – starting and ending offsets of the received file contents. Usually None, which means that the whole file is downloaded.

**Returns** None

```
write_file_and_report_progress_context(file_id, file_name, content_length, content_type, content_sha1, file_info,
mod_time_millis, range_)
```

**b2sdk.stream.chained ChainedStream**

```
class b2sdk.stream.chained.ChainedStream(stream_openers)
Bases: b2sdk.stream.base.ReadOnlyStreamMixin, io.IOBase

Chains multiple streams in single stream, sort of what itertools.chain does for iterators.

Cleans up buffers of underlying streams when closed.

Can be seeked to beginning (when retrying upload, for example). Closes underlying streams as soon as they reaches EOF, but clears their buffers when the chained stream is closed for underlying streams that follow b2sdk.v1.StreamOpener cleanup interface, for example b2sdk.v1.CachedBytesStreamOpener
```

```
__init__(stream_openers)
```

**Parameters** **stream\_openeres** (*list*) – list of callables that return opened streams

**property stream**

Return currently processed stream.

**seekable()**

Return whether object supports random access.

If False, seek(), tell() and truncate() will raise OSError. This method may need to do a test seek().

**tell()**

Return current stream position.

**seek(pos, whence=0)**

Resets stream to the beginning.

**Parameters**

- **pos** (*int*) – only allowed value is 0
- **whence** (*int*) – only allowed value is 0

**readable()**

Return whether object was opened for reading.

If False, read() will raise OSError.

**read(size=None)**

Read data from the stream.

**Parameters** **size** (*int, None*) – number of bytes to read. If omitted, None, or negative data is read and returned until EOF is reached

**Returns** data read from the stream

**close()**

Flush and close the IO object.

This method has no effect if the file is already closed.

**class b2sdk.stream.chained.StreamOpener**

Bases: *object*

Abstract class to define stream opener with cleanup.

**cleanup()**

Clean up stream opener after chained stream closes.

Can be used for cleaning cached data that are stored in memory to allow resetting chained stream without getting this data more than once, eg. data downloaded from external source.

**b2sdk.stream.hashing.StreamWithHash****class b2sdk.stream.hashing.StreamWithHash(stream, stream\_length=None)**

Bases: *b2sdk.stream.base.ReadOnlyStreamMixin, b2sdk.stream.wrapper.StreamWithLengthWrapper*

Wrap a file-like object, calculates SHA1 while reading and appends hash at the end.

**\_\_init\_\_(stream, stream\_length=None)**

**Parameters** **stream** – the stream to read from

**seek(pos, whence=0)**

Seek to a given position in the stream.

**Parameters** **pos** (*int*) – position in the stream

**read(size=None)**

Read data from the stream.

**Parameters** `size` (`int`) – number of bytes to read

**Returns** read data

**Return type** bytes|None

```
classmethod get_digest()
```

## b2sdk.stream.progress Streams with progress reporting

```
class b2sdk.stream.progress.AbstractStreamWithProgress(stream, progress_listener,
                                                       offset=0)
```

Bases: `b2sdk.stream.wrapper.StreamWrapper`

Wrap a file-like object and updates a ProgressListener as data is read / written. In the abstract class, read and write methods do not update the progress - child classes shall do it.

```
__init__(stream, progress_listener, offset=0)
```

**Parameters**

- `stream` – the stream to read from or write to
- `progress_listener` (`b2sdk.v1.AbstractProgressListener`) – the listener that we tell about progress
- `offset` (`int`) – the starting byte offset in the file

```
class b2sdk.stream.progress.ReadingStreamWithProgress(*args, **kwargs)
```

Bases: `b2sdk.stream.progress.AbstractStreamWithProgress`

Wrap a file-like object, updates progress while reading.

```
__init__(*args, **kwargs)
```

**Parameters**

- `stream` – the stream to read from or write to
- `progress_listener` (`b2sdk.v1.AbstractProgressListener`) – the listener that we tell about progress
- `offset` (`int`) – the starting byte offset in the file

```
read(size=None)
```

Read data from the stream.

**Parameters** `size` (`int`) – number of bytes to read

**Returns** data read from the stream

```
seek(pos, whence=0)
```

Seek to a given position in the stream.

**Parameters** `pos` (`int`) – position in the stream

**Returns** new absolute position

**Return type** `int`

```
class b2sdk.stream.progress.WritingStreamWithProgress(stream, progress_listener, off-
                                                       set=0)
```

Bases: `b2sdk.stream.progress.AbstractStreamWithProgress`

Wrap a file-like object; updates progress while writing.

**write**(*data*)

Write data to the stream.

**Parameters** **data** (*bytes*) – data to write to the stream

**b2sdk.stream.range RangeOfInputStream****class** b2sdk.stream.range.**RangeOfInputStream**(*stream, offset, length*)

Bases: b2sdk.stream.base.ReadOnlyStreamMixin, b2sdk.stream.wrapper.StreamWithLengthWrapper

Wrap a file-like object (read only) and read the selected range of the file.

**\_\_init\_\_**(*stream, offset, length*)**Parameters**

- **stream** – a seekable stream
- **offset** (*int*) – offset in the stream
- **length** (*int*) – max number of bytes to read

**seek**(*pos, whence=0*)

Seek to a given position in the stream.

**Parameters** **pos** (*int*) – position in the stream relative to steam offset

**Returns** new position relative to stream offset

**Return type** *int*

**tell**()

Return current stream position relative to offset.

**Return type** *int*

**read**(*size=None*)

Read data from the stream.

**Parameters** **size** (*int*) – number of bytes to read

**Returns** data read from the stream

**Return type** *bytes*

**b2sdk.stream.range.wrap\_with\_range**(*stream, stream\_length, range\_offset, range\_length*)**b2sdk.stream.wrapper StreamWrapper****class** b2sdk.stream.wrapper.**StreamWrapper**(*stream*)

Bases: io.IOBase

Wrapper for a file-like object.

**\_\_init\_\_**(*stream*)

**Parameters** **stream** – the stream to read from or write to

**seekable**()

Return whether object supports random access.

If False, seek(), tell() and truncate() will raise OSError. This method may need to do a test seek().

**seek**(pos, whence=0)

Seek to a given position in the stream.

**Parameters** **pos** (*int*) – position in the stream

**Returns** new absolute position

**Return type** *int*

**tell()**

Return current stream position.

**Return type** *int*

**truncate**(size=None)

Truncate file to size bytes.

File pointer is left unchanged. Size defaults to the current IO position as reported by tell(). Returns the new size.

**flush()**

Flush the stream.

**readable()**

Return whether object was opened for reading.

If False, read() will raise OSError.

**read**(size=None)

Read data from the stream.

**Parameters** **size** (*int*) – number of bytes to read

**Returns** data read from the stream

**writable()**

Return whether object was opened for writing.

If False, write() will raise OSError.

**write**(data)

Write data to the stream.

**Parameters** **data** – a data to write to the stream

**close()**

Flush and close the IO object.

This method has no effect if the file is already closed.

**class** b2sdk.stream.wrapper.**StreamWithLengthWrapper**(stream, length=None)

Bases: *b2sdk.stream.wrapper.StreamWrapper*

Wrapper for a file-like object that supports `__len__` interface

**\_\_init\_\_**(stream, length=None)

**Parameters**

- **stream** – the stream to read from or write to
- **length** (*int*) – length of the stream

**b2sdk.sync.action**

```
class b2sdk.sync.action.AbstractAction
Bases: object
```

An action to take, such as uploading, downloading, or deleting a file. Multi-threaded tasks create a sequence of Actions which are then run by a pool of threads.

An action can depend on other actions completing. An example of this is making sure a CreateBucketAction happens before an UploadFileAction.

```
run(bucket, reporter, dry_run=False)
```

Main action routine.

**Parameters**

- **bucket** (`b2sdk.bucket.Bucket`) – a Bucket object
- **reporter** – a place to report errors
- **dry\_run** (`bool`) – if True, perform a dry run

```
abstract get_bytes()
```

Return the number of bytes to transfer for this action.

**Return type** `int`

```
abstract do_action(bucket, reporter)
```

Perform the action, returning only after the action is completed.

**Parameters**

- **bucket** (`b2sdk.bucket.Bucket`) – a Bucket object
- **reporter** – a place to report errors

```
abstract do_report(bucket, reporter)
```

Report the action performed.

**Parameters**

- **bucket** (`b2sdk.bucket.Bucket`) – a Bucket object
- **reporter** – a place to report errors

```
class b2sdk.sync.action.B2UploadAction(local_full_path, relative_name, b2_file_name,
                                         mod_time_millis, size)
```

Bases: `b2sdk.sync.action.AbstractAction`

File uploading action.

```
__init__(local_full_path, relative_name, b2_file_name, mod_time_millis, size)
```

**Parameters**

- **local\_full\_path** (`str`) – a local file path
- **relative\_name** (`str`) – a relative file name
- **b2\_file\_name** (`str`) – a name of a new remote file
- **mod\_time\_millis** (`int`) – file modification time in milliseconds
- **size** (`int`) – a file size

```
get_bytes()
```

Return file size.

**Return type** int

**do\_action**(*bucket, reporter*)

Perform the uploading action, returning only after the action is completed.

**Parameters**

- **bucket** (*b2sdk.bucket.Bucket*) – a Bucket object
- **reporter** – a place to report errors

**do\_report**(*bucket, reporter*)

Report the uploading action performed.

**Parameters**

- **bucket** (*b2sdk.bucket.Bucket*) – a Bucket object
- **reporter** – a place to report errors

**class** *b2sdk.sync.action.B2HideAction*(*relative\_name, b2\_file\_name*)

Bases: *b2sdk.sync.action.AbstractAction*

**\_\_init\_\_**(*relative\_name, b2\_file\_name*)

**Parameters**

- **relative\_name** (*str*) – a relative file name
- **b2\_file\_name** (*str*) – a name of a remote file

**get\_bytes**()

Return file size.

**Returns** always zero

**Return type** int

**do\_action**(*bucket, reporter*)

Perform the hiding action, returning only after the action is completed.

**Parameters**

- **bucket** (*b2sdk.bucket.Bucket*) – a Bucket object
- **reporter** – a place to report errors

**do\_report**(*bucket, reporter*)

Report the hiding action performed.

**Parameters**

- **bucket** (*b2sdk.bucket.Bucket*) – a Bucket object
- **reporter** – a place to report errors

**class** *b2sdk.sync.action.B2DownloadAction*(*relative\_name, b2\_file\_name, file\_id, local\_full\_path, mod\_time\_millis, file\_size*)

Bases: *b2sdk.sync.action.AbstractAction*

**\_\_init\_\_**(*relative\_name, b2\_file\_name, file\_id, local\_full\_path, mod\_time\_millis, file\_size*)

**Parameters**

- **relative\_name** (*str*) – a relative file name
- **b2\_file\_name** (*str*) – a name of a remote file
- **file\_id** (*str*) – a file ID

- **local\_full\_path** (*str*) – a local file path
- **mod\_time\_millis** (*int*) – file modification time in milliseconds
- **file\_size** (*int*) – a file size

**get\_bytes()**

Return file size.

**Return type** *int*

**do\_action** (*bucket, reporter*)

Perform the downloading action, returning only after the action is completed.

**Parameters**

- **bucket** (*b2sdk.bucket.Bucket*) – a Bucket object
- **reporter** – a place to report errors

**do\_report** (*bucket, reporter*)

Report the downloading action performed.

**Parameters**

- **bucket** (*b2sdk.bucket.Bucket*) – a Bucket object
- **reporter** – a place to report errors

**class** *b2sdk.sync.action.B2DeleteAction* (*relative\_name, b2\_file\_name, file\_id, note*)

Bases: *b2sdk.sync.action.AbstractAction*

**\_\_init\_\_** (*relative\_name, b2\_file\_name, file\_id, note*)

**Parameters**

- **relative\_name** (*str*) – a relative file name
- **b2\_file\_name** (*str*) – a name of a remote file
- **file\_id** (*str*) – a file ID
- **note** (*str*) – a deletion note

**get\_bytes()**

Return file size.

**Returns** always zero

**Return type** *int*

**do\_action** (*bucket, reporter*)

Perform the deleting action, returning only after the action is completed.

**Parameters**

- **bucket** (*b2sdk.bucket.Bucket*) – a Bucket object
- **reporter** – a place to report errors

**do\_report** (*bucket, reporter*)

Report the deleting action performed.

**Parameters**

- **bucket** (*b2sdk.bucket.Bucket*) – a Bucket object
- **reporter** – a place to report errors

---

```
class b2sdk.sync.action.LocalDeleteAction(relative_name, full_path)
```

Bases: `b2sdk.sync.action.AbstractAction`

```
__init__(relative_name, full_path)
```

#### Parameters

- **relative\_name** (`str`) – a relative file name
- **full\_path** – a full local path

Type `str`

```
get_bytes()
```

Return file size.

Returns always zero

Return type `int`

```
do_action(bucket, reporter)
```

Perform the deleting of a local file action, returning only after the action is completed.

#### Parameters

- **bucket** (`b2sdk.bucket.Bucket`) – a Bucket object
- **reporter** – a place to report errors

```
do_report(bucket, reporter)
```

Report the deleting of a local file action performed.

#### Parameters

- **bucket** (`b2sdk.bucket.Bucket`) – a Bucket object
- **reporter** – a place to report errors

---

```
b2sdk.sync.exception
```

```
exception b2sdk.sync.exception.EnvironmentEncodingException(filename, encoding)
```

Bases: `b2sdk.exception.B2Error`

Raised when a file name can not be decoded with system encoding.

```
__init__(filename, encoding)
```

#### Parameters

- **filename** (`str, bytes`) – an encoded file name
- **encoding** (`str`) – file name encoding

```
exception b2sdk.sync.exception.InvalidArgumentException(parameter_name, message)
```

Bases: `b2sdk.exception.B2Error`

Raised when one or more arguments are invalid

```
__init__(parameter_name, message)
```

#### Parameters

- **parameter\_name** – name of the function argument
- **message** – brief explanation of misconfiguration

```
exception b2sdk.sync.exception.IncompleteSync(*args, **kwargs)
    Bases: b2sdk.exception.B2SimpleError

exception b2sdk.sync.exception.UnSyncableFilename(message, filename)
    Bases: b2sdk.exception.B2Error

    Raised when a filename is not supported by the sync operation

__init__(message, filename)
```

**Parameters**

- **message** – brief explanation of why the filename was not supported
- **filename** – name of the file which is not supported

**b2sdk.sync.file**

```
class b2sdk.sync.file.File(name, versions)
    Bases: object
```

Hold information about one file in a folder.

The name is relative to the folder in all cases.

Files that have multiple versions (which only happens in B2, not in local folders) include information about all of the versions, most recent first.

```
__init__(name, versions)
```

**Parameters**

- **name** (*str*) – a relative file name
- **versions** (*list*) – a list of file versions

**name**

**versions**

**latest\_version()**

Return the latest file version.

```
class b2sdk.sync.fileFileVersion(id_, file_name, mod_time, action, size)
    Bases: object
```

Hold information about one version of a file.

```
__init__(id_, file_name, mod_time, action, size)
```

**Parameters**

- **id** (*str*) – the B2 file id, or the local full path name
- **file\_name** (*str*) – a relative file name
- **mod\_time** (*int*) – modification time, in milliseconds, to avoid rounding issues with millisecond times from B2
- **action** (*str*) – “hide” or “upload” (never “start”)
- **size** (*int*) – a file size

**id\_**

**name**

```
mod_time  
action  
size
```

### b2sdk.sync.folder

```
class b2sdk.sync.folder.AbstractFolder  
Bases: object
```

Interface to a folder full of files, which might be a B2 bucket, a virtual folder in a B2 bucket, or a directory on a local file system.

Files in B2 may have multiple versions, while files in local folders have just one.

```
abstract all_files (reporter, policies_manager=<b2sdk.sync.scan_policies.ScanPoliciesManager  
object>)
```

Return an iterator over all of the files in the folder, in the order that B2 uses.

It also performs filtering using policies manager.

No matter what the folder separator on the local file system is, “/” is used in the returned file names.

If a file is found, but does not exist (for example due to a broken symlink or a race), reporter will be informed about each such problem.

#### Parameters

- **reporter** – a place to report errors
- **policies\_manager** – a policies manager object

```
abstract folder_type()
```

Return one of: ‘b2’, ‘local’.

#### Return type str

```
abstract make_full_path (file_name)
```

Return the full path to the file.

Parameters **file\_name** (str) – a file name

#### Return type str

```
b2sdk.sync.folder.join_b2_path (b2_dir, b2_name)
```

Like os.path.join, but for B2 file names where the root directory is called ‘.’.

#### Parameters

- **b2\_dir** (str) – a directory path
- **b2\_name** (str) – a file name

```
class b2sdk.sync.folder.LocalFolder (root)
```

Bases: *b2sdk.sync.folder.AbstractFolder*

Folder interface to a directory on the local machine.

```
__init__ (root)
```

Initialize a new folder.

Parameters **root** (str) – path to the root of the local folder. Must be unicode.

```
folder_type ()
```

Return folder type.

**Return type** str**all\_files** (reporter, policies\_manager=<b2sdk.sync.scan\_policies.ScanPoliciesManager object>)  
Yield all files.**Parameters**

- **reporter** – a place to report errors
- **policies\_manager** – a policy manager object, default is DEFAULT\_SCAN\_MANAGER

**make\_full\_path** (file\_name)

Convert a file name into an absolute path, ensure it is not outside self.root

**Parameters** file\_name (str) – a file name**ensure\_present** ()

Make sure that the directory exists.

**ensure\_non\_empty** ()

Make sure that the directory exists and is non-empty.

**class** b2sdk.sync.folder.B2Folder (bucket\_name, folder\_name, api)

Bases: b2sdk.sync.folder.AbstractFolder

Folder interface to b2.

**\_\_init\_\_** (bucket\_name, folder\_name, api)**Parameters**

- **bucket\_name** (str) – a name of the bucket
- **folder\_name** (str) – a folder name
- **api** (b2sdk.api.B2Api) – an API object

**all\_files** (reporter, policies\_manager=<b2sdk.sync.scan\_policies.ScanPoliciesManager object>)

Yield all files.

**Parameters**

- **reporter** – a place to report errors
- **policies\_manager** – a policies manager object, default is DEFAULT\_SCAN\_MANAGER

**folder\_type** ()

Return folder type.

**Return type** str**make\_full\_path** (file\_name)

Make an absolute path from a file name.

**Parameters** file\_name (str) – a file name

**b2sdk.sync.folder\_parser**

```
b2sdk.sync.folder_parser.parse_sync_folder(folder_name, api)
```

Take either a local path, or a B2 path, and returns a Folder object for it.

B2 paths look like: b2://bucketName/path/name. The ‘//’ is optional, because the previous sync command didn’t use it.

Anything else is treated like a local folder.

**Parameters**

- **folder\_name** (*str*) – a name of the folder, either local or remote
- **api** (*b2sdk.api.B2Api*) – an API object

**b2sdk.sync.policy**

```
class b2sdk.sync.policy.NewerFileSyncMode(value)
```

Bases: *enum.Enum*

Mode of handling files newer on destination than on source

**SKIP = 101**

skip syncing such file

**REPLACE = 102**

replace the file on the destination with the (older) file on source

**RAISE\_ERROR = 103**

raise a non-transient error, failing the sync operation

```
class b2sdk.sync.policy.CompareVersionMode(value)
```

Bases: *enum.Enum*

Mode of comparing versions of files to determine what should be synced and what shouldn’t

**MODTIME = 201**

use file modification time on source filesystem

**SIZE = 202**

compare using file size

**NONE = 203**

compare using file name only

```
class b2sdk.sync.policy.AbstractFileSyncPolicy(source_file, source_folder,
                                                dest_file, dest_folder, now_millis,
                                                keep_days, newer_file_mode,
                                                compare_threshold, compare_version_mode=<CompareVersionMode.MODTIME: 201>)
```

Bases: *object*

Abstract policy class.

**DESTINATION\_PREFIX = NotImplemented**

**SOURCE\_PREFIX = NotImplemented**

```
__init__(source_file, source_folder, dest_file, dest_folder, now_millis, keep_days, newer_file_mode,
        compare_threshold, compare_version_mode=<CompareVersionMode.MODTIME: 201>)
```

**Parameters**

- **source\_file** (`b2sdk.v1.File`) – source file object
- **source\_folder** (`b2sdk.v1.AbstractFolder`) – source folder object
- **dest\_file** (`b2sdk.v1.File`) – destination file object
- **dest\_folder** (`b2sdk.v1.AbstractFolder`) – destination folder object
- **now\_millis** (`int`) – current time in milliseconds
- **keep\_days** (`int`) – days to keep before delete
- **newer\_file\_mode** (`b2sdk.v1.NEWER_FILE_MODES`) – setting which determines handling for destination files newer than on the source
- **compare\_threshold** (`int`) – when comparing with size or time for sync
- **compare\_version\_mode** (`b2sdk.v1.COMPARE_VERSION_MODES`) – how to compare source and destination files

```
classmethod files_are_different(source_file, dest_file, compare_threshold=None, compare_version_mode=<CompareVersionMode.MODTIME: 201>, newer_file_mode=<NewerFileSyncMode.RAISE_ERROR: 103>)
```

Compare two files and determine if the the destination file should be replaced by the source file.

#### Parameters

- **source\_file** (`b2sdk.v1.File`) – source file object
- **dest\_file** (`b2sdk.v1.File`) – destination file object
- **compare\_threshold** (`int`) – compare threshold when comparing by time or size
- **compare\_version\_mode** (`b2sdk.v1.CompareVersionMode`) – source file version comparator method
- **newer\_file\_mode** (`b2sdk.v1.NewerFileSyncMode`) – newer destination handling method

```
get_all_actions()
```

Yield file actions.

```
class b2sdk.sync.policy.DownPolicy(source_file, source_folder, dest_file, dest_folder, now_millis, keep_days, newer_file_mode, compare_threshold, compare_version_mode=<CompareVersionMode.MODTIME: 201>)
```

Bases: `b2sdk.sync.policy.AbstractFileSyncPolicy`

File is synced down (from the cloud to disk).

```
DESTINATION_PREFIX = 'local://'
```

```
SOURCE_PREFIX = 'b2://'
```

```
class b2sdk.sync.policy.UpPolicy(source_file, source_folder, dest_file, dest_folder, now_millis, keep_days, newer_file_mode, compare_threshold, compare_version_mode=<CompareVersionMode.MODTIME: 201>)
```

Bases: `b2sdk.sync.policy.AbstractFileSyncPolicy`

File is synced up (from disk the cloud).

```
DESTINATION_PREFIX = 'b2://'
```

```
SOURCE_PREFIX = 'local://'
```

```
class b2sdk.sync.policy.UpAndDeletePolicy (source_file, source_folder, dest_file,
                                             dest_folder, now_millis, keep_days,
                                             newer_file_mode, compare_threshold, compare_version_mode=<CompareVersionMode.MODTIME: 201>)
```

Bases: [b2sdk.sync.policy.UpPolicy](#)

File is synced up (from disk to the cloud) and the delete flag is SET.

```
class b2sdk.sync.policy.UpAndKeepDaysPolicy (source_file, source_folder, dest_file,
                                              dest_folder, now_millis, keep_days,
                                              newer_file_mode, compare_threshold, compare_version_mode=<CompareVersionMode.MODTIME: 201>)
```

Bases: [b2sdk.sync.policy.UpPolicy](#)

File is synced up (from disk to the cloud) and the keepDays flag is SET.

```
class b2sdk.sync.policy.DownAndDeletePolicy (source_file, source_folder, dest_file,
                                             dest_folder, now_millis, keep_days,
                                             newer_file_mode, compare_threshold, compare_version_mode=<CompareVersionMode.MODTIME: 201>)
```

Bases: [b2sdk.sync.policy.DownPolicy](#)

File is synced down (from the cloud to disk) and the delete flag is SET.

```
class b2sdk.sync.policy.DownAndKeepDaysPolicy (source_file, source_folder,
                                                dest_file, dest_folder, now_millis,
                                                keep_days, newer_file_mode,
                                                compare_threshold, compare_version_mode=<CompareVersionMode.MODTIME: 201>)
```

Bases: [b2sdk.sync.policy.DownPolicy](#)

File is synced down (from the cloud to disk) and the keepDays flag is SET.

`b2sdk.sync.policy.make_b2_delete_note(version, index, transferred)`

Create a note message for delete action.

#### Parameters

- `version` (`b2sdk.v1FileVersionInfo`) – an object which contains file version info
- `index` (`int`) – file version index
- `transferred` (`bool`) – if True, file has been transferred, False otherwise

`b2sdk.sync.policy.make_b2_delete_actions(source_file, dest_file, dest_folder, transferred)`

Create the actions to delete files stored on B2, which are not present locally.

#### Parameters

- `source_file` (`b2sdk.v1.File`) – source file object
- `dest_file` (`b2sdk.v1.File`) – destination file object
- `dest_folder` (`b2sdk.v1.AbstractFolder`) – destination folder
- `transferred` (`bool`) – if True, file has been transferred, False otherwise

`b2sdk.sync.policy.make_b2_keep_days_actions(source_file, dest_file, dest_folder, transferred, keep_days, now_millis)`

Create the actions to hide or delete existing versions of a file stored in b2.

When keepDays is set, all files that were visible any time from keepDays ago until now must be kept. If versions were uploaded 5 days ago, 15 days ago, and 25 days ago, and the keepDays is 10, only the 25-day old version can be deleted. The 15 day-old version was visible 10 days ago.

**Parameters**

- **source\_file** (*b2sdk.v1.File*) – source file object
- **dest\_file** (*b2sdk.v1.File*) – destination file object
- **dest\_folder** (*b2sdk.v1.AbstractFolder*) – destination folder object
- **transferred** (*bool*) – if True, file has been transferred, False otherwise
- **keep\_days** (*int*) – how many days to keep a file
- **now\_millis** (*int*) – current time in milliseconds

**b2sdk.sync.policy\_manager****class** b2sdk.sync.policy\_manager.**SyncPolicyManager**Bases: *object*

Policy manager; implement a logic to get a correct policy class and create a policy object based on various parameters.

**\_\_init\_\_()**

Initialize self. See help(type(self)) for accurate signature.

**get\_policy** (*sync\_type, source\_file, source\_folder, dest\_file, dest\_folder, now\_millis, delete, keep\_days, newer\_file\_mode, compare\_threshold, compare\_version\_mode*)

Return a policy object.

**Parameters**

- **sync\_type** (*str*) – synchronization type
- **source\_file** (*str*) – source file name
- **source\_folder** (*str*) – a source folder path
- **dest\_file** (*str*) – destination file name
- **dest\_folder** (*str*) – a destination folder path
- **now\_millis** (*int*) – current time in milliseconds
- **delete** (*bool*) – delete policy
- **keep\_days** (*int*) – keep for days policy
- **newer\_file\_mode** (*b2sdk.v1.NewerFileSyncMode*) – setting which determines handling for destination files newer than on the source
- **compare\_threshold** (*int*) – difference between file modification time or file size
- **compare\_version\_mode** (*b2sdk.v1.CompareVersionMode*) – setting which determines how to compare source and destination files

**Returns** a policy object**get\_policy\_class** (*sync\_type, delete, keep\_days*)

Get policy class by a given sync type.

**Parameters**

- **sync\_type** (*str*) – synchronization type
- **delete** (*bool*) – if True, delete files and update from source
- **keep\_days** (*int*) – keep for *keep\_days* before delete

**Returns** a policy class

### b2sdk.sync.scan\_policies

#### class b2sdk.sync.scan\_policies.RegexSet (*regex\_iterable*)

Bases: *object*

Hold a (possibly empty) set of regular expressions and know how to check whether a string matches any of them.

##### \_\_init\_\_ (*regex\_iterable*)

**Parameters** **regex\_iterable** – an interable which yields regexes

##### **matches** (*s*)

Check whether a string matches any of regular expressions.

**Parameters** **s** (*str*) – a string to check

**Return type** *bool*

#### b2sdk.sync.scan\_policies.convert\_dir\_regex\_to\_dir\_prefix\_regex (*dir\_regex*)

The patterns used to match directory names (and file names) are allowed to match a prefix of the name. This ‘feature’ was unintentional, but is being retained for compatibility.

This means that a regex that matches a directory name can’t be used directly to match against a file name and test whether the file should be excluded because it matches the directory.

The pattern ‘photos’ will match directory names ‘photos’ and ‘photos2’, and should exclude files ‘photos/kitten.jpg’, and ‘photos2/puppy.jpg’. It should not exclude ‘photos.txt’, because there is no directory name that matches.

On the other hand, the pattern ‘photos\$’ should match ‘photos/kitten.jpg’, but not ‘photos2/puppy.jpg’, nor ‘photos.txt’

If the original regex is valid, there are only two cases to consider: either the regex ends in ‘\$’ or does not.

**Parameters** **dir\_regex** (*str*) – a regular expression string or literal

#### class b2sdk.sync.scan\_policies.IntegerRange (*begin, end*)

Bases: *object*

Hold a range of two integers. If the range value is None, it indicates that the value should be treated as -Inf (for begin) or +Inf (for end).

##### \_\_init\_\_ (*begin, end*)

**Parameters**

- **begin** (*int*) – begin position of the range (included)
- **end** (*int*) – end position of the range (included)

```
class b2sdk.sync.scan_policies.ScanPoliciesManager(exclude_dir_regexes=(),
                                                    exclude_file_regexes=(),
                                                    include_file_regexes=(),
                                                    exclude_all_symlinks=False,
                                                    exclude_modified_before=None,
                                                    exclude_modified_after=None)
```

Bases: `object`

Policy object used when scanning folders for syncing, used to decide which files to include in the list of files to be synced.

Code that scans through files should at least use `should_exclude_file()` to decide whether each file should be included; it will check include/exclude patterns for file names, as well as patterns for excluding directories.

Code that scans may optionally use `should_exclude_directory()` to test whether it can skip a directory completely and not bother listing the files and sub-directories in it.

```
__init__(exclude_dir_regexes=(),
        exclude_file_regexes=(),
        include_file_regexes=(),
        exclude_all_symlinks=False,
        exclude_modified_before=None,
        exclude_modified_after=None)
```

#### Parameters

- `exclude_dir_regexes` (`tuple`) – a tuple of regexes to exclude directories
- `exclude_file_regexes` (`tuple`) – a tuple of regexes to exclude files
- `include_file_regexes` (`tuple`) – a tuple of regexes to include files
- `exclude_all_symlinks` (`bool`) – if True, exclude all symlinks
- `exclude_modified_before` (`int, optional`) – optionally exclude file versions modified before (in millis)
- `exclude_modified_after` (`int, optional`) – optionally exclude file versions modified after (in millis)

`should_exclude_file(file_path)`

Given the full path of a file, decide if it should be excluded from the scan.

**Parameters** `file_path` – the path of the file, relative to the root directory being scanned.

**Type** `str`

**Returns** True if excluded.

**Return type** `bool`

`should_exclude_file_version(file_version)`

Given the modification time of a file version, decide if it should be excluded from the scan.

**Parameters** `file_version` – the file version object

**Type** `b2sdk.v1FileVersion`

**Returns** True if excluded.

**Return type** `bool`

`should_exclude_directory(dir_path)`

Given the full path of a directory, decide if all of the files in it should be excluded from the scan.

**Parameters** `dir_path` (`str`) – the path of the directory, relative to the root directory being scanned. The path will never end in '/'.

**Returns** True if excluded.

**b2sdk.sync.sync****b2sdk.sync.sync.next\_or\_none(iterator)**

Return the next item from the iterator, or None if there are no more.

**b2sdk.sync.sync.zip\_folders(folder\_a, folder\_b, reporter, policies\_manager=<b2sdk.sync.scan\_policies.ScanPoliciesManager object>)**

Iterate over all of the files in the union of two folders, matching file names.

Each item is a pair (file\_a, file\_b) with the corresponding file in both folders. Either file (but not both) will be None if the file is in only one folder.

**Parameters**

- **folder\_a** ([b2sdk.sync.folder.AbstractFolder](#)) – first folder object.
- **folder\_b** ([b2sdk.sync.folder.AbstractFolder](#)) – second folder object.
- **reporter** – reporter object
- **policies\_manager** – policies manager object

**Returns** yields two element tuples**b2sdk.sync.sync.count\_files(local\_folder, reporter)**

Count all of the files in a local folder.

**Parameters**

- **local\_folder** ([b2sdk.sync.folder.AbstractFolder](#)) – a folder object.
- **reporter** – reporter object

**class b2sdk.sync.sync.KeepOrDeleteMode(value)**Bases: [enum.Enum](#)

Mode of dealing with old versions of files on the destination

**DELETE = 301**

delete the old version as soon as the new one has been uploaded

**KEEP\_BEFORE\_DELETE = 302**

keep the old versions of the file for a configurable number of days before deleting them, always keeping the newest version

**NO\_DELETE = 303**

keep old versions of the file, do not delete anything

**class b2sdk.sync.sync.Synchronizer(max\_workers, policies\_manager=<b2sdk.sync.scan\_policies.ScanPoliciesManager object>, dry\_run=False, allow\_empty\_source=False, newer\_file\_mode=<NewerFileSyncMode.RAISE\_ERROR: 103>, keep\_days\_or\_delete=<KeepOrDeleteMode.NO\_DELETE: 303>, compare\_version\_mode=<CompareVersionMode.MODTIME: 201>, compare\_threshold=None, keep\_days=None)**Bases: [object](#)**\_\_init\_\_(max\_workers, policies\_manager=<b2sdk.sync.scan\_policies.ScanPoliciesManager object>, dry\_run=False, allow\_empty\_source=False, newer\_file\_mode=<NewerFileSyncMode.RAISE\_ERROR: 103>, keep\_days\_or\_delete=<KeepOrDeleteMode.NO\_DELETE: 303>, compare\_version\_mode=<CompareVersionMode.MODTIME: 201>, compare\_threshold=None, keep\_days=None)**

Initialize synchronizer class and validate arguments

### Parameters

- **max\_workers** (`int`) – max number of workers
- **policies\_manager** – policies manager object
- **dry\_run** (`bool`) – test mode, does not actually transfer/delete when enabled
- **allow\_empty\_source** (`bool`) – if True, do not check whether source folder is empty
- **newer\_file\_mode** (`b2sdk.v1.NewerFileSyncMode`) – setting which determines handling for destination files newer than on the source
- **keep\_days\_or\_delete** (`b2sdk.v1.KeepOrDeleteMode`) – setting which determines if we should delete or not delete or keep for *keep\_days*
- **compare\_version\_mode** (`b2sdk.v1.CompareVersionMode`) – how to compare the source and destination files to find new ones
- **compare\_threshold** (`int`) – should be greater than 0, default is 0
- **keep\_days** (`int`) – if `keep_days_or_delete` is `b2sdk.v1.KeepOrDeleteMode.KEEP_BEFORE_DELETE`, then this should be greater than 0

**sync\_folders** (`source_folder, dest_folder, now_millis, reporter`)

Syncs two folders. Always ensures that every file in the source is also in the destination. Deletes any file versions in the destination older than `history_days`.

### Parameters

- **source\_folder** (`b2sdk.sync.folder.AbstractFolder`) – source folder object
- **dest\_folder** (`b2sdk.sync.folder.AbstractFolder`) – destination folder object
- **now\_millis** (`int`) – current time in milliseconds
- **reporter** (`b2sdk.sync.report.SyncReport, None`) – progress reporter

**make\_folder\_sync\_actions** (`source_folder, dest_folder, now_millis, reporter, policies_manager=<b2sdk.sync.scan_policies.ScanPoliciesManager object>`)

Yield a sequence of actions that will sync the destination folder to the source folder.

### Parameters

- **source\_folder** (`b2sdk.v1.AbstractFolder`) – source folder object
- **dest\_folder** (`b2sdk.v1.AbstractFolder`) – destination folder object
- **now\_millis** (`int`) – current time in milliseconds
- **reporter** (`b2sdk.v1.SyncReport`) – reporter object
- **policies\_manager** – policies manager object

**make\_file\_sync\_actions** (`sync_type, source_file, dest_file, source_folder, dest_folder, now_millis`)

Yields the sequence of actions needed to sync the two files

### Parameters

- **sync\_type** (`str`) – synchronization type
- **source\_file** (`b2sdk.v1.File`) – source file object
- **dest\_file** (`b2sdk.v1.File`) – destination file object

- **source\_folder** (`b2sdk.v1.AbstractFolder`) – a source folder object
- **dest\_folder** (`b2sdk.v1.AbstractFolder`) – a destination folder object
- **now\_millis** (`int`) – current time in milliseconds

**`b2sdk.transfer.inbound.downloader.abstract` – Downloader base class**

```
class b2sdk.transfer.inbound.downloader.abstract.AbstractDownloader (force_chunk_size=None,
                                                               min_chunk_size=None,
                                                               max_chunk_size=None)
```

Bases: `object`

**\_\_init\_\_** (`force_chunk_size=None, min_chunk_size=None, max_chunk_size=None`)  
 Initialize self. See help(type(self)) for accurate signature.

**abstract is\_suitable** (`metadata, progress_listener`)  
 Analyze metadata (possibly against options passed earlier to constructor to find out whether the given download request should be handled by this downloader).

**abstract download** (`file, response, metadata, session`)  
 @returns (bytes\_read, actual\_sha1)

**`b2sdk.transfer.inbound.downloader.parallel` – ParallelTransferer**

```
class b2sdk.transfer.inbound.downloader.parallel.ParallelDownloader (max_streams,
                                                               min_part_size,
                                                               *args,
                                                               **kwargs)
```

Bases: `b2sdk.transfer.inbound.downloader.abstract.AbstractDownloader`

**FINISH\_HASHING\_BUFFER\_SIZE = 1048576**

**\_\_init\_\_** (`max_streams, min_part_size, *args, **kwargs`)

**Parameters**

- **max\_streams** – maximum number of simultaneous streams
- **min\_part\_size** – minimum amount of data a single stream will retrieve, in bytes

**is\_suitable** (`metadata, progress_listener`)

Analyze metadata (possibly against options passed earlier to constructor to find out whether the given download request should be handled by this downloader).

**download** (`file, response, metadata, session`)

Download a file from given url using parallel download sessions and stores it in the given download\_destination.

**Parameters**

- **file** – an opened file-like object to write to
- **response** – the response of the first request made to the cloud service with download intent

**Returns**

```
class b2sdk.transfer.inbound.downloader.parallel.WriterThread (file,
                                                               max_queue_depth)
```

Bases: `threading.Thread`

A thread responsible for keeping a queue of data chunks to write to a file-like object and for actually writing them down. Since a single thread is responsible for synchronization of the writes, we avoid a lot of issues between userspace and kernelspace that would normally require flushing buffers between the switches of the writer. That would kill performance and not synchronizing would cause data corruption (probably we'd end up with a file with unexpected blocks of zeros preceding the range of the writer that comes second and writes further into the file).

The object of this class is also responsible for backpressure: if items are added to the queue faster than they can be written (see GCP VMs with standard PD storage with faster CPU and network than local storage, [https://github.com/Backblaze/B2\\_Command\\_Line\\_Tool/issues/595](https://github.com/Backblaze/B2_Command_Line_Tool/issues/595)), then `obj.queue.put(item)` will block, slowing down the producer.

The recommended minimum value of `max_queue_depth` is equal to the amount of producer threads, so that if all producers submit a part at the exact same time (right after network issue, for example, or just after starting the read), they can continue their work without blocking. The writer should be able to store at least one data chunk before a new one is retrieved, but it is not guaranteed.

Therefore, the recommended value of `max_queue_depth` is higher - a double of the amount of producers, so that spikes on either end (many producers submit at the same time / consumer has a latency spike) can be accommodated without sacrificing performance.

Please note that a size of the chunk and the queue depth impact the memory footprint. In a default setting as of writing this, that might be 10 downloads, 8 producers, 1MB buffers, 2 buffers each =  $8*2*10 = 160$  MB (+ python buffers, operating system etc).

### `__init__(file, max_queue_depth)`

This constructor should always be called with keyword arguments. Arguments are:

`group` should be None; reserved for future extension when a ThreadGroup class is implemented.

`target` is the callable object to be invoked by the `run()` method. Defaults to None, meaning nothing is called.

`name` is the thread name. By default, a unique name is constructed of the form “Thread-N” where N is a small decimal number.

`args` is the argument tuple for the target invocation. Defaults to () .

`kwargs` is a dictionary of keyword arguments for the target invocation. Defaults to {} .

If a subclass overrides the constructor, it must make sure to invoke the base class constructor (`Thread.__init__()`) before doing anything else to the thread.

### `run()`

Method representing the thread’s activity.

You may override this method in a subclass. The standard `run()` method invokes the callable object passed to the object’s constructor as the target argument, if any, with sequential and keyword arguments taken from the `args` and `kwargs` arguments, respectively.

```
class b2sdk.transfer.inbound.downloader.parallel.AbstractDownloaderThread(session,  
                                writer,  
                                part_to_download,  
                                chunk_size)
```

Bases: `threading.Thread`

### `__init__(session, writer, part_to_download, chunk_size)`

#### Parameters

- `session` – raw\_api wrapper
- `writer` – where to write data

- **part\_to\_download** – PartToDownload object
- **chunk\_size** – internal buffer size to use for writing and hashing

**abstract run()**

Method representing the thread's activity.

You may override this method in a subclass. The standard run() method invokes the callable object passed to the object's constructor as the target argument, if any, with sequential and keyword arguments taken from the args and kwargs arguments, respectively.

```
class b2sdk.transfer.inbound.downloader.parallel.FirstPartDownloaderThread(response,
                                                               hasher,
                                                               *args,
                                                               **kwargs)
```

Bases: *b2sdk.transfer.inbound.downloader.parallel.AbstractDownloaderThread*

**\_\_init\_\_(response, hasher, \*args, \*\*kwargs)****Parameters**

- **response** – response of the original GET call
- **hasher** – hasher object to feed to as the stream is written

**run()**

Method representing the thread's activity.

You may override this method in a subclass. The standard run() method invokes the callable object passed to the object's constructor as the target argument, if any, with sequential and keyword arguments taken from the args and kwargs arguments, respectively.

```
class b2sdk.transfer.inbound.downloader.parallel.NonHashingDownloaderThread(url,
                                                               *args,
                                                               **kwargs)
```

Bases: *b2sdk.transfer.inbound.downloader.parallel.AbstractDownloaderThread*

**\_\_init\_\_(url, \*args, \*\*kwargs)****Parameters url** – url of the target file**run()**

Method representing the thread's activity.

You may override this method in a subclass. The standard run() method invokes the callable object passed to the object's constructor as the target argument, if any, with sequential and keyword arguments taken from the args and kwargs arguments, respectively.

```
class b2sdk.transfer.inbound.downloader.parallel.PartToDelete(cloud_range,
                                                               local_range)
```

Bases: *object*

Hold the range of a file to download, and the range of the local file where it should be stored.

**\_\_init\_\_(cloud\_range, local\_range)**

Initialize self. See help(type(self)) for accurate signature.

```
b2sdk.transfer.inbound.downloader.parallel.gen_parts(cloud_range, local_range,
                                                       part_count)
```

Generate a sequence of PartToDelete to download a large file as a collection of parts.



---

**Parameters** `services` (`b2sdk.v1.Services`) –  
`download_file_from_url` (`url, download_dest, progress_listener=None, range_=None`)

**Parameters**

- `url` – url from which the file should be downloaded
- `download_dest` – where to put the file when it is downloaded
- `progress_listener` – where to notify about progress downloading
- `range` – 2-element tuple containing data of http Range header

**b2sdk.transfer.inbound.file\_metadata**

```
class b2sdk.transfer.inbound.file_metadata.FileMetadata (file_id, file_name, content_type, content_length, content_sha1, file_info)
```

Bases: `object`

Hold information about a file which is being downloaded.

```
__init__ (file_id, file_name, content_type, content_length, content_sha1, file_info)
```

Initialize self. See help(type(self)) for accurate signature.

```
file_id  

file_name  

content_type  

content_length  

content_sha1  

file_info  

classmethod from_response (response)  

as_info_dict ()
```

**b2sdk.transfer.outbound.upload\_source**

```
class b2sdk.transfer.outbound.upload_source.AbstractUploadSource
```

Bases: `b2sdk.transfer.outbound.outbound_source.OutboundTransferSource`

The source of data for uploading to b2.

```
abstract get_content_sha1 ()
```

Return a 40-character string containing the hex SHA1 checksum of the data in the file.

```
abstract open ()
```

Return a binary file-like object from which the data can be read. :return:

```
is_upload ()
```

Return if outbound source is an upload source. :rtype bool:

```
is_copy ()
```

Return if outbound source is a copy source. :rtype bool:

```
is_sha1_known ()
```

```
class b2sdk.transfer.outbound.upload_source.UploadSourceBytes(data_bytes, con-
                                                               tent_shal=None)
Bases: b2sdk.transfer.outbound.upload_source.AbstractUploadSource

__init__(data_bytes, content_shal=None)
    Initialize self. See help(type(self)) for accurate signature.

get_content_length()
    Return the number of bytes of data in the file.

get_content_shal()
    Return a 40-character string containing the hex SHA1 checksum of the data in the file.

open()
    Return a binary file-like object from which the data can be read. :return:

is_shal_known()

class b2sdk.transfer.outbound.upload_source.UploadSourceLocalFile(local_path,
                                                               con-
                                                               tent_shal=None)
Bases: b2sdk.transfer.outbound.upload_source.AbstractUploadSource

__init__(local_path, content_shal=None)
    Initialize self. See help(type(self)) for accurate signature.

get_content_length()
    Return the number of bytes of data in the file.

get_content_shal()
    Return a 40-character string containing the hex SHA1 checksum of the data in the file.

open()
    Return a binary file-like object from which the data can be read. :return:

is_shal_known()

class b2sdk.transfer.outbound.upload_source.UploadSourceLocalFileRange(local_path,
                                                               con-
                                                               tent_shal=None,
                                                               off-
                                                               set=0,
                                                               length=None)
Bases: b2sdk.transfer.outbound.upload_source.UploadSourceLocalFile

__init__(local_path, content_shal=None, offset=0, length=None)
    Initialize self. See help(type(self)) for accurate signature.

open()
    Return a binary file-like object from which the data can be read. :return:

class b2sdk.transfer.outbound.upload_source.UploadSourceStream(stream_opener,
                                                               stream_length=None,
                                                               stream_shal=None)
Bases: b2sdk.transfer.outbound.upload_source.AbstractUploadSource

__init__(stream_opener, stream_length=None, stream_shal=None)
    Initialize self. See help(type(self)) for accurate signature.

get_content_length()
    Return the number of bytes of data in the file.

get_content_shal()
    Return a 40-character string containing the hex SHA1 checksum of the data in the file.
```

---

```

open()
    Return a binary file-like object from which the data can be read. :return:

is_sha1_known()

class b2sdk.transfer.outbound.upload_source.UploadSourceStreamRange(stream_opener,
                                                               offset,
                                                               stream_length,
                                                               stream_sha1=None)
Bases: b2sdk.transfer.outbound.upload_source.UploadSourceStream

__init__(stream_opener, offset, stream_length, stream_sha1=None)
    Initialize self. See help(type(self)) for accurate signature.

open()
    Return a binary file-like object from which the data can be read. :return:

```

## **b2sdk.raw\_simulator – B2 raw api simulator**

```

b2sdk.raw_simulator.get_bytes_range(data_bytes, bytes_range)
    Slice bytes array using bytes range

class b2sdk.raw_simulator.KeySimulator(account_id, name, application_key_id, key,
                                         capabilities, expiration_timestamp_or_none,
                                         bucket_id_or_none, bucket_name_or_none,
                                         name_prefix_or_none)
Bases: object

Hold information about one application key, which can be either a master application key, or one created with
create_key().

__init__(account_id, name, application_key_id, key, capabilities, expiration_timestamp_or_none,
         bucket_id_or_none, bucket_name_or_none, name_prefix_or_none)
    Initialize self. See help(type(self)) for accurate signature.

as_key()
as_created_key()
    Return the dict returned by b2_create_key.

    This is just like the one for b2_list_keys, but also includes the secret key.

get_allowed()
    Return the ‘allowed’ structure to include in the response from b2_authorize_account.

class b2sdk.raw_simulator.PartSimulator(file_id, part_number, content_length, con-
                                         tent_sha1, part_data)
Bases: object

__init__(file_id, part_number, content_length, content_sha1, part_data)
    Initialize self. See help(type(self)) for accurate signature.

as_list_parts_dict()

class b2sdk.raw_simulator.FileSimulator(account_id, bucket_id, file_id, action, name, con-
                                         tent_type, content_sha1, file_info, data_bytes, up-
                                         load_timestamp, range_=None)
Bases: object

One of three: an unfinished large file, a finished file, or a deletion marker.

```

```
__init__(account_id, bucket_id, file_id, action, name, content_type, content_sha1, file_info,
          data_bytes, upload_timestamp, range_=None)
    Initialize self. See help(type(self)) for accurate signature.

sort_key()
    Return a key that can be used to sort the files in a bucket in the order that b2_list_file_versions returns
    them.

as_download_headers(range_=None)

as_upload_result()

as_list_files_dict()

as_start_large_file_result()

add_part(part_number, part)

finish(part_sha1_array)

is_visible()
    Does this file show up in b2_list_file_names?

list_parts(start_part_number, max_part_count)

class b2sdk.raw_simulator.FakeRequest(url, headers)
Bases: tuple

    property headers
        Alias for field number 1

    property url
        Alias for field number 0

class b2sdk.raw_simulator.FakeResponse(file_sim, url, range_=None)
Bases: object

    __init__(file_sim, url, range_=None)
        Initialize self. See help(type(self)) for accurate signature.

    iter_content(chunk_size=1)

    property request

    close()

class b2sdk.raw_simulator.BucketSimulator(account_id, bucket_id, bucket_name,
                                              bucket_type, bucket_info=None,
                                              cors_rules=None, lifecycle_rules=None,
                                              options_set=None)
Bases: object

FIRST_FILE_NUMBER = 9999

FIRST_FILE_ID = '9999'

FILE_SIMULATOR_CLASS
    alias of b2sdk.raw\_simulator.FileSimulator

RESPONSE_CLASS
    alias of b2sdk.raw\_simulator.FakeResponse

    __init__(account_id, bucket_id, bucket_name, bucket_type, bucket_info=None, cors_rules=None,
              lifecycle_rules=None, options_set=None)
        Initialize self. See help(type(self)) for accurate signature.
```

```

bucket_dict ()
cancel_large_file (file_id)
delete_file_version (file_id, file_name)
download_file_by_id (file_id, url, range_=None)
download_file_by_name (file_name, url, range_=None)
finish_large_file (file_id, part_sha1_array)
get_file_info (file_id)
get_upload_url ()
get_upload_part_url (file_id)
hide_file (file_name)
copy_file (file_id, new_file_name, bytes_range=None, metadata_directive=None, content_type=None, file_info=None, destination_bucket_id=None)
list_file_names (start_file_name=None, max_file_count=None, prefix=None)
list_file_versions (start_file_name=None, start_file_id=None, max_file_count=None, prefix=None)
list_parts (file_id, start_part_number, max_part_count)
list_unfinished_large_files (start_file_id=None, max_file_count=None, prefix=None)
start_large_file (file_name, content_type, file_info)
update_bucket (bucket_type=None, bucket_info=None, cors_rules=None, lifecycle_rules=None, if_revision_is=None)
upload_file (upload_id, upload_auth_token, file_name, content_length, content_type, content_sha1, file_infos, data_stream)
upload_part (file_id, part_number, content_length, sha1_sum, input_stream)

class b2sdk.raw_simulator.RawSimulator
Bases: b2sdk.raw\_api.AbstractRawApi

```

Implement the same interface as B2RawApi by simulating all of the calls and keeping state in memory.

The intended use for this class is for unit tests that test things built on top of B2RawApi.

```

BUCKET_SIMULATOR_CLASS
    alias of b2sdk.raw\_simulator.BucketSimulator

API_URL = 'http://api.example.com'
DOWNLOAD_URL = 'http://download.example.com'
MIN_PART_SIZE = 200
MAX_DURATION_IN_SECONDS = 86400000
UPLOAD_PART_MATCHER = re.compile('https://upload.example.com/part/([^\/*]*)')
UPLOAD_URL_MATCHER = re.compile('https://upload.example.com/([^\/*]*)/([^\/*]*)')
DOWNLOAD_URL_MATCHER = re.compile('http://download.example.com(?:/b2api/v[0-9]+/b2_downloads)?/([^\/*]*)')
__init__()
    Initialize self. See help(type(self)) for accurate signature.

```

```
expire_auth_token(auth_token)
    Simulate the auth token expiring.

    The next call that tries to use this auth token will get an auth_token_expired error.

create_account()
    Return (accountId, masterApplicationKey) for a newly created account.

set_upload_errors(errors)
    Store a sequence of exceptions to raise on upload. Each one will be raised in turn, until they are all gone.
    Then the next upload will succeed.

authorize_account(realm_url, application_key_id, application_key)

cancel_large_file(api_url, account_auth_token, file_id)

create_bucket(api_url, account_auth_token, account_id, bucket_name, bucket_type,
               bucket_info=None, cors_rules=None, lifecycle_rules=None)

create_key(api_url, account_auth_token, account_id, capabilities, key_name,
            valid_duration_seconds, bucket_id, name_prefix)

delete_file_version(api_url, account_auth_token, file_id, file_name)

delete_bucket(api_url, account_auth_token, account_id, bucket_id)

download_file_from_url(account_auth_token_or_none, url, range_=None)

delete_key(api_url, account_auth_token, application_key_id)

finish_large_file(api_url, account_auth_token, file_id, part_sha1_array)

get_download_authorization(api_url, account_auth_token, bucket_id, file_name_prefix,
                             valid_duration_in_seconds)

get_file_info(api_url, account_auth_token, file_id)

get_upload_url(api_url, account_auth_token, bucket_id)

get_upload_part_url(api_url, account_auth_token, file_id)

hide_file(api_url, account_auth_token, bucket_id, file_name)

copy_file(api_url, account_auth_token, source_file_id, new_file_name, bytes_range=None, meta-
             data_directive=None, content_type=None, file_info=None, destination_bucket_id=None)

copy_part(api_url, account_auth_token, source_file_id, large_file_id, part_number,
            bytes_range=None)

list_buckets(api_url, account_auth_token, account_id, bucket_id=None, bucket_name=None)

list_file_names(api_url, account_auth_token, bucket_id, start_file_name=None,
                  max_file_count=None, prefix=None)

list_file_versions(api_url, account_auth_token, bucket_id, start_file_name=None,
                     start_file_id=None, max_file_count=None, prefix=None)

list_keys(api_url, account_auth_token, account_id, max_key_count=1000,
            start_application_key_id=None)

list_parts(api_url, account_auth_token, file_id, start_part_number, max_part_count)

list_unfinished_large_files(api_url, account_auth_token, bucket_id, start_file_id=None,
                               max_file_count=None, prefix=None)

start_large_file(api_url, account_auth_token, bucket_id, file_name, content_type, file_info)

update_bucket(api_url, account_auth_token, account_id, bucket_id, bucket_type=None,
                 bucket_info=None, cors_rules=None, lifecycle_rules=None, if_revision_is=None)
```

```
upload_file(upload_url, upload_auth_token, file_name, content_length, content_type, content_shal,
            file_infos, data_stream)
upload_part(upload_url, upload_auth_token, part_number, content_length, sha1_sum, in-
            put_stream)
```

## 2.8 Contributors Guide

We encourage outside contributors to perform changes on our codebase. Many such changes have been merged already. In order to make it easier to contribute, core developers of this project:

- provide guidance (through the issue reporting system)
- provide tool assisted code review (through the Pull Request system)
- maintain a set of integration tests (run with a production cloud)
- maintain a set of (well over a hundred) unit tests
- automatically run unit tests on 13 versions of python (including osx and pypy)
- format the code automatically using yapf
- use static code analysis to find subtle/potential issues with maintainability
- maintain other Continous Integration tools (coverage tracker)

We marked the places in the code which are significantly less intuitive than others in a special way. To find them occurrences, use `git grep '*magic*'`.

To install a development environment, please follow [this link](#).

To test in multiple python virtual environments, set the enviroment variable PYTHON\_VIRTUAL\_ENVS to be a space-separated list of their root directories. When set, the makefile will run the unit tests in each of the environments.

Before checking in, use the `pre-commit.sh` script to check code formatting, run unit tests, run integration tests etc.

The integration tests need a file in your home directory called `.b2_auth` that contains two lines with nothing on them but your account ID and application key:

```
accountId
applicationKey
```



---

**CHAPTER  
THREE**

---

**INDICES AND TABLES**

- genindex
- modindex
- search



## PYTHON MODULE INDEX

### b

b2sdk.b2http, 63  
b2sdk.cache, 68  
b2sdk.download\_dest, 69  
b2sdk.raw\_api, 60  
b2sdk.raw\_simulator, 97  
b2sdk.session, 58  
b2sdk.stream.chained, 71  
b2sdk.stream.hashing, 72  
b2sdk.stream.progress, 73  
b2sdk.stream.range, 74  
b2sdk.stream.wrapper, 74  
b2sdk.sync.action, 76  
b2sdk.sync.exception, 79  
b2sdk.sync.file, 80  
b2sdk.sync.folder, 81  
b2sdk.sync.folder\_parser, 83  
b2sdk.sync.policy, 83  
b2sdk.sync.policy\_manager, 86  
b2sdk.sync.scan\_policies, 87  
b2sdk.sync.sync, 89  
b2sdk.transfer.inbound.download\_manager,  
    94  
b2sdk.transfer.inbound.downloader.abstract,  
    91  
b2sdk.transfer.inbound.downloader.parallel,  
    91  
b2sdk.transfer.inbound.downloader.range,  
    94  
b2sdk.transfer.inbound.downloader.simple,  
    94  
b2sdk.transfer.inbound.file\_metadata,  
    95  
b2sdk.transfer.outbound.upload\_source,  
    95  
b2sdk.utils, 66  
b2sdk.v1.exception, 34



# INDEX

## Symbols

`__dict__ (b2sdk.v1.FileIdAndName attribute), 45`  
`__dict__ (b2sdk.v1FileVersionInfo attribute), 45`  
`__enter__ () (b2sdk.v1.TempDir method), 55`  
`__exit__ () (b2sdk.v1.TempDir method), 55`  
`__init__ () (b2sdk.cache.AuthInfoCache method), 69`  
`__init__ () (b2sdk.cache.InMemoryCache method), 68`  
`__init__ () (b2sdk.download_dest.DownloadDestBytes method), 70`  
`__init__ () (b2sdk.download_dest.DownloadDestLocalFile method), 69`  
`__init__ () (b2sdk.download_dest.DownloadDestProgressWrapper method), 71`  
`__init__ () (b2sdk.download_dest.PreSeekedDownloadDest method), 70`  
`__init__ () (b2sdk.raw_api.B2RawApi method), 61`  
`__init__ () (b2sdk.raw_simulator.BucketSimulator method), 98`  
`__init__ () (b2sdk.raw_simulator.FakeResponse method), 98`  
`__init__ () (b2sdk.raw_simulator.FileSimulator method), 97`  
`__init__ () (b2sdk.raw_simulator.KeySimulator method), 97`  
`__init__ () (b2sdk.raw_simulator.PartSimulator method), 97`  
`__init__ () (b2sdk.raw_simulator.RawSimulator method), 99`  
`__init__ () (b2sdk.session.B2Session method), 58`  
`__init__ () (b2sdk.stream.chained.ChainedStream method), 71`  
`__init__ () (b2sdk.stream.hashing.StreamWithHash method), 72`  
`__init__ () (b2sdk.stream.progress.AbstractStreamWithProgress method), 73`  
`__init__ () (b2sdk.stream.progress.ReadingStreamWithProgress method), 73`  
`__init__ () (b2sdk.stream.range.RangeOfInputStream method), 74`  
`__init__ () (b2sdk.stream.wrapper.StreamWithLengthWrapper method), 75`  
`__init__ () (b2sdk.stream.wrapper.StreamWrapper method), 74`  
`__init__ () (b2sdk.sync.action.B2DeleteAction method), 78`  
`__init__ () (b2sdk.sync.action.B2DownloadAction method), 77`  
`__init__ () (b2sdk.sync.action.B2HideAction method), 77`  
`__init__ () (b2sdk.sync.action.B2UploadAction method), 76`  
`__init__ () (b2sdk.sync.action.LocalDeleteAction method), 79`  
`__init__ () (b2sdk.sync.exception.EnvironmentEncodingException method), 79`  
`__init__ () (b2sdk.sync.exception.InvalidArgument method), 79`  
`__init__ () (b2sdk.sync.exception.UnSyncableFilename method), 80`  
`__init__ () (b2sdk.sync.file.File method), 80`  
`__init__ () (b2sdk.sync.fileFileVersion method), 80`  
`__init__ () (b2sdk.sync.folder.B2Folder method), 82`  
`__init__ () (b2sdk.sync.folder.LocalFolder method), 81`  
`__init__ () (b2sdk.sync.policy.AbstractFileSyncPolicy method), 83`  
`__init__ () (b2sdk.sync.policy_manager.SyncPolicyManager method), 86`  
`__init__ () (b2sdk.sync.scan_policies.IntegerRange method), 87`  
`__init__ () (b2sdk.sync.scan_policies.RegexSet method), 87`  
`__init__ () (b2sdk.sync.scan_policies.ScanPoliciesManager method), 88`  
`__init__ () (b2sdk.sync.sync.Synchronizer method), 89`  
`__init__ () (b2sdk.transfer.inbound.download_manager.DownloadManager method), 94`  
`__init__ () (b2sdk.transfer.inbound.downloader.abstract.AbstractDownloader method), 91`  
`__init__ () (b2sdk.transfer.inbound.downloader.parallel.AbstractDownloader method), 92`  
`__init__ () (b2sdk.transfer.inbound.downloader.parallel.FirstPartDownloader method), 93`

```

        method), 93
__init__() (b2sdk.transfer.inbound.downloader.parallel.NonHaskinDownload(olderThanSdk.v1), 29
        method), 93
__init__() (b2sdk.transfer.inbound.downloader.parallel.ParallelDownloaderDest), 69
        method), 91
__init__() (b2sdk.transfer.inbound.downloader.parallel.PartToDownload), 57
        method), 93
__init__() (b2sdk.transfer.inbound.downloader.parallel.WriterThread), 91
        method), 92
__init__() (b2sdk.transfer.inbound.downloader.range.RangeDownloaderThread (class in b2sdk.transfer.inbound.downloader.parallel),
        method), 94
__init__() (b2sdk.transfer.inbound.downloader.simple.SimpleDownloader
        method), 94
__init__() (b2sdk.transfer.inbound.file_metadata.FileMetadata b2sdk.sync.policy), 83
        method), 95
__init__() (b2sdk.transfer.outbound.upload_source.UploadSourceByProgressListener (class in b2sdk.v1),
        method), 47
__init__() (b2sdk.transfer.outbound.upload_source.UploadSourceLocalFile (class in b2sdk.raw_api), 60
        method), 96
__init__() (b2sdk.transfer.outbound.upload_source.UploadSourceLocalFileRange), 73
        method), 96
__init__() (b2sdk.transfer.outbound.upload_source.UploadSourceOrderTransfer.outbound.upload_source),
        method), 95
__init__() (b2sdk.transfer.outbound.upload_source.UploadSourceStreamRange
        method), 97
__init__() (b2sdk.utils.ConcurrentUsedAuthTokenGuard
        method), 68
__init__() (b2sdk.v1.AuthInfoCache method), 30
__init__() (b2sdk.v1.B2Api method), 31
__init__() (b2sdk.v1.Bucket method), 37
__init__() (b2sdk.v1.DownloadDestBytes method),
        57
__init__() (b2sdk.v1.DownloadDestLocalFile
        method), 57
__init__() (b2sdk.v1.DownloadDestProgressWrapper
        method), 57
__init__() (b2sdk.v1.InMemoryAccountInfo
        method), 24
__init__() (b2sdk.v1.InMemoryCache method), 30
__init__() (b2sdk.v1.PreSeekedDownloadDest
        method), 57
__init__() (b2sdk.v1.ScanPoliciesManager method),
        51
__init__() (b2sdk.v1.SqliteAccountInfo method), 25
__init__() (b2sdk.v1.SyncReport method), 53
__init__() (b2sdk.v1.Synchronizer method), 52
__init__() (b2sdk.v1.WriteIntent method), 56
_set_auth_data() (b2sdk.v1.AbstractAccountInfo
        method), 28

```

**A**

absoluteMinimumPartSize, 21  
AbstractAccountInfo (class in b2sdk.v1), 26  
AbstractAction (class in b2sdk.sync.action), 76

AbstractCache (class in b2sdk.cache), 68  
AbstractDownloadDestination (class in b2sdk.download.destination), 69  
AbstractDownloadDestination (class in b2sdk.download.destination), 91  
AbstractDownloader (class in b2sdk.download.downloader), 93  
AbstractFileSyncPolicy (class in b2sdk.sync.policy), 91  
AbstractFolder (class in b2sdk.sync.folder), 81  
AbstractDownloaderThread (class in b2sdk.transfer.inbound.downloader.parallel),
 94
AbstractFileSyncPolicy (class in b2sdk.sync.policy), 91
AbstractFolder (class in b2sdk.sync.folder), 81
AbstractFileStreamWithProgress (class in b2sdk.v1),
 47
AbstractFileStreamWithProgressListener (class in b2sdk.v1),
 47
AbstractFileStreamWithProgress (class in b2sdk.raw\_api), 60
AbstractFileStreamWithProgress (class in b2sdk.raw\_simulator.FileSimulator),
 96
AbstractUploadSource (class in b2sdk.download.download\_dest),
 95
AbstractUploadSource (class in b2sdk.download.download\_dest),
 95
AbstractUploadSource (class in b2sdk.download.download\_dest),
 95
account\_info() (b2sdk.v1.B2Api property), 31
AccountInfoError, 34
action (b2sdk.sync.fileFileVersion attribute), 81
add\_callback () (b2sdk.b2http.B2Http method), 64
add\_part () (b2sdk.raw\_simulator.FileSimulator
 method), 98
all\_capabilities()
 (b2sdk.v1.AbstractAccountInfo class method),
 26
all\_files() (b2sdk.sync.folder.AbstractFolder
 method), 81
all\_files() (b2sdk.sync.folder.B2Folder method), 82
all\_files() (b2sdk.sync.folder.LocalFolder method),
 82
allowed\_is\_valid()
 (b2sdk.v1.AbstractAccountInfo class method),
 28
AlreadyFailed, 34
API (b2sdk.session.TokenType attribute), 58
API\_TOKEN\_ONLY (b2sdk.session.TokenType attribute), 58
API\_URL (b2sdk.raw\_simulator.RawSimulator attribute), 99
application key, 21
application key ID, 21
as\_created\_key() (b2sdk.raw\_simulator.KeySimulator
 method), 97
as\_dict() (b2sdk.v1.Bucket method), 45
as\_dict() (b2sdk.v1.FileIdAndName method), 45
as\_dict() (b2sdk.v1.FileVersionInfo method), 45

```

as_download_headers()
    (b2sdk.raw_simulator.FileSimulator method), 98
as_info_dict() (b2sdk.transfer.inbound.file_metadata.FileMetadata), 35
    (method), 95
as_key() (b2sdk.raw_simulator.KeySimulator method), 97
as_list_files_dict()
    (b2sdk.raw_simulator.FileSimulator method), 98
as_list_parts_dict()
    (b2sdk.raw_simulator.PartSimulator method), 97
as_start_large_file_result()
    (b2sdk.raw_simulator.FileSimulator method), 98
as_tuple() (b2sdk.transfer.inbound.downloader.range.Range), 97
    (method), 94
as_upload_result()
    (b2sdk.raw_simulator.FileSimulator method), 98
AuthInfoCache (class in b2sdk.cache), 69
AuthInfoCache (class in b2sdk.v1), 30
authorize_account()
    (b2sdk.raw_api.AbstractRawApi method), 60
authorize_account() (b2sdk.raw_api.B2RawApi method), 61
authorize_account()
    (b2sdk.raw_simulator.RawSimulator method), 100
authorize_account() (b2sdk.session.B2Session method), 58
authorize_account() (b2sdk.v1.B2Api method), 31
authorize_automatically()
    (b2sdk.session.B2Session method), 58
authorize_automatically() (b2sdk.v1.B2Api method), 31

B
b2_url_decode() (in module b2sdk.utils), 66
b2_url_decode() (in module b2sdk.v1), 54
b2_url_encode() (in module b2sdk.utils), 66
b2_url_encode() (in module b2sdk.v1), 54
B2Api (class in b2sdk.v1), 30
B2ConnectionError, 34
B2DeleteAction (class in b2sdk.sync.action), 78
B2DownloadAction (class in b2sdk.sync.action), 77
B2Error, 34
B2Folder (class in b2sdk.sync.folder), 82
B2HideAction (class in b2sdk.sync.action), 77
B2Http (class in b2sdk.b2http), 64
B2HttpCallbackException, 34
B2HttpCallbackPostRequestException, 34
B2HttpCallbackPreRequestException, 34
B2RawApi (class in b2sdk.raw_api), 61
    FileMetadataTimeout, 35
    B2RequestTimeoutDuringUpload, 35
b2sdk interface version, 21
b2sdk version, 21
b2sdk.b2http
    module, 63
b2sdk.cache
    module, 68
b2sdk.download_dest
    module, 69
b2sdk.raw_api
    module, 60
b2sdk.raw_simulator
    module, 97
b2sdk.session
    module, 58
b2sdk.stream.chained
    module, 71
b2sdk.stream.hashing
    module, 72
b2sdk.stream.progress
    module, 73
b2sdk.stream.range
    module, 74
b2sdk.stream.wrapper
    module, 74
b2sdk.sync.action
    module, 76
b2sdk.sync.exception
    module, 79
b2sdk.sync.file
    module, 80
b2sdk.sync.folder
    module, 81
b2sdk.sync.folder_parser
    module, 83
b2sdk.sync.policy
    module, 83
b2sdk.sync.policy_manager
    module, 86
b2sdk.sync.scan_policies
    module, 87
b2sdk.sync.sync
    module, 89
b2sdk.transfer.inbound.download_manager
    module, 94
b2sdk.transfer.inbound.downloader.abstract
    module, 91
b2sdk.transfer.inbound.downloader.parallel
    module, 91
b2sdk.transfer.inbound.downloader.range
    module, 94

```

module, 94  
b2sdk.transfer.inbound.downloader.simplecancel\_large\_file() (b2sdk.session.B2Session  
    method), 58  
b2sdk.transfer.inbound.file\_metadata  
    module, 95  
b2sdk.transfer.outbound.upload\_source  
    module, 95  
b2sdk.utils  
    module, 66  
b2sdk.v1.exception  
    module, 34  
B2Session (class in b2sdk.session), 58  
B2SimpleError, 35  
B2TraceMeta (class in b2sdk.utils), 68  
B2TraceMetaAbstract (class in b2sdk.utils), 68  
B2UploadAction (class in b2sdk.sync.action), 76  
BadDateFormat, 35  
BadFileInfo, 35  
BadJson, 35  
BadUploadUrl, 35  
BrokenPipe, 35  
bucket, 21  
Bucket (class in b2sdk.v1), 37  
BUCKET\_CLASS (b2sdk.v1.B2Api attribute), 31  
bucket\_dict () (b2sdk.raw\_simulator.BucketSimulator  
    method), 98  
BUCKET\_FACTORY\_CLASS (b2sdk.v1.B2Api attribute), 30  
BUCKET\_SIMULATOR\_CLASS  
    (b2sdk.raw\_simulator.RawSimulator attribute),  
    99  
BUCKET\_UPLOAD\_POOL\_CLASS  
    (b2sdk.v1.UrlPoolAccountInfo attribute),  
    29  
BucketNotAllowed, 35  
BucketSimulator (class in b2sdk.raw\_simulator), 98  
bytes\_completed()  
    (b2sdk.v1.AbstractProgressListener method),  
    47

**C**

cache () (b2sdk.v1.B2Api property), 31  
camelcase\_to\_underscore () (in module  
    b2sdk.utils), 68  
cancel\_large\_file()  
    (b2sdk.raw\_api.AbstractRawApi  
        method), 60  
cancel\_large\_file() (b2sdk.raw\_api.B2RawApi  
    method), 61  
cancel\_large\_file()  
    (b2sdk.raw\_simulator.BucketSimulator  
        method), 99  
cancel\_large\_file()  
    (b2sdk.raw\_simulator.RawSimulator  
        method), 100

cancel\_large\_file() (b2sdk.session.B2Session  
    method), 33  
cancel\_large\_file() (b2sdk.v1.B2Api  
    method), 38  
cancel\_large\_file() (b2sdk.v1.Bucket  
    method), 38  
CapabilityNotAllowed, 35  
capture\_bytes\_context()  
    (b2sdk.download\_dest.DownloadDestBytes  
        method), 70  
ChainedStream (class in b2sdk.stream.chained), 71  
check\_b2\_filename() (b2sdk.raw\_api.B2RawApi  
    method), 62  
check\_bucket\_restrictions()  
    (b2sdk.v1.B2Api method), 34  
ChecksumMismatch, 35  
choose\_part\_ranges () (in module b2sdk.utils), 66  
choose\_part\_ranges () (in module b2sdk.v1), 54  
cleanup () (b2sdk.stream.chained.StreamOpener  
    method), 72  
clear () (b2sdk.cache.AbstractCache method), 68  
clear () (b2sdk.v1.AbstractAccountInfo method), 26  
clear () (b2sdk.v1.AbstractCache method), 29  
clear\_bucket\_upload\_data()  
    (b2sdk.v1.AbstractAccountInfo  
        method), 26  
clear\_for\_key () (b2sdk.account\_info.upload\_url\_pool.UploadUrlPool  
    method), 29  
clear\_large\_file\_upload\_urls()  
    (b2sdk.v1.AbstractAccountInfo  
        method), 28  
ClockSkew, 35  
ClockSkewHook (class in b2sdk.b2http), 64  
close () (b2sdk.raw\_simulator.FakeResponse method),  
    98  
close () (b2sdk.stream.chained.ChainedStream  
    method), 72  
close () (b2sdk.stream.wrapper.StreamWrapper  
    method), 75  
close () (b2sdk.v1.AbstractProgressListener method),  
    47  
close () (b2sdk.v1.SyncReport method), 53  
CommandError, 35  
CompareVersionMode (class in b2sdk.sync.policy),  
    83  
CompareVersionMode (class in b2sdk.v1), 46  
concatenate () (b2sdk.v1.Bucket method), 42  
concatenate\_stream () (b2sdk.v1.Bucket method),  
    43  
ConcurrentUsedAuthTokenGuard (class in  
    b2sdk.utils), 68  
Conflict, 35  
ConnectionReset, 35

content\_length (*b2sdk.transfer.inbound.file\_metadata.FileMetadata*), 26  
     attribute), 95  
 content\_sha1 (*b2sdk.transfer.inbound.file\_metadata.FileMetadata*), 37  
     attribute), 95  
 content\_type (*b2sdk.transfer.inbound.file\_metadata.FileMetadata*), 95  
     attribute), 95  
 convert\_dir\_regex\_to\_dir\_prefix\_regex ()  
     (in module *b2sdk.sync.scan\_policies*), 87  
 COPY (*b2sdk.raw\_api.MetadataDirectiveMode* attribute), 60  
 COPY (*b2sdk.v1.MetadataDirectiveMode* attribute), 46  
 copy () (*b2sdk.v1.Bucket* method), 44  
 copy\_file ()  
     (*b2sdk.raw\_api.AbstractRawApi*  
     method), 60  
 copy\_file () (*b2sdk.raw\_api.B2RawApi* method), 63  
 copy\_file ()  
     (*b2sdk.raw\_simulator.BucketSimulator*  
     method), 99  
 copy\_file ()  
     (*b2sdk.raw\_simulator.RawSimulator*  
     method), 100  
 copy\_file () (*b2sdk.session.B2Session* method), 59  
 copy\_file () (*b2sdk.v1.Bucket* method), 44  
 copy\_part ()  
     (*b2sdk.raw\_api.AbstractRawApi*  
     method), 60  
 copy\_part () (*b2sdk.raw\_api.B2RawApi* method), 63  
 copy\_part ()  
     (*b2sdk.raw\_simulator.RawSimulator*  
     method), 100  
 copy\_part () (*b2sdk.session.B2Session* method), 59  
 CorruptAccountInfo, 35  
 count\_files () (in module *b2sdk.sync.sync*), 89  
 create\_account ()  
     (*b2sdk.raw\_simulator.RawSimulator*  
     method), 100  
 create\_bucket ()  
     (*b2sdk.raw\_api.AbstractRawApi*  
     method), 60  
 create\_bucket ()  
     (*b2sdk.raw\_api.B2RawApi*  
     method), 61  
 create\_bucket ()  
     (*b2sdk.raw\_simulator.RawSimulator*  
     method), 100  
 create\_bucket ()  
     (*b2sdk.session.B2Session*  
     method), 58  
 create\_bucket () (*b2sdk.v1.B2Api* method), 31  
 create\_file () (*b2sdk.v1.Bucket* method), 41  
 create\_file\_stream ()  
     (*b2sdk.v1.Bucket* method),  
     42  
 create\_key ()  
     (*b2sdk.raw\_api.AbstractRawApi*  
     method), 60  
 create\_key ()  
     (*b2sdk.raw\_api.B2RawApi* method),  
     61  
 create\_key ()  
     (*b2sdk.raw\_simulator.RawSimulator*  
     method), 100  
 create\_key ()  
     (*b2sdk.session.B2Session* method), 59  
 create\_key ()  
     (*b2sdk.v1.B2Api* method), 33

**D**

DEFAULT\_ALLOWED (*b2sdk.v1.AbstractAccountInfo* at-  
     DEFINITION\_CONTENT\_TYPE  
     (*b2sdk.v1.Bucket* at-  
     DEFAULT\_MAX\_STREAMS  
     **DownloadManager**  
     attribute), 94  
     DEFAULT\_MIN\_PART\_SIZE  
     (*b2sdk.transfer.inbound.download\_manager.DownloadManager*  
     attribute), 94  
     DELETE (*b2sdk.sync.sync.KeepOrDeleteMode* attribute),  
     89  
     DELETE (*b2sdk.v1.KeepOrDeleteMode* attribute), 47  
     delete\_bucket ()  
     (*b2sdk.raw\_api.AbstractRawApi*  
     method), 60  
     delete\_bucket ()  
     (*b2sdk.raw\_api.B2RawApi*  
     method), 61  
     delete\_bucket ()  
     (*b2sdk.raw\_simulator.RawSimulator*  
     method), 100  
     delete\_bucket ()  
     (*b2sdk.session.B2Session*  
     method), 59  
     delete\_bucket ()  
     (*b2sdk.v1.B2Api* method), 32  
     delete\_file\_version ()  
     (*b2sdk.raw\_api.AbstractRawApi*  
     method), 60  
     delete\_file\_version ()  
     (*b2sdk.raw\_api.B2RawApi* method), 61  
     delete\_file\_version ()  
     (*b2sdk.raw\_simulator.BucketSimulator*  
     method), 99  
     delete\_file\_version ()  
     (*b2sdk.raw\_simulator.RawSimulator*  
     method), 100  
     delete\_file\_version ()  
     (*b2sdk.session.B2Session*  
     method), 59  
     delete\_file\_version ()  
     (*b2sdk.v1.B2Api* method), 33  
     delete\_file\_version ()  
     (*b2sdk.v1.Bucket*  
     method), 44  
     delete\_key ()  
     (*b2sdk.raw\_api.AbstractRawApi*  
     method), 60  
     delete\_key ()  
     (*b2sdk.raw\_api.B2RawApi* method),  
     61  
     delete\_key ()  
     (*b2sdk.raw\_simulator.RawSimulator*  
     method), 100  
     delete\_key ()  
     (*b2sdk.session.B2Session* method), 59  
     delete\_key ()  
     (*b2sdk.v1.B2Api* method), 34  
     DestFileNewer, 35  
     destination\_end\_offset ()  
     (*b2sdk.v1.WriteIntent* property), 56  
     DESTINATION\_PREFIX  
     (*b2sdk.sync.policy.AbstractFileSyncPolicy*  
     attribute), 83  
     DESTINATION\_PREFIX  
     (*b2sdk.sync.policy.DownPolicy*  
     attribute),

84  
DESTINATION\_PREFIX (*b2sdk.sync.policy.UpPolicy attribute*), 84  
do\_action () (*b2sdk.sync.action.AbstractAction method*), 76  
do\_action () (*b2sdk.sync.action.B2DeleteAction method*), 78  
do\_action () (*b2sdk.sync.action.B2DownloadAction method*), 78  
do\_action () (*b2sdk.sync.action.B2HideAction method*), 77  
do\_action () (*b2sdk.sync.action.B2UploadAction method*), 77  
do\_action () (*b2sdk.sync.action.LocalDeleteAction method*), 79  
do\_report () (*b2sdk.sync.action.AbstractAction method*), 76  
do\_report () (*b2sdk.sync.action.B2DeleteAction method*), 78  
do\_report () (*b2sdk.sync.action.B2DownloadAction method*), 78  
do\_report () (*b2sdk.sync.action.B2HideAction method*), 77  
do\_report () (*b2sdk.sync.action.B2UploadAction method*), 77  
do\_report () (*b2sdk.sync.action.LocalDeleteAction method*), 79  
DoNothingProgressListener (*class in b2sdk.v1*), 47  
DownAndDeletePolicy (*class in b2sdk.sync.policy*), 85  
DownAndKeepDaysPolicy (*class in b2sdk.sync.policy*), 85  
download () (*b2sdk.transfer.inbound.downloader.abstract.AbstractDownloader method*), 91  
download () (*b2sdk.transfer.inbound.downloader.parallel.ParallelDownloader* (*b2sdk.v1.SyncReport method*)), 53  
download () (*b2sdk.transfer.inbound.downloader.simple.SimpleDownloader* (*b2sdk.sync.folder.LocalFolder method*)), 82  
download\_file\_by\_id () (*b2sdk.raw\_simulator.BucketSimulator method*), 99  
download\_file\_by\_id () (*b2sdk.v1.B2Api method*), 32  
download\_file\_by\_id () (*b2sdk.v1.Bucket method*), 38  
download\_file\_by\_name () (*b2sdk.raw\_simulator.BucketSimulator method*), 99  
download\_file\_by\_name () (*b2sdk.v1.Bucket method*), 39  
download\_file\_from\_url () (*b2sdk.raw\_api.AbstractRawApi method*), 60  
download\_file\_from\_url () (*b2sdk.raw\_api.B2RawApi method*), 61  
download\_file\_from\_url () (*b2sdk.raw\_simulator.RawSimulator method*), 100  
download\_file\_from\_url () (*b2sdk.session.B2Session method*), 59  
download\_file\_from\_url () (*b2sdk.transfer.inbound.download\_manager.DownloadManager method*), 95  
DOWNLOAD\_URL (*b2sdk.raw\_simulator.RawSimulator attribute*), 99  
DOWNLOAD\_URL\_MATCHER (*b2sdk.raw\_simulator.RawSimulator attribute*), 99  
DownloadDestBytes (*class in b2sdk.download\_dest*), 70  
DownloadDestBytes (*class in b2sdk.v1*), 57  
DownloadDestLocalFile (*class in b2sdk.download\_dest*), 69  
DownloadDestLocalFile (*class in b2sdk.v1*), 57  
DownloadDestProgressWrapper (*class in b2sdk.download\_dest*), 71  
DownloadDestProgressWrapper (*class in b2sdk.v1*), 57  
DownloadManager (*class in b2sdk.transfer.inbound.download\_manager*), 94  
DownPolicy (*class in b2sdk.sync.policy*), 84  
DummyCache (*class in b2sdk.cache*), 68  
DummyCache (*class in b2sdk.v1*), 30  
DuplicateBucketName, 36

**E**

AbstractDownloader  
end\_compare () (*b2sdk.v1.SyncReport method*), 54  
ParallelDownloader (*b2sdk.v1.SyncReport method*), 53  
ensure\_non\_empty ()  
**F**

FakeRequest (*class in b2sdk.raw\_simulator*), 98  
FakeResponse (*class in b2sdk.raw\_simulator*), 98  
File (*class in b2sdk.sync.file*), 80  
file\_id (*b2sdk.transfer.inbound.file\_metadata.FileMetadata attribute*), 95

```

file_info (b2sdk.transfer.inbound.file_metadata.FileMetadata_type () (b2sdk.sync.folder.B2Folder method),
           attribute), 95
file_name (b2sdk.transfer.inbound.file_metadata.FileMetadata_type () (b2sdk.sync.folder.LocalFolder
           attribute), 95
FILE_SIMULATOR_CLASS
    (b2sdk.raw_simulator.BucketSimulator      at-
     attribute), 98
FileAlreadyHidden, 36
FileDialogAndName (class in b2sdk.v1), 45
FileMetadata          (class      in
    b2sdk.transfer.inbound.file_metadata), 95
FileNameNotAllowed, 36
FileNotPresent, 36
files_are_different ()
    (b2sdk.sync.policy.AbstractFileSyncPolicy
     class method), 84
FileSha1Mismatch, 36
FileSimulator (class in b2sdk.raw_simulator), 97
FileVersion (class in b2sdk.sync.file), 80
FileVersionInfo (class in b2sdk.v1), 45
finish()        (b2sdk.raw_simulator.FileSimulator
               method), 98
FINISH_HASHING_BUFFER_SIZE
    (b2sdk.transfer.inbound.downloader.parallel.ParallelDownloader
     attribute), 91
finish_large_file()
    (b2sdk.raw_api.AbstractRawApi      method), 60
finish_large_file() (b2sdk.raw_api.B2RawApi
                     method), 61
finish_large_file()
    (b2sdk.raw_simulator.BucketSimulator
     method), 99
finish_large_file()
    (b2sdk.raw_simulator.RawSimulator method), 100
finish_large_file() (b2sdk.session.B2Session
                     method), 59
FIRST_FILE_ID (b2sdk.raw_simulator.BucketSimulator
                attribute), 98
FIRST_FILE_NUMBER
    (b2sdk.raw_simulator.BucketSimulator      at-
     attribute), 98
FirstPartDownloaderThread (class      in
    b2sdk.transfer.inbound.downloader.parallel),
                           93
fix_windows_path_limit() (in      module
    b2sdk.utils), 67
fix_windows_path_limit() (in      module
    b2sdk.v1), 54
flush()        (b2sdk.stream.wrapper.StreamWrapper
               method), 75
folder_type () (b2sdk.sync.folder.AbstractFolder
               method), 81
format_and_scale_fraction() (in      module
    b2sdk.utils), 67
format_and_scale_fraction() (in      module
    b2sdk.v1), 55
format_and_scale_number() (in      module
    b2sdk.utils), 67
format_and_scale_number() (in      module
    b2sdk.v1), 55
format_folder_ls_entry()
    (b2sdk.v1.FileVersionInfo      class      method),
     45
format_ls_entry() (b2sdk.v1.FileVersionInfo
                   method), 45
from_header () (b2sdk.transfer.inbound.downloader.range.Range
                class method), 94
from_response () (b2sdk.transfer.inbound.file_metadata.FileMetadata
                  class method), 95

```

**G**

```

get_downloader() (in      module
    b2sdk.transfer.inbound.downloader.parallel),
                 93
get_account_auth_token()
    (b2sdk.v1.AbstractAccountInfo      method),
     27
get_account_id() (b2sdk.v1.AbstractAccountInfo
                  method), 26
get_account_id() (b2sdk.v1.B2Api method), 31
get_all_actions()
    (b2sdk.sync.policy.AbstractFileSyncPolicy
     method), 84
get_allowed() (b2sdk.raw_simulator.KeySimulator
                method), 97
get_allowed() (b2sdk.v1.AbstractAccountInfo
                method), 27
get_api_url() (b2sdk.v1.AbstractAccountInfo
                 method), 27
get_application_key()
    (b2sdk.v1.AbstractAccountInfo      method),
     27
get_application_key_id()
    (b2sdk.v1.AbstractAccountInfo      method),
     26
get_bucket_by_id() (b2sdk.v1.B2Api method), 32
get_bucket_by_name() (b2sdk.v1.B2Api method),
                      32
get_bucket_id_or_none_from_bucket_name()
    (b2sdk.cache.AbstractCache method), 68
get_bucket_id_or_none_from_bucket_name()
    (b2sdk.cache.AuthInfoCache method), 69

```

```
get_bucket_id_or_none_from_bucket_name() get_content_length()
    (b2sdk.cache.DummyCache method), 68          (b2sdk.transfer.outbound.upload_source.UploadSourceStream
                                                    method), 96
get_bucket_id_or_none_from_bucket_name() get_content_length()
    (b2sdk.cache.InMemoryCache method), 69          (b2sdk.v1.OutboundTransferSource method),
    (b2sdk.v1.AbstractAccountInfo method), 26          56
get_bucket_id_or_none_from_bucket_name() get_content_sha1()
    (b2sdk.v1.AbstractCache method), 29          (b2sdk.transfer.outbound.upload_source.AbstractUploadSource
                                                    method), 95
get_bucket_id_or_none_from_bucket_name() get_content_sha1()
    (b2sdk.v1.AuthInfoCache method), 30          (b2sdk.transfer.outbound.upload_source.UploadSourceBytes
                                                    method), 96
get_bucket_id_or_none_from_bucket_name() get_content_sha1()
    (b2sdk.v1.DummyCache method), 30          (b2sdk.transfer.outbound.upload_source.UploadSourceLocalFile
                                                    method), 96
get_bucket_id_or_none_from_bucket_name() get_content_sha1()
    (b2sdk.v1.InMemoryCache method), 30          (b2sdk.transfer.outbound.upload_source.UploadSourceStream
                                                    method), 96
get_bucket_name_or_none_from_allowed()
    (b2sdk.cache.AbstractCache method), 68
get_bucket_name_or_none_from_allowed()
    (b2sdk.cache.AuthInfoCache method), 69
get_bucket_name_or_none_from_allowed()
    (b2sdk.cache.DummyCache method), 68
get_bucket_name_or_none_from_allowed()
    (b2sdk.cache.InMemoryCache method), 69
get_bucket_name_or_none_from_allowed()
    (b2sdk.v1.AbstractCache method), 29
get_bucket_name_or_none_from_allowed()
    (b2sdk.v1.AuthInfoCache method), 30
get_bucket_name_or_none_from_allowed()
    (b2sdk.v1.DummyCache method), 30
get_bucket_name_or_none_from_allowed()
    (b2sdk.v1.InMemoryCache method), 30
get_bytes() (b2sdk.sync.action.AbstractAction
            method), 76
get_bytes() (b2sdk.sync.action.B2DeleteAction
            method), 78
get_bytes() (b2sdk.sync.action.B2DownloadAction
            method), 78
get_bytes() (b2sdk.sync.action.B2HideAction
            method), 77
get_bytes() (b2sdk.sync.action.B2UploadAction
            method), 76
get_bytes() (b2sdk.sync.action.LocalDeleteAction
            method), 79
get_bytes_range() (in module
                    b2sdk.raw_simulator), 97
get_bytes_written()
    (b2sdk.download_dest.DownloadDestBytes
            method), 71
get_content() (b2sdk.b2http.B2Http method), 65
get_content_length()
    (b2sdk.transfer.outbound.upload_source.UploadSourceByte
            method), 96
get_content_length()
    (b2sdk.transfer.outbound.upload_source.UploadSourceLocalFile
            method), 96
get_content_length()
    (b2sdk.transfer.outbound.upload_source.UploadSourceStream
            method), 96
get_content_length()
    (b2sdk.v1.B2Api method), 33
get_file_info() (b2sdk.raw_api.AbstractRawApi
            method), 60
get_file_info() (b2sdk.raw_api.B2RawApi
            method), 62
```

get\_file\_info() (*b2sdk.raw\_simulator.BucketSimulator* method), 99  
 get\_file\_info() (*b2sdk.raw\_simulator.RawSimulator* method), 100  
 get\_file\_info() (*b2sdk.session.B2Session* method), 59  
 get\_file\_info() (*b2sdk.v1.B2Api* method), 34  
 get\_file\_mtime() (*in module b2sdk.utils*), 67  
 get\_id() (*b2sdk.v1.Bucket* method), 38  
 get\_minimum\_part\_size()  
     (*b2sdk.v1.AbstractAccountInfo* method), 27  
 get\_policy() (*b2sdk.sync.policy\_manager.SyncPolicyManager* method), 86  
 get\_policy\_class()  
     (*b2sdk.sync.policy\_manager.SyncPolicyManager* method), 86  
 get\_realm() (*b2sdk.v1.AbstractAccountInfo* method), 27  
 get\_upload\_part\_url()  
     (*b2sdk.raw\_api.AbstractRawApi* method), 60  
 get\_upload\_part\_url()  
     (*b2sdk.raw\_api.B2RawApi* method), 62  
 get\_upload\_part\_url()  
     (*b2sdk.raw\_simulator.BucketSimulator* method), 99  
 get\_upload\_part\_url()  
     (*b2sdk.raw\_simulator.RawSimulator* method), 100  
 get\_upload\_part\_url() (*b2sdk.session.B2Session* method), 59  
 get\_upload\_url() (*b2sdk.raw\_api.AbstractRawApi* method), 60  
 get\_upload\_url() (*b2sdk.raw\_api.B2RawApi* method), 62  
 get\_upload\_url() (*b2sdk.raw\_simulator.BucketSimulator* method), 99  
 get\_upload\_url() (*b2sdk.raw\_simulator.RawSimulator* method), 100  
 get\_upload\_url() (*b2sdk.session.B2Session* method), 59

**H**

headers() (*b2sdk.raw\_simulator.FakeRequest* property), 98  
 hex\_shal\_of\_bytes() (*in module b2sdk.utils*), 66  
 hex\_shal\_of\_bytes() (*in module b2sdk.v1*), 55  
 hex\_shal\_of\_stream() (*in module b2sdk.utils*), 66  
 hex\_shal\_of\_stream() (*in module b2sdk.v1*), 55  
 hex\_shal\_of\_unlimited\_stream() (*in module b2sdk.utils*), 66  
 hide\_file() (*b2sdk.raw\_api.AbstractRawApi* method), 60  
 hide\_file() (*b2sdk.raw\_api.B2RawApi* method), 62  
 hide\_file() (*b2sdk.raw\_simulator.BucketSimulator* method), 99  
 hide\_file() (*b2sdk.raw\_simulator.RawSimulator* method), 100  
 hide\_file() (*b2sdk.session.B2Session* method), 59  
 hide\_file() (*b2sdk.v1.Bucket* method), 44  
 HttpCallback (*class in b2sdk.b2http*), 63

|

id\_ (*b2sdk.sync.fileFileVersion* attribute), 80  
 IncompleteSync, 36, 79  
 INNEXORYAccountInfo (*class in b2sdk.v1*), 24  
 InMemoryCache (*class in b2sdk.cache*), 68  
 InMemoryCache (*class in b2sdk.v1*), 30  
 IntegerRange (*class in b2sdk.sync.scan\_policies*), 87  
 interpret\_b2\_error() (*in module b2sdk.v1.exception*), 37  
 interruptible\_get\_result() (*in module b2sdk.utils*), 66  
 InvalidArgument, 36, 79  
 InvalidAuthToken, 36  
 InvalidMetadataDirective, 36  
 InvalidRange, 36  
 InvalidUploadSource, 36  
 is\_copy() (*b2sdk.transfer.outbound.upload\_source.AbstractUploadSource* method), 95  
 is\_copy() (*b2sdk.v1.OutboundTransferSource* method), 57  
 is\_copy() (*b2sdk.v1.WriteIntent* method), 56  
 is\_file\_readable() (*in module b2sdk.utils*), 66  
 is\_shal\_known() (*b2sdk.transfer.outbound.upload\_source.AbstractUploadSource* method), 95  
 is\_shal\_known() (*b2sdk.transfer.outbound.upload\_source.UploadSource* method), 96  
 is\_shal\_known() (*b2sdk.transfer.outbound.upload\_source.UploadSource* method), 96  
 is\_shal\_known() (*b2sdk.transfer.outbound.upload\_source.UploadSource* method), 97  
 is\_suitable() (*b2sdk.transfer.inbound.downloader.abstract.AbstractDownloader* method), 91  
 is\_suitable() (*b2sdk.transfer.inbound.downloader.parallel.ParallelDownloader* method), 91  
 is\_suitable() (*b2sdk.transfer.inbound.downloader.simple.SimpleDownloader* method), 94  
 is\_upload() (*b2sdk.transfer.outbound.upload\_source.AbstractUploadSource* method), 95  
 is\_upload() (*b2sdk.v1.OutboundTransferSource* method), 56  
 is\_upload() (*b2sdk.v1.WriteIntent* method), 56  
 is\_visible() (*b2sdk.raw\_simulator.FileSimulator* method), 98  
 iter\_content() (*b2sdk.raw\_simulator.FakeResponse* method), 98

**J**

join\_b2\_path() (*in module b2sdk.sync.folder*), 81

**K**

KEEP\_BEFORE\_DELETE  
    (*b2sdk.sync.sync.KeepOrDeleteMode attribute*), 89  
KEEP\_BEFORE\_DELETE  
    (*b2sdk.v1.KeepOrDeleteMode attribute*), 47  
KeepOrDeleteMode (*class in b2sdk.sync.sync*), 89  
KeepOrDeleteMode (*class in b2sdk.v1*), 47  
KeySimulator (*class in b2sdk.raw\_simulator*), 97

**L**

LARGE\_FILE\_UPLOAD\_POOL\_CLASS  
    (*b2sdk.v1.UrlPoolAccountInfo attribute*), 29  
latest\_version() (*b2sdk.sync.file.File method*), 80  
length() (*b2sdk.v1.WriteIntent property*), 56  
list\_buckets() (*b2sdk.raw\_api.AbstractRawApi method*), 60  
list\_buckets() (*b2sdk.raw\_api.B2RawApi method*), 62  
list\_buckets() (*b2sdk.raw\_simulator.RawSimulator method*), 100  
list\_buckets() (*b2sdk.session.B2Session method*), 59  
list\_buckets() (*b2sdk.v1.B2Api method*), 32  
list\_file\_names()  
    (*b2sdk.raw\_api.AbstractRawApi method*), 60  
list\_file\_names()  
    (*b2sdk.raw\_api.B2RawApi method*), 62  
list\_file\_names()  
    (*b2sdk.raw\_simulator.BucketSimulator method*), 99  
list\_file\_names()  
    (*b2sdk.raw\_simulator.RawSimulator method*), 100  
list\_file\_names() (*b2sdk.session.B2Session method*), 59  
list\_file\_versions()  
    (*b2sdk.raw\_api.AbstractRawApi method*), 60  
list\_file\_versions() (*b2sdk.raw\_api.B2RawApi method*), 62  
list\_file\_versions()  
    (*b2sdk.raw\_simulator.BucketSimulator method*), 99  
list\_file\_versions()  
    (*b2sdk.raw\_simulator.RawSimulator method*), 100

list\_file\_versions() (*b2sdk.session.B2Session method*), 59  
list\_file\_versions() (*b2sdk.v1.Bucket method*), 39  
list\_keys() (*b2sdk.raw\_api.AbstractRawApi method*), 60  
list\_keys() (*b2sdk.raw\_api.B2RawApi method*), 62  
list\_keys() (*b2sdk.raw\_simulator.RawSimulator method*), 100  
list\_keys() (*b2sdk.session.B2Session method*), 59  
list\_keys() (*b2sdk.v1.B2Api method*), 34  
list\_parts() (*b2sdk.raw\_api.AbstractRawApi method*), 60  
list\_parts() (*b2sdk.raw\_api.B2RawApi method*), 62  
list\_parts() (*b2sdk.raw\_simulator.BucketSimulator method*), 99  
list\_parts() (*b2sdk.raw\_simulator.FileSimulator method*), 98  
list\_parts() (*b2sdk.raw\_simulator.RawSimulator method*), 100  
list\_parts() (*b2sdk.session.B2Session method*), 59  
list\_parts() (*b2sdk.v1.B2Api method*), 33  
list\_parts() (*b2sdk.v1.Bucket method*), 39  
list\_unfinished\_large\_files()  
    (*b2sdk.raw\_api.AbstractRawApi method*), 61  
list\_unfinished\_large\_files()  
    (*b2sdk.raw\_api.B2RawApi method*), 62  
list\_unfinished\_large\_files()  
    (*b2sdk.raw\_simulator.BucketSimulator method*), 99  
list\_unfinished\_large\_files()  
    (*b2sdk.raw\_simulator.RawSimulator method*), 100  
list\_unfinished\_large\_files()  
    (*b2sdk.session.B2Session method*), 59  
list\_unfinished\_large\_files()  
    (*b2sdk.v1.Bucket method*), 40  
local\_access\_error() (*b2sdk.v1.SyncReport method*), 54  
local\_permission\_error()  
    (*b2sdk.v1.SyncReport method*), 54  
LocalDeleteAction (*class in b2sdk.sync.action*), 78  
LocalFolder (*class in b2sdk.sync.folder*), 81  
ls() (*b2sdk.v1.Bucket method*), 39  
LS\_ENTRY\_TEMPLATE (*b2sdk.v1FileVersionInfo attribute*), 45

**M**

make\_b2\_delete\_actions() (*in module b2sdk.sync.policy*), 85  
make\_b2\_delete\_note() (*in module b2sdk.sync.policy*), 85

```

make_b2_keep_days_actions() (in module b2sdk.sync.policy), 85
make_file_context()
    (b2sdk.download_dest.AbstractDownloadDestination method), 69
make_file_context()
    (b2sdk.download_dest.DownloadDestBytes method), 70
make_file_context()
    (b2sdk.download_dest.DownloadDestLocalFile method), 69
make_file_context()
    (b2sdk.download_dest.DownloadDestProgressWrapper method), 71
make_file_context()
    (b2sdk.v1.AbstractDownloadDestination method), 57
make_file_sync_actions()
    (b2sdk.sync.Synchronizer method), 90
make_file_sync_actions()
    (b2sdk.v1.Synchronizer method), 53
make_folder_sync_actions()
    (b2sdk.sync.Synchronizer method), 90
make_folder_sync_actions()
    (b2sdk.v1.Synchronizer method), 52
make_full_path() (b2sdk.sync.folder.AbstractFolder method), 81
make_full_path() (b2sdk.sync.folder.B2Folder method), 82
make_full_path() (b2sdk.sync.folder.LocalFolder method), 82
make_progress_listener() (in module b2sdk.v1), 47
master application key, 21
matches() (b2sdk.sync.scan_policies.RegexSet method), 87
MAX_CHUNK_SIZE (b2sdk.transfer.inbound.download_manager attribute), 94
MAX_DURATION_IN_SECONDS
    (b2sdk.raw_simulator.RawSimulator attribute), 99
MaxFileSizeExceeded, 36
MaxRetriesExceeded, 36
MetadataDirectiveMode (class in b2sdk.raw_api), 60
MetadataDirectiveMode (class in b2sdk.v1), 46
MIN_CHUNK_SIZE (b2sdk.transfer.inbound.download_manager attribute), 94
MIN_PART_SIZE (b2sdk.raw_simulator.RawSimulator attribute), 99
MissingAccountData, 36
MissingPart, 36
mod_time (b2sdk.sync.fileFileVersion attribute), 80
MODE (b2sdk.download_dest.DownloadDestLocalFile attribute), 69
MODE (b2sdk.download_dest.PreSeekedDownloadDest attribute), 70
MODTIME (b2sdk.sync.policy.CompareVersionMode attribute), 83
MODTIME (b2sdk.v1.CompareVersionMode attribute), 46
module
    b2sdk.b2http, 63
    b2sdk.cache, 68
    b2sdk.download_dest, 69
    b2sdk.raw_api, 60
    b2sdk.raw_simulator, 97
    b2sdk.session, 58
    b2sdk.stream.chained, 71
    b2sdk.stream.hashing, 72
    b2sdk.stream.progress, 73
    b2sdk.stream.range, 74
    b2sdk.stream.wrapper, 74
    b2sdk.sync.action, 76
    b2sdk.sync.exception, 79
    b2sdk.sync.file, 80
    b2sdk.sync.folder, 81
    b2sdk.sync.folder_parser, 83
    b2sdk.sync.policy, 83
    b2sdk.sync.policy_manager, 86
    b2sdk.sync.scan_policies, 87
    b2sdk.sync.sync, 89
    b2sdk.transfer.inbound.download_manager, 94
    b2sdk.transfer.inbound.downloader.abstract, 91
    b2sdk.transfer.inbound.downloader.parallel, 91
    b2sdk.transfer.inbound.downloader.range, 94
    b2sdk.transfer.inbound.downloader.simple, 94
    b2sdk.transfer.outbound.upload_source, 95
    b2sdk.utils, 66
    b2sdk.v1.exception, 34
N
name (b2sdk.sync.file.File attribute), 80
name (b2sdk.syncFileVersion attribute), 80
NewerFileSyncMode (class in b2sdk.sync.policy), 83
NewerFileSyncMode (class in b2sdk.v1), 46
next_or_none() (in module b2sdk.sync.sync), 89
NO_DELETE (b2sdk.sync.sync.KeepOrDeleteMode attribute), 89

```

NO\_DELETE (*b2sdk.v1.KeepOrDeleteMode attribute*), 47  
non-master application key, 21  
NONE (*b2sdk.sync.policy.CompareVersionMode attribute*), 83  
NONE (*b2sdk.v1.CompareVersionMode attribute*), 46  
NonExistentBucket, 36  
NonHashingDownloaderThread (class in *b2sdk.transfer.inbound.downloader.parallel*), 93  
NotAllowedByAppKeyError, 36

**O**

open () (*b2sdk.transfer.outbound.upload\_source.AbstractUploadSource method*), 95  
open () (*b2sdk.transfer.outbound.upload\_source.UploadSourceBytes* (*b2sdk.v1.AbstractAccountInfo method*)), 28  
open () (*b2sdk.transfer.outbound.upload\_source.UploadSourceLocalFileRange* (*b2sdk.v1.AbstractAccountInfo method*)), 96  
open () (*b2sdk.transfer.outbound.upload\_source.UploadSourceLocalFileUploadUrl* (*b2sdk.v1.AbstractAccountInfo method*)), 28  
open () (*b2sdk.transfer.outbound.upload\_source.UploadSourceRange* (*b2sdk.v1.AbstractAccountInfo method*)), 96  
open () (*b2sdk.transfer.outbound.upload\_source.UploadSourceStream* (*b2sdk.v1.NewerFileSyncMode attribute*)), 83  
open () (*b2sdk.transfer.outbound.upload\_source.UploadSourceStreamRange* (*b2sdk.v1.NewerFileSyncMode attribute*)), 46  
OutboundTransferSource (class in *b2sdk.v1*), 56

**P**

ParallelDownloader (class in *b2sdk.transfer.inbound.downloader.parallel*), 91  
parse\_sync\_folder () (in module *b2sdk.sync.folder\_parser*), 83  
Part (class in *b2sdk.v1*), 46  
PartSha1Mismatch, 36  
PartSimulator (class in *b2sdk.raw\_simulator*), 97  
PartToDownload (class in *b2sdk.transfer.inbound.downloader.parallel*), 93  
post\_content\_return\_json () (*b2sdk.b2http.B2Http method*), 64  
post\_json\_return\_json () (*b2sdk.b2http.B2Http method*), 65  
post\_request () (*b2sdk.b2http.ClockSkewHook method*), 64  
post\_request () (*b2sdk.b2http.HttpCallback method*), 63  
pre\_request () (*b2sdk.b2http.HttpCallback method*), 63  
prefix (*b2sdk.v1.exception.BadDateFormat attribute*), 35  
prefix (*b2sdk.v1.exception.BadJson attribute*), 35  
prefix (*b2sdk.v1.exception.DuplicateBucketName attribute*), 36

prefix (*b2sdk.v1.exception.FileSha1Mismatch attribute*), 36  
prefix (*b2sdk.v1.exception.MissingPart attribute*), 36  
prefix (*b2sdk.v1.exception.NonExistentBucket attribute*), 36  
prefix () (*b2sdk.v1.exception.B2Error property*), 34  
PreSeekedDownloadDest (class in *b2sdk.download\_dest*), 70  
PreSeekedDownloadDest (class in *b2sdk.v1*), 57  
print\_completion () (*b2sdk.v1.SyncReport method*), 53  
ProgressListenerForTest (class in *b2sdk.v1*), 47  
put () (*b2sdk.account\_info.upload\_url\_pool.UploadUrlPool method*), 29  
put\_bucket\_upload\_url ()

**R**

RAISE\_ERROR (*b2sdk.sync.policy.NewerFileSyncMode attribute*), 46  
Range (class in *b2sdk.transfer.inbound.downloader.range*), 94  
RangeOfInputStream (class in *b2sdk.stream.range*), 74  
raw\_api () (*b2sdk.v1.B2Api property*), 31  
RawSimulator (class in *b2sdk.raw\_simulator*), 99  
read () (*b2sdk.stream.chained.ChainedStream method*), 72  
read () (*b2sdk.stream.hashing.StreamWithHash method*), 72  
read () (*b2sdk.stream.progress.ReadingStreamWithProgress method*), 73  
read () (*b2sdk.stream.range.RangeOfInputStream method*), 74  
read () (*b2sdk.stream.wrapper.StreamWrapper method*), 75  
readable () (*b2sdk.stream.chained.ChainedStream method*), 72  
readable () (*b2sdk.stream.wrapper.StreamWrapper method*), 75  
ReadingStreamWithProgress (class in *b2sdk.stream.progress*), 73  
REALM\_URLS (*b2sdk.v1.AbstractAccountInfo attribute*), 26  
refresh\_entire\_bucket\_name\_cache () (*b2sdk.v1.AbstractAccountInfo method*), 26  
RegexSet (class in *b2sdk.sync.scan\_policies*), 87  
remove\_bucket\_name ()

(*b2sdk.v1.AbstractAccountInfo* method), seek () (*b2sdk.stream.range.RangeOfInputStream* method), 74  
 REPLACE (*b2sdk.raw\_api.MetadataDirectiveMode* attribute), 60 seek () (*b2sdk.stream.wrapper.StreamWrapper* method), 74  
 REPLACE (*b2sdk.sync.policy.NewerFileSyncMode* attribute), 83 seekable () (*b2sdk.stream.chained.ChainedStream* method), 71  
 REPLACE (*b2sdk.v1.MetadataDirectiveMode* attribute), 46 seekable () (*b2sdk.stream.wrapper.StreamWrapper* method), 74  
 REPLACE (*b2sdk.v1.NewerFileSyncMode* attribute), 46 ServiceError, 36  
 request () (*b2sdk.raw\_simulator.FakeResponse* property), 98 set\_auth\_data () (*b2sdk.v1.AbstractAccountInfo* method), 27  
 RESPONSE\_CLASS (*b2sdk.raw\_simulator.BucketSimulator* attribute), 98 set\_bucket\_name\_cache ()  
 ResponseContextManager (class in *b2sdk.b2http*), 63 (*b2sdk.cache.AbstractCache* method), 68  
 RestrictedBucket, 36 set\_bucket\_name\_cache ()  
 RFC (*b2sdk.cache.AuthInfoCache* method), 69  
 RFC 822, 46 set\_bucket\_name\_cache ()  
 run () (*b2sdk.sync.action.AbstractAction* method), 76 (*b2sdk.cache.DummyCache* method), 68  
 run () (*b2sdk.transfer.inbound.downloader.parallel.AbstractDownloaderThread* method), 93 set\_bucket\_name\_cache ()  
 run () (*b2sdk.transfer.inbound.downloader.parallel.FirstPartDownloader* method), 93 (*b2sdk.cache.InMemoryCache* method), 30  
 run () (*b2sdk.transfer.inbound.downloader.parallel.NonHashingDownloader* method), 93 set\_bucket\_name\_cache ()  
 run () (*b2sdk.transfer.inbound.downloader.parallel.WriterThread* method), 92 (*b2sdk.v1.DummyCache* method), 30  
 set\_bucket\_name\_cache ()  
 (*b2sdk.v1.InMemoryCache* method), 30  
 S set\_file\_mtime () (in module *b2sdk.utils*), 67  
 save\_bucket () (*b2sdk.cache.AbstractCache* method), 68 set\_info () (*b2sdk.v1.Bucket* method), 38  
 save\_bucket () (*b2sdk.cache.AuthInfoCache* method), 69 set\_total\_bytes ()  
 save\_bucket () (*b2sdk.cache.DummyCache* method), 68 (*b2sdk.v1.AbstractProgressListener* method), 47  
 save\_bucket () (*b2sdk.cache.InMemoryCache* method), 69 set\_type () (*b2sdk.v1.Bucket* method), 38  
 save\_bucket () (*b2sdk.v1.AbstractAccountInfo* method), 26 set\_upload\_errors ()  
 save\_bucket () (*b2sdk.v1.AbstractCache* method), 29 (*b2sdk.raw\_simulator.RawSimulator* method), 100  
 save\_bucket () (*b2sdk.v1.AuthInfoCache* method), 30 should\_exclude\_directory ()  
 save\_bucket () (*b2sdk.v1.DummyCache* method), 30 (*b2sdk.sync.scan\_policies.ScanPoliciesManager* method), 88  
 save\_bucket () (*b2sdk.v1.InMemoryCache* method), 30 should\_exclude\_directory ()  
 ScanPoliciesManager (class in *b2sdk.sync.scan\_policies*), 87 (*b2sdk.v1.ScanPoliciesManager* method), 51  
 ScanPoliciesManager (class in *b2sdk.v1*), 51 should\_exclude\_file ()  
 seek () (*b2sdk.stream.chained.ChainedStream* method), 72 (*b2sdk.sync.scan\_policies.ScanPoliciesManager* method), 88  
 seek () (*b2sdk.stream.hashing.StreamWithHash* method), 72 should\_exclude\_file ()  
 seek () (*b2sdk.stream.progress.ReadingStreamWithProgress* method), 73 (*b2sdk.v1.ScanPoliciesManager* method), 51  
 should\_exclude\_file\_version ()  
 should\_exclude\_file\_version ()  
 should\_exclude\_file\_version ()

51  
should\_retry\_http()  
(*b2sdk.v1.exception.B2Error* method), 34  
should\_retry\_http()  
(*b2sdk.v1.exception.B2RequestTimeoutDuringUpload*  
method), 35  
should\_retry\_http()  
(*b2sdk.v1.exception.DestFileNewer* method),  
36  
should\_retry\_http()  
(*b2sdk.v1.exception.TooManyRequests*  
method), 37  
should\_retry\_http()  
(*b2sdk.v1.exception.TransientErrorMixin*  
method), 37  
should\_retry\_upload()  
(*b2sdk.v1.exception.B2Error* method), 34  
should\_retry\_upload()  
(*b2sdk.v1.exception.BadUploadUrl* method),  
35  
should\_retry\_upload()  
(*b2sdk.v1.exception.BrokenPipe* method),  
35  
should\_retry\_upload()  
(*b2sdk.v1.exception.ConnectionReset* method),  
35  
should\_retry\_upload()  
(*b2sdk.v1.exception.TransientErrorMixin*  
method), 37  
should\_retry\_upload()  
(*b2sdk.v1.exception.Unauthorized* method), 37  
SimpleDownloader (class in  
*b2sdk.transfer.inbound.downloader.simple*), 94  
SimpleProgressListener (class in *b2sdk.v1*), 47  
size (*b2sdk.sync.fileFileVersion* attribute), 81  
SIZE (*b2sdk.sync.policy.CompareVersionMode* at-  
tribute), 83  
SIZE (*b2sdk.v1.CompareVersionMode* attribute), 46  
size () (*b2sdk.transfer.inbound.downloader.range.Range*  
method), 94  
SKIP (*b2sdk.sync.policy.NewerFileSyncMode* attribute),  
83  
SKIP (*b2sdk.v1.NewerFileSyncMode* attribute), 46  
sort\_key () (*b2sdk.raw\_simulator.FileSimulator*  
method), 98  
SOURCE\_PREFIX (*b2sdk.sync.policy.AbstractFileSyncPolicy*  
attribute), 83  
SOURCE\_PREFIX (*b2sdk.sync.policy.DownPolicy* at-  
tribute), 84  
SOURCE\_PREFIX (*b2sdk.sync.policy.UpPolicy* at-  
tribute), 84  
SqliteAccountInfo (class in *b2sdk.v1*), 25  
start\_large\_file()  
(*b2sdk.raw\_api.AbstractRawApi* method),  
61  
start\_large\_file() (*b2sdk.raw\_api.B2RawApi*  
method), 62  
start\_large\_file() (*b2sdk.raw\_simulator.BucketSimulator*  
method), 99  
start\_large\_file()  
(*b2sdk.raw\_simulator.RawSimulator* method),  
100  
start\_large\_file() (*b2sdk.session.B2Session*  
method), 59  
start\_large\_file() (*b2sdk.v1.Bucket* method), 40  
StorageCapExceeded, 36  
stream () (*b2sdk.stream.chained.ChainedStream* prop-  
erty), 71  
StreamOpener (class in *b2sdk.stream.chained*), 72  
StreamWithHash (class in *b2sdk.stream.hashing*), 72  
StreamWithLengthWrapper (class in  
*b2sdk.stream.wrapper*), 75  
StreamWrapper (class in *b2sdk.stream.wrapper*), 74  
subrange () (*b2sdk.transfer.inbound.downloader.range.Range*  
method), 94  
symlink\_skipped () (*b2sdk.v1.SyncReport* method),  
54  
sync\_folders () (*b2sdk.sync.sync.Synchronizer*  
method), 90  
sync\_folders () (*b2sdk.v1.Synchronizer* method), 52  
Synchronizer (class in *b2sdk.sync.sync*), 89  
Synchronizer (class in *b2sdk.v1*), 52  
SyncPolicyManager (class in  
*b2sdk.sync.policy\_manager*), 86  
SyncReport (class in *b2sdk.v1*), 53

TIMEOUT (*b2sdk.b2http.B2Http attribute*), 64  
 TokenType (*class in b2sdk.session*), 58  
 TooManyRequests, 37  
 TqdmProgressListener (*class in b2sdk.v1*), 47  
 TransientErrorMixin (*class in b2sdk.v1.exception*), 37  
 truncate () (*b2sdk.stream.wrapper.StreamWrapper method*), 75  
 TruncatedOutput, 37

**U**

Unauthorized, 37  
 UnexpectedCloudBehaviour, 37  
 UnfinishedLargeFile (*class in b2sdk.v1*), 45  
 UnknownError, 37  
 UnknownHost, 37  
 unprintable\_to\_hex () (*b2sdk.raw\_api.B2RawApi method*), 62  
 UnrecognizedBucketType, 37  
 UnsatisfiableRange, 37  
 UnSyncableFilename, 37, 80  
 UnusableFileName, 37  
 UpAndDeletePolicy (*class in b2sdk.sync.policy*), 84  
 UpAndKeepDaysPolicy (*class in b2sdk.sync.policy*), 85  
 update () (*b2sdk.v1.Bucket method*), 38  
 update\_bucket () (*b2sdk.raw\_api.AbstractRawApi method*), 61  
 update\_bucket () (*b2sdk.raw\_api.B2RawApi method*), 62  
 update\_bucket () (*b2sdk.raw\_simulator.BucketSimulator method*), 99  
 update\_bucket () (*b2sdk.raw\_simulator.RawSimulator method*), 100  
 update\_bucket () (*b2sdk.session.B2Session method*), 59  
 update\_compare () (*b2sdk.v1.SyncReport method*), 53  
 UPDATE\_INTERVAL (*b2sdk.v1.SyncReport attribute*), 53  
 update\_local () (*b2sdk.v1.SyncReport method*), 53  
 update\_transfer () (*b2sdk.v1.SyncReport method*), 54  
 upload () (*b2sdk.v1.Bucket method*), 41  
 upload\_bytes () (*b2sdk.v1.Bucket method*), 40  
 upload\_file () (*b2sdk.raw\_api.AbstractRawApi method*), 61  
 upload\_file () (*b2sdk.raw\_api.B2RawApi method*), 62  
 upload\_file () (*b2sdk.raw\_simulator.BucketSimulator method*), 99  
 upload\_file () (*b2sdk.raw\_simulator.RawSimulator method*), 100

upload\_file () (*b2sdk.session.B2Session method*), 59  
 upload\_local\_file () (*b2sdk.v1.Bucket method*), 41  
 UPLOAD\_PART (*b2sdk.session.TokenType attribute*), 58  
 upload\_part () (*b2sdk.raw\_api.AbstractRawApi method*), 61  
 upload\_part () (*b2sdk.raw\_api.B2RawApi method*), 63  
 upload\_part () (*b2sdk.raw\_simulator.BucketSimulator method*), 99  
 upload\_part () (*b2sdk.raw\_simulator.RawSimulator method*), 101  
 upload\_part () (*b2sdk.session.B2Session method*), 59  
 UPLOAD\_PART\_MATCHER  
     (*b2sdk.raw\_simulator.RawSimulator attribute*), 99  
 UPLOAD\_SMALL (*b2sdk.session.TokenType attribute*), 58  
 UPLOAD\_URL\_MATCHER  
     (*b2sdk.raw\_simulator.RawSimulator attribute*), 99  
 UploadSourceBytes (*class in b2sdk.transfer.outbound.upload\_source*), 95  
 UploadSourceLocalFile (*class in b2sdk.transfer.outbound.upload\_source*), 96  
 UploadSourceLocalFileRange (*class in b2sdk.transfer.outbound.upload\_source*), 96  
 UploadSourceStream (*class in b2sdk.transfer.outbound.upload\_source*), 96  
 UploadSourceStreamRange (*class in b2sdk.transfer.outbound.upload\_source*), 97  
 UploadUrlPool (*class in b2sdk.account\_info.upload\_url\_pool*), 29  
 UpPolicy (*class in b2sdk.sync.policy*), 84  
 url () (*b2sdk.raw\_simulator.FakeRequest property*), 98  
 UrlPoolAccountInfo (*class in b2sdk.v1*), 29

**V**

validate\_b2\_file\_name () (*in module b2sdk.utils*), 66  
 versions (*b2sdk.sync.file.File attribute*), 80

**W**

wrap\_sources\_iterator () (*b2sdk.v1.WriteIntent class method*), 56  
 wrap\_with\_range () (*in module b2sdk.stream.range*), 74

writable() (*b2sdk.stream.wrapper.StreamWrapper method*), 75  
write() (*b2sdk.stream.progress.WritingStreamWithProgress method*), 73  
write() (*b2sdk.stream.wrapper.StreamWrapper method*), 75  
write\_file\_and\_report\_progress\_context()  
    (*b2sdk.download\_dest.DownloadDestProgressWrapper method*), 71  
write\_to\_local\_file\_context()  
    (*b2sdk.download\_dest.DownloadDestLocalFile method*), 70  
write\_to\_local\_file\_context()  
    (*b2sdk.download\_dest.PreSeekedDownloadDest method*), 70  
WriteIntent (*class in b2sdk.v1*), 56  
WriterThread (*class in b2sdk.transfer.inbound.downloader.parallel*), 91  
WritingStreamWithProgress (*class in b2sdk.stream.progress*), 73

## Z

zip\_folders() (*in module b2sdk.sync.sync*), 89